### CÚNNTAS BLIADHANTAMHAIL ÁRD-CHLÁRUIDHE SAORSTÁT ÉIREANN.

# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL FOR SAORSTAT EIREANN

CONTAINING

A GENERAL ABSTRACT of the NUMBERS

OF

### MARRIAGES, BIRTHS AND DEATHS

REGISTERED IN SAORSTÁT ÉIREANN

DURING THE YEAR

1924

#### GENERAL SUMMARY.

POPULATION, MARRIAGES, THEIR NUMBER AND THEIR RELATION TO POPULATION, RELIGIOUS DENOMINATIONS, AND CIVIL CONDITION. BIRTHS, THEIR NUMBER AND THEIR RELATION TO POPULATION. DEATHS, THEIR NUMBER AND THEIR RELATION TO POPULATION, AGES, AND CAUSES; EMIGRATION; METEOROLOGY.

DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through any Bookseller or directly from Messrs. EASON & SON, Ltd., 40-41 Lower Sackville Street, Dublin.

1925.

Price Three Shillings Net.

CUMPTAS BLIADHANTANIAN ÁRDICHEÁRMÓRES

# DETAILED ANNUAL REPORT

REGISTRAR-GENERAL FOR SAURSTAT EIREANN

A GENERAL ABSTRAGT of the NUMBERS

### MARRIAGES, BIRTHS AND DEATHS

REGISTERED IN SACRSTAT ÉIREANN

### A S S I

GROSSING STANIARS.

AND ALL THE RESERVE AND ASSESSED AND ASSESSED ASSESSEDADASSED ASSESSED ASSE

HONDER PROPERTY AND THE REAL PROPERTY.

At the a state a state of the s

the state of the same

## CONTENTS.

F	REPORT :—						
I	NTRODUCTORY REMARKS			•••	***		Page
		d apprecia					
G	ENERAL SUMMARY:						
	Population, Marriages, Births, Deaths and Emigra	tion	***	•••	***	***	viii
TV	IARRIAGES:						
	Their Number and Proportion to the Population					• • •	ix
	Number by each mode of celebration in the years	1914-19	24	***	* * *	***	· ix
	Civil Condition of Persons Married			•••	•••		ix
	Signatures to Marriage Registers and Certificates		•••		•••		ix
B	IRTHS:						
D	Their Number and Proportion to the Population						in
	Birth-rate in Urban and Rural Areas	•••	in inquire	All proper	est injuno		ix
	Proportion of Illegitimate Births in Saorstát Éirea	ann and	in the c	overal Pr	rorringg	mid)	ix
	Birth-rate in the Provinces	allii alia	in the s	everal 11	ovinces		ix
	N 1 CP: 11 C	•••			***	33339	X
	Multiple Births in Saorstát Éireann	***				***	X
	multiple Dittils in Saoistat Elleann	•••		•••	•••	• • •	X
D	EATHS:						
	Their Number and Proportion to the Population		* * *		***	* * *	x
	Death-rate in the Provinces and in Urban and Ru	ıral areas	s	4 0 4	•••	•••	x
	Number and Proportion of Deaths registered during	ng each	Quarter				X
	Deaths in Institutions		10.00				xi
	Causes of Death—General Observations		•••	•••	• • •	8.0.0	xi
	,, Deaths from all causes and from						
	1914-24 with the respective Population	_					xii-xiii
	,, Observations on the Mortality f	rom each	of the	principal	causes	xiv	v-xxiii
	Deaths from Tuberculous Disease	•••	1801 ni	milatora	xvi-xvii,	xxxii-	xxxjii
	Deaths from Cancer in Saorstát Éireann during						
	Affected				outob ods		ii-xix
	Deaths of Women from Diseases Caused by or bearing						xxxiii
	Violent Deaths					•••	xxiii
						1	xxiii
	Inquests						xxiii
	Ages at Death						xxiii

Page

DEDODT	Continued			

	Infant Mortality	y— General Observa	tions	•••	•••	4 4 4			xxiv
	,,	in Urban and Ru	ral District	s of Saors	tát Éire	ann		X	xiv-xxv
	**	Deaths of Illegitin	nate Infant	ts in Saors	stát Éire	eann	•••		XXV
	99	Deaths of all I during the ye			Births,	y cause	es and	ages	xxvi
	19	Deaths of all Info	-	000 Birth	s, by ca	uses, ag	es and	sexes	xxvii
	29	Deaths of all In Urban and R		1,000 Bir	rths from	m certai	in cause	es in	xxviii
	,,	Deaths of Infants				Rural are	-	_	xxix
	22	Deaths of Illegitin				ages, a	lso rates	per	XXX
	77	Deaths of Illegit				each	County	and	xxxi
	Deaths from County, Con Rates per 1,000	of the Population of certain causes, unty Borough, and of the Population reses, also Infant Mor	also Infant Province	t Mortalit by Births	y per 1	ths, and	rths in Deaths	each from	xxxii xxxiii
Мет	EOROLOGY		•••			Andrews			xxxiv
BST	RACTS :—								
IDOI.									
	Province, C	s (distinguishing II ounty and County and Deaths in Insti	Borough, v						1
	Registrar's	s (distinguishing Ille Districts, with the nstitutions	egitimate B results ar	irths) and rising from	Deaths n correc	in the Su tions for 	aperinten Births	dent and	2-4
	County Bo Marriages, a the Conjuga	ered in Saorstát Froughs in 1924, ond giving the total condition of Persthe Registers by M	distinguishi numbered ons Marrie	ng Roma registered	n Catho	olic fron	of the y	stant rear;	6-7
	Deaths of Males Counties, and	and Females at dif nd County Borough	ferent ages	registered	in 1924	relating	to Provi	nces,	8-10
	Causes of Death life in 1924	as of Males and of 1	Females in	Saorstát Í	Éireann a	at differe	nt period	ls of	12-27
	Causes of Death	in Saorstát Éirean	n in 1094	h C	A mag	d Dlass	of Occur	nomec	90

CONTENTS

ST	RACTS:—continued.										Page
	Deaths by Causes, i showing Sexes,			elating to each Could Places of Occurre				rough (as	un	der),	29-59
			Page			Page				Page	
	Carlow		29	Westmeath		39	Tipperary	S.R.		49	
	Dublin	***	30	Wexford		40	Waterford	•••		50	
,	Dublin C. Boro'.		31	Wicklow		41	Waterford	Co. Boro	) <sup>2</sup> .	51	
	Kildare		32	Clare		42	Galway	•••		52	
	Kilkenny		33	Cork		43	Leitrim	1		53	
	Laoigheas		34	Cork Co. Boro'.		44	Mayo	***		54	
	Longford		35	Kerry	. 2.	45	Roscommo	$\mathbf{n}$		55	
	Louth		36	Limerick		46	Sligo			56	
	Meath		37	Limerick Co. Boro		47	Cavan			57	
	Ui Failighe		38	Tipperary N.R.		48	Donegal	***		58	
							Monaghan			59	
	at 65 years and	arra:	nged vards	strative Counties du by Provinces, with , the number of unc ording to the Censu	the rectifi	ed d	eaths, the n	s under o	ne y	ear,	60-67
	Population of the S	aors	tát É	lireann area at each	of t	he ei	ight censuse	s, 1841-1	911	•••	68
	Population by Sexe	es an	d Ag	ges according to cer	nsus	of 19	911			•••	68
	Population estimate	ed in	the	middle of the year	s 19	12-24					68
	Index to Superinter	nden	t Re	gistrars' Districts		100					69
PPE	NDIX :—										
	Number of Searche the amount of				fice o	durin	g the years	1864-192	24, 1	vith	69

AE

### CÚNNTAS

DO

#### SHÉAMAS DE BÚRCA, AIRE UM RIALTAS ÁITIÚIL.

A CHARA,

I have the honour to submit my Annual Report on the Marriages, Births and Deaths registered in Saorstát Eireann, during the year 1924.

In this Report, as in that for the preceding year, the Births and Deaths shown for the various administrative areas are corrected for those occurring in institutions.

The presentation of the figures for the years 1923 and 1924 in this manner adds to their value, both from statistical and administrative points of view. Further improvements could, however, be effected if more accurate information of the existing population were available than that afforded by Estimates for years so far removed from the date of the latest Census (1911).

#### GENERAL SUMMARY.

In connection with the vital statistics of Saorstát Éireann in 1924 as compared with 1923 increases in the number of births and deaths, and reductions in the number of marriages and emigrants, are shown.

The marriages registered during the year under review numbered 14,822, being 810 less than the number in 1923 and 879 less than the average for the ten years

There were 63,402 births, equal to 20.06 per 1,000 of the estimated population, as compared with a rate of 19.49 per 1,000 for 1923 and 20.05 per 1,000 for the ten years 1914-23. The number for 1924 shows an increase of 1,712 as compared with that for the preceding year.

The number of deaths was 45,180, or 14.29 per 1,000 of the population, the rate for 1923 being 13.34 per 1,000 and the average for the ten years (1914-23)

15.55 per 1,000.

Tuberculosis caused 4,582 deaths, equivalent to 1.45 per 1,000 of the population, as against 4,468 deaths and a rate of 1.41 per 1,000 in 1923, the latter being the

lowest mortality from tuberculosis ever recorded.

The number of deaths from cancer in 1924, viz., 2,903, with a rate of 0.92 per 1,000, is higher than that for any year of the preceding decennium. The number shows an increase of 173 as compared with that for 1923 and of 286 in comparison with the average for the decennium.

To heart diseases 4,792 deaths were attributed. This number, 149 above that recorded for 1923, is equivalent to a rate of 1.52 per 1,000 of the population.

Deaths from bronchitis numbered 2,926 or 60 above those recorded for 1923, but 948 under the average for the ten years 1914-23. Pneumonia caused 2,667 deaths, being 565 above the low number registered in 1923, but 112 under the average (2,779).

The infant mortality in 1924 for the entire area was 72 per 1,000 births, which was 6 per 1,000 above the record low rate for 1923, viz., 66 per 1,000. The rate for rural areas was 55 per 1,000 and for urban areas 104 per 1,000 births.

Table I.—Showing for each of the years 1914-24 the estimated Population\* of Saorstát Éireann area; the number of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years, 1914-1923; also particulars relating to Northern Ireland for the year 1924.

Years.	*Estimated Population in the	Nu	mbers Registe	red.	Rate per 1,000 of Estimated Population.				
1 EARS.	middle of each year.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.		
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923  Yearly Average, 1914-1923 1924	3,132,000 3,120,000 3,132,000 3,142,000 3,155,000 3,203,000 3,216,000 3,160,000 3,165,000 3,165,000	16,193 16,282 15,207 14,201 14,773 17,201 17,276 15,102 15,141 15,632 15,701	69,102 67,501 64,814 61,421 61,092 61,829 67,015 61,010 58,849 61,690 63,432	49,674 53,713 50,627 51,713 53,682 55,776 45,521 44,537 44,547 42,217 49,201	5·17 5·22 4·86 4·52 4·68 5·37 5·37 4·69 4·79 4·94 4·96	22·06 21·63 20·69 19·55 19·36 19·30 20·84 18·94 18·62 19·49 20·05	15·85 17·22 16·16 16·46 17·01 17·41 14·15 13·82 14·10 13·34 15·55		
TOTAL SECTION	STATE OF THE PARTY	NORTHI	ERN IRELA	ND, 1924.	1 1 1 1 1 1		ed of		
1924	1,279,000	7,514	28,496	20,299	5.87	22.3	15.9		

<sup>\*</sup> See page 73.

#### EMIGRATION.

From returns kindly furnished by the Ministry of Industry and Commerce (Department of Statistics) Saorstát Éireann, it would appear that the number of emigrants from Saorstát Éireann to "places out of Europe and not within the Mediterranean Sea" during the year 1924 was 19,077, including 12,016 bound for the United States, 5,237 for British North America, 1,138 for Australia, 192 for New Zealand, 160 for British South Africa, 112 for India, and 222 for other countries.

The estimated number of emigrants in 1923 was 20,570.

#### MARRIAGES.

During the year 1924 the marriages registered in Saorstát Éireann numbered 14,822, being equivalent to a rate of 4.69 per 1,000 of the estimated population; this rate is 0.25 below that for the previous year, but 0.27 below the average for the ten years, 1914-23.

Of the 14,822 marriages, 13,835 were of Roman Catholics, as compared with 14,576 in 1923, the remaining marriages numbering 987, as against 1,056 in 1923. Included in the 987 marriages are 709 celebrated according to the rites and ceremonies of the Church of Ireland, as against 752 in 1923; 143 as compared with 154 in 1923, were in Presbyterian Meeting-houses; 54 as against 53 in 1923 in "Registered Buildings" belonging to various religious denominations; 65 by civil contract in the Registrars' offices, as against 83 in 1923, one was according to the usages of the Society of Friends; and 15 as compared with 9 in 1923, were according to the Jewish rites.

The rate per 1,000 of the estimated Roman Catholic population represented by the number of marriages of Roman Catholics was 4.89, or 0.15 below the corresponding average rate for the preceding ten years, and the rate for other marriages was equivalent to 3.00 per 1,000 of all persons other than Roman Catholics in the population, this rate being 1.27 below the corresponding average rate for the ten years, 1914-23.

TABLE II.—MARRIAGES registered in Saorstát Eireann area in 1924, and in each of the previous ten years, according to the Modes of Celebration; with the rate per 1.000 of the population represented thereby.

		Marriages	registered	other than	Roman Ca	tholic.				Rate per 1,000 of estimated corresponding Population represented by			
YEARS.	According to the Rites of the Church of Ireland.	In Registered Presbyterian Meetinghouses.	In Regis- tered Build- ings.	In the Registrars' Offices.	Society of Friends	Jews.	Total.	Roman Catholic Marri- ages.	Total Marri- ages Regis- tered.	Marri- ages, other than Roman Catholic.	Roman Catholic Marri- ages	Total Marri- ages.	
1914 16 16 1917 1918 1919 1920 1921 1922 1923	1,062 915 995 1,064 1,125 1,140 970 856	194 205 174 199 196 239 205 180 154 154	57 95 75 80 79 99 96 88 78 53	129 123 116 93 119 117 161 155 127 83	4 2 2 3 1 3 - - 5	8 6 6 11 10 9 19 9 11 9	1,539 1,493 1,288 1,381 1,469 1,592 1,621 1,402 1,226 1,056	14,654 14,789 13,919 12,820 13,304 15,609 15,655 13,700 13,915 14,576	16,193 16,282 15,207 14,201 14,773 17,201 17,276 15,102 15,141 15,632	$\begin{array}{c} 4 \cdot 72 \\ 4 \cdot 59 \\ 3 \cdot 95 \\ 4 \cdot 22 \\ 4 \cdot 47 \\ 4 \cdot 77 \\ 4 \cdot 84 \\ 4 \cdot 17 \\ 3 \cdot 73 \\ 3 \cdot 20 \end{array}$	5·22 5·29 4·96 4·55 4·71 5·44 5·43 4·75 4·92 5·14	$5 \cdot 17$ $5 \cdot 22$ $4 \cdot 86$ $4 \cdot 52$ $4 \cdot 68$ $5 \cdot 37$ $5 \cdot 37$ $4 \cdot 69$ $4 \cdot 79$	
early Averag 1914-1923	е 1,003	190	80	122	2	10	1,407	14,294	15,701	4.27	5.04	4.96	
1924	. 709	143	54	65	1	15	987	13,835	14,822	3.00	4.89	4.69	

It will be found from the figures given in the Abstract of Marriages, pages 6-7, that  $91 \cdot 2$  per cent. of the total marriages were those of bachelors and spinsters; that  $5 \cdot 2$  per cent. were those of widowers and spinsters; that  $2 \cdot 5$  per cent. were marriages of bachelors and widows; and that those of widowers and widows formed 1.1 per cent. of the total marriages. Thus, of the men married 6.3 per cent. were widowers, and of the women 3.6 per cent. were widows, or in 10 instances in every 100 marriages, one or both of the contracting parties had been in the married state before.

A rough test of the progress of elementary education in Saorstát Eireann is afforded by the signatures of the contracting parties in the marriage registers or certificates. In the year 1924 there were 14,525 or 98.0 per cent. of the husbands, and 14,660, or 98.9 per cent. of the wives, who wrote their names, and the remainder signed by "mark," as against 15,268, or 94.3 per cent. of the husbands, and 15,660 or 96.7 per cent. of the wives in the year 1914.

Table XV supplies the rates per 1,000 of the population represented by marriages in the provinces, counties and county boroughs.

#### BIRTHS.

The number of births registered in Saorstát Éireann during the year 1924 was 63,402 (boys 32,713 and girls 30,689) equivalent to 20·1 per 1,000 of the estimated population, which was also the average of the ten years, 1914-23.

The rate represented by the births registered in Northern Ireland was 22.3 per 1,000 of the estimated population; in England and Wales, 18.8; and in

For the combined county boroughs and urban districts in Saorstát Eireann, the rate per 1,000 of the population during the year 1924 was 25.8 and for all

rural districts it was 18.1 (Table XVI).

In 1924 the proportion of male infants born alive in Saorstát Éireann to every 1,000 females was 1,066; in 1923, 1,065; in 1922, 1,065; in 1921 it was 1,056; in 1920 it was 1,067; in 1919 it was 1,069; and in 1918 the proportion was 1,040 males to every 1,000 females.

Of the 63,402 births registered during the year 61,725 or 97.4 per cent. were legitimate, and 1,677, or 2.6 per cent. were illegitimate, the proportions being the

same as those for each of the three preceding years.

For the province of Leinster illegitimacy in 1924 amounted to 3·2 per cent. of the total number of births for that province; Munster 2·7 per cent.; Connaught 1·2 per cent., and Ulster (part of) 2·5 per cent., as compared with 3·3 per cent., 2·5 per cent., 1·3 per cent., and 2·5 per cent. respectively, in 1923.

The male children born in wedlock numbered 31,865 and the female 29,860 and 1067 of the female children.

or 1,067 of the former to every 1,000 of the latter, and of the illegitimate children

848 were males and 829 females, or 1,023 boys to every 1,000 girls.

It should be stated that the illegitimate birth-rate for Saorstát Éireann compares favourably with that for most other countries.

For the province of Leinster the birth-rate was 22.5 per 1,000 of the population (Census 1911); for Munster 19.6; for Connaught 18.1, and for Ulster (part of) 18.0.

The following statement shows the total number of infants, by sexes, whose births were registered during each quarter of 1924:—

	_	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males Females		 8,355 7,634	8,555 8,012	8,434 7,998	7,369 7,045	32,713 30,689
	Total	 15,989	. 16,567	16,432	14,414	63,402

Of the total births 51·3 per cent. were registered in the first six months (182 days) and 48.7 per cent. in the second six months (184 days).

#### MULTIPLE BIRTHS.

The number of twin births registered in Saorstát Éireann during the year 1924 was 815 and the number of triplet births 6. The twin births were 1.29 per cent. of the total births, 1.32 of the single births and 1.30 per cent. of the total mothers, the respective percentages in the preceding year being 1·23, 1·26, and 1·25. The infants born in wedlock (61,725) as registered in 1924, include 789 births

of twins (or 1.30 per cent. of the 60,924 married mothers) and 6 births of triplets, while the illegitimate infants (1,677) include 26 twins, equivalent to 1.57 per cent. of the 1,651 unmarried mothers.

Of the 1,648 infants born alive resulting from multiple births, 815 were males

and 833 females.

#### DEATHS.

The deaths registered in Saorstát Éireann during the year 1924 numbered 45,180, affording a rate of 14 · 29 per 1,000 of the estimated population. The deaths of males amounted to 22,821, or 14.30 per 1,000 of the estimated number of males in the population, the deaths of females numbering 22,359, equivalent to 14.29 per 1,000 of the estimated female population.

The mortality from all causes in 1924 is 0.95 per 1,000 above that for 1923,

and 1·26 per 1,000 below the average for the ten years 1914-23.

The death rate from all causes for Northern Ireland was 15·9 per 1,000, for England and Wales, 12·2 per 1,000 and for Scotland, 14·4 per 1,000.

Table XV., gives the rates from all causes for Saorstát Eireann by provinces,

counties and county boroughs.

From this it will be seen that the rate for the province of Leinster was 15.74 per 1,000 of the population of the province, for Munster 13.81 per 1,000, for Connaught 12.29 per 1,000 and for Ulster (part of) 15.36 per 1,000.

The rates for counties and county boroughs varied from 11.40 for Mayo county

to 16.83 for Dublin County borough.

For urban areas (county boroughs and urban districts) the mortality from all causes in 1924 was 16.84 per 1,000 of the population and for the rural districts 13.49 per 1,000 (Table XVI.).

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1924.

Office school or one		1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males Females	•••	7,183 7,351	6,054 5,884	4,626 4,307	4,958 4,817	22,821 22,359
Total		14,534	11,938	8,933	9,775	45,180

Of the total deaths 26,472, or 58.6 per cent., were recorded during the first six months and 18,708, or 41.4 per cent., in the second six months.

The annual rate per 1,000 of the population represented by deaths registered in the first quarter of the year was 18.4; in the second quarter, 15.1; in the third,  $11 \cdot 3$ ; and in the fourth,  $12 \cdot 4$ , as compared with  $18 \cdot 7$ ,  $16 \cdot 5$ ,  $12 \cdot 3$ , and  $14 \cdot 7$ , respectively, for the first, second, third and fourth quarters of the ten years, 1914-23.

#### DEATHS IN INSTITUTIONS.

The Abstract commencing on page 28 gives particulars relating to deaths by certain causes in institutions in Saorstát Eireann and for each county and county borough. Of the 45,180 deaths, 3,601 took place in infirmaries and general and special hospitals, 1,101 in mental hospitals, 5,879 in county homes and hospitals or in workhouse hospitals, and 34,599 occurred elsewhere. Of the total deaths, 23·4 per cent. occurred in the above-named institutions (8·0 per cent. in infirmaries and general and special hospitals,  $2 \cdot 4$  per cent. in mental hospitals and  $13 \cdot 0$  per cent. in county homes and hospitals) and  $76 \cdot 6$  per cent. occurred elsewhere.

#### CAUSES OF DEATH.

In the table which follows, the number of deaths from some of the principal diseases are shown for the years 1923 and 1924, also the averages for the ten years, 1914-1923.

		ber of I registere			Nu	Deaths ed	
Causes.	Yea	ars.	Average	CAUSES.	Yea	ars.	Average
	1924.	1923.	10 years 1914-23		1924.	1923.	10 years 1914-23
	1			Tuberculous Disease ]	4,582	4,468	5,756
Enteric Fever	123	142	167	Cancer	2,903	2,730	2,617
Typhus :	5	19	26	Heart Disease	4,792	4,643	4,958
Measles	- 198	171	312	Bronchitis	2,926	2,866	3,874
Scarlet Fever	65	66	119	Pneumonia	2,667	2,102	2,779
Whooping-cough	621	454	429	Diarrhœa and Enteritis			
Diphtheria	186	285	269	under two years of			
Dysentery	4	15	19	age	515	513	675
Influenza	2,073	621	2,127	Puerperal Septic			
Encephalitis				Diseases	123	135	133
Lethargica	55	16	9	Other Accidents and			
Cerebro-spinal				Diseases of Pregnancy			
Fever	28	17	30	and Childbirth	180	162	190

In the above table the only causes of death in 1924 which compare unfavourably with the averages for the ten preceding years are whooping-cough, encephalitis

lethargica and cancer.

The mortality in 1924 showed an increase of 2,963 deaths over that for 1923, deaths from influenza exceed those recorded for 1923 by 1,452 and from pneumonia by 565. Other increases were 173 in cancer, 167 in whooping-cough, 149 in heart disease, 114 in tuberculosis, 60 in bronchitis, 39 in encephalitis lethargica, 27 in measles, 18 in accidents and diseases of pregnancy other than puerperal septic diseases, 11 in cerebro-spinal fever, and 2 in diarrhea and enteritis of children under 2 years.

On the other hand, deaths from diphtheria in 1924, as compared with 1923, show a decrease of 200 deaths from searlet fever a decrease of one deaths from

show a decrease of 99, deaths from scarlet fever a decrease of one, deaths from typhus a decrease of 14, deaths from enteric fever a decrease of 19, deaths from puerperal septic diseases a decrease of 12, and deaths from dysentery show a

decrease of 11.

According to Table XV., which gives the information by provinces, counties and county boroughs, deaths from the principal epidemic diseases\* in Saorstát Eireann in 1924 are represented by a rate of 0.54 per 1,000 of the population, the Eireann in 1924 are represented by a rate of 0.54 per 1,000 of the population, the rates varying from 1.72 per 1,000 for Cork county borough, 1.24 per 1,000 for Dublin county borough, 0.80 for Waterford county borough, and 0.75 per 1,000 for Kerry county to 0.09 per 1,000 for Meath county, 0.09 per 1,000 for Leitrim county, 0.25 per 1,000 for Westmeath county and 0.28 per 1,000 for Sligo county.

Table XVI. shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 1.06 per 1,000 of the population, being about 3 times the rate for rural districts—0.36 per 1,000.

Table III.—Showing the number of Deaths from all Causes, from some of the EIREANN during each of the eleven years, 1914-1924, with the average of the estimated Population represented by the number of Deaths from also particulars relating to Northern Ireland for the year 1924.

Note.—The Classification of Causes of Death adopted for 1921-4 is in accordance with the International as far as possible, in order to afford comparison with those for 1921-4. The numbers in brackets

YEAR.	Total Number of Deaths.	Enteric Fever (1)	Typhus (2)	Small-pox (6)	Measles (7)	Scarlet Fever (8)	Whooping-cough (9)	Diphtheria (10)	Dysentery (16)	Influenza (11)	Encephalitis Lethargica (23)	Meningococcal Meningitis (including Cerebro-spinal Fever, (24)	Tuberculosis of the Respiratory System (31)	Other Tuberculosis (32-7)	Cancer, Malignant Disease (43-9)	Diabetes (57)	Cerebral Hæmorrhage (74)
															(1).	Nu:	MBEI
																SAOI	RSTÁI
					1					1		. 1					
1914	. 49,674	207	27		. 691	223	453	205	21	435		12	5,020	1,324	2,567	259	1,427
915	. 53,713	181	29		307	236	486	232	20	1,082		65	5,431	1,294	2,553	274	1,514
916	. 50,627	209	27	'	218	184	525	. 200	. 17	712		40	5,160	1,311	2,679	239	1,439
917		191	38		372	74	375	187	17	1,004	· —	44	5,320	1,346	2,633	252	1,500
918		190	29	- :	437	56	499	152	12	6,788		46	5,142	1,350	2,618	209	1,287
		132	24	-	99	64	.287	185	29	7,468	4	. 25	4,532	1,307	2,672	209	1,438
920		180	30	—	227	109	795	378 461	18 27	696	17 31	21	3,975	1,147 960	2,588	235	1,375 1,263
.921	44.545	140	17		141 458	110 73	201	401	. 9	1,812	19	11	3,694	920	2,523	239	1,303
000	40.015	142	19	manny (	171	66	454	285	15	621	16	17	3,524	944	2,730	224	1,365
.923	- +2,211	172	1.0		111			200					0,021				
Average—ter rears 1914-23	49,201	167	26	_	312	119	429	269	. 19	2,127	9	30	4,566	1,190	2,617	236	1,391
1924	. 45,180	123	. 5		198	65	621	186	4	2,073	55	28	3,692	890	2,903	212	1,329
		1	1 1	· · · · · · · · · · · · · · · · · · ·				,								NORT	HER
1924	. 20,299	25	.3	·—	213	90	276	88	_	1,026	. 80	1	1,564	491	1,407	NORT	HER.
	20,299	25	.3	.—	213	90	276	88		1,026	. 80	(2).				100,00	1,023
	20,299	25	.3		]	90	276	88	_	1,026	. 80					100	1,028
		25	0.9		]	90	276	88	. 0.7	1,026	. 80					100,00	1,028
914	1,585 · 5			-					0.7			(2).	RA	TES 1	PER ]	100,00 SAOI	1,028 00 O
.914 .915	1,585·5 1,721·6	6.6 5.8 6.7	0.9		22.0	7·1 7·6 5·9	14.5	6.5		13.9	-	(2).	RA	TES ]	PER ]	100,00 SAOI	1,02: 00 O RSTÁ 45·8
.914 .915 .916	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9	6·6 5·8 6·7 6·1	0.9		22·0 9·8 7·0 11·8	7·1 · 7·6 · 5·9 · 2·4	14·5 15·6 16·8 11·9	6·5 7·4 6·4 6·0	0·6 ·0·5 0·5	$13 \cdot 9$ $34 \cdot 7$ $22 \cdot 7$ $32 \cdot 0$		0·4 2·1 1·3 1·4	RA  160·2 174·1 164·8 169·3	TES ]	81·9 81·8 85·5 83·8	100 SAOI 8.3 8.8 7.6 8.0	1,023 00 O RSTÁ 45 · 8 45 · 9 47 · 1
1914 1915 1916 1917	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5	6·6 5·8 6·7 6·1	0·9 0·9 0·9 1·2 0·9		22·0 9·8 7·0 11·8 13·8	7·1 · 7·6 · 5·9 · 2·4 · 1·8	14·5 15·6 16·8 11·9	6·5 7·4 6·4 6·0 4·8	0·6 ·0·5 0·5 0·4	13·9 34·7 22·7 32·0 215·2		0·4 2·1 1·3 1·4 1·5	RA  160·2 174·1 164·8 169·3 163·0	TES ]  42.3 41.5 41.9 42.8	81·9 81·8 85·5 83·8 83·0	100 SAOI  8.3 8.8 7.6 8.0 6.6	1,023 00 0 RSTÁ 45 · 8 48 · 6 47 · 7 40 · 8
1914 1915 1916 1917 1918	. 1,585 · 5 . 1,721 · 6 . 1,616 · 4 . 1,645 · 9 . 1,701 · 5 . 1,741 · 4	6·6 5·8 6·7 6·1 6·0 4·1	0·9 0·9 0·9 1·2 0·9 0·7		22·0 9·8 7·0 11·8 13·8 3·1	7·1 · 7·6 · 5·9 · 2·4 · 1·8 · 2·0	14·5 15·6 16·8 11·9 15·8 9·0	6·5 7·4 6·4 6·0 4·8 5·8	0.6 .0.5 0.5 0.4 0.9	13·9 34·7 22·7 32·0 215·2 233·2		0·4 2·1 1·3 1·4 1·5 0·8	RA  160·2 174·1 164·8 169·3 163·0 141·5	TES ]  42.3 41.5 41.9 42.8 42.8	81·9 81·8 85·5 83·8 83·0 83·4	8.3 8.8 7.6 8.0 6.6 6.5	1,023 00 0 RSTÁ 45 4 48 4 47 4 40 8 44 9
1914 1915 1916 1917 1918 1919	. 1,585 · 5 . 1,721 · 6 . 1,616 · 4 . 1,645 · 9 . 1,701 · 5 . 1,741 · 4 . 1,415 · 5	6.6 5.8 6.7 6.1 6.0 4.1 5.6	0·9 0·9 0·9 1·2 0·9 0·7 0·9		22·0 9·8 7·0 11·8 13·8 3·1 7·0	7·1 · 7·6 · 5·9 · 2·4 · 1·8 · 2·0 · 3·4	14·5 15·6 16·8 11·9 15·8 9·0 24·7	6·5 7·4 6·4 6·0 4·8 5·8	0·6 ·0·5 0·5 0·4 0·9 0·5	13·9 34·7 22·7 32·0 215·2 233·2 21·6	0·1 0·5	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7	RA  160·2  174·1  164·8  169·3  163·0  141·5  123·6	TES ]  42·3 41·5 41·9 42·8 42·8 40·8 35·7	81·9 81·8 85·5 83·8 83·0 83·4 80·5	8·3 8·8 7·6 8·0 6·6 6·5 7·3	1,028  00 0  RSTÁ  45 · 8  48 · 8  47 · 7  40 · 8  42 · 8
1914 1915 1916 1917 1918 1919	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5 . 1,741·4 . 1,415·5 . 1,382·3	6.6 5.8 6.7 6.1 6.0 4.1 5.6 4.4	0·9 0·9 0·9 1·2 0·9 0·7 0·9	-	22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4	7·1 · 7·6 5·9 · 2·4 1·8 2·0 3·4 3·4	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7	6·5 7·4 6·4 6·0 4·8 5·8 11·7	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1	0·1 0·5 1·0	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9	42·3 41·5 41·9 42·8 40·8 35·7 29·8	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0	8.3 8.8 7.6 8.0 6.6 6.5 7.3 6.7	1,023 45 · E 48 · E 47 · 7 40 · E 42 · E 39 · 2
1914 1915 1916 1917 1918 1919 1920	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5 . 1,741·4 . 1,415·5 . 1,882·3 . 1,409·7	6.6 5.8 6.7 6.1 6.0 4.1 5.6 4.4	0.9 0.9 0.9 1.2 0.9 0.7 0.9 0.5		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4 14·5	7·1 7·6 5·9 2·4 1·8 2·0 3·4 3·4	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7	6·5 7·4 6·4 6·0 4·8 5·8 11·7 14·3	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8 0·3	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1 57·3	0·1 0·5 1·0 0·6	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7 0·3	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9  116 · 9	42·3 41·5 41·9 42·8 42·8 40·8 35·7 29·8 29·1	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0 79·8	8.3 8.8 7.6 8.0 6.6 6.5 7.3 6.7	1,020 000 O 45 · £ 48 · £ 47 · ? 40 · £ 44 · £ 42 · £ 41 · £ 41 · £ 41 · £ 41 · £
1914 1915 1916 1917 1918 1919 1920	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5 . 1,741·4 . 1,415·5 . 1,382·3	6.6 5.8 6.7 6.1 6.0 4.1 5.6 4.4	0·9 0·9 0·9 1·2 0·9 0·7 0·9		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4	7·1 · 7·6 5·9 · 2·4 1·8 2·0 3·4 3·4	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7	6·5 7·4 6·4 6·0 4·8 5·8 11·7	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1	0·1 0·5 1·0	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9	42·3 41·5 41·9 42·8 40·8 35·7 29·8	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0	8.3 8.8 7.6 8.0 6.6 6.5 7.3 6.7	1,020 000 O 45 · £ 48 · £ 47 · ? 40 · £ 44 · £ 42 · £ 41 · £ 41 · £ 41 · £ 41 · £
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 Average—te	. 1,585 · 5 . 1,721 · 6 . 1,616 · 4 . 1,645 · 9 . 1,701 · 5 . 1,741 · 4 . 1,415 · 5 . 1,382 · 3 . 1,409 · 7 . 1,333 · 8	6.6 5.8 6.7 6.1 6.0 4.1 5.6 4.4	0.9 0.9 0.9 1.2 0.9 0.7 0.9 0.5		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4 14·5	7·1 7·6 5·9 2·4 1·8 2·0 3·4 3·4	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7	6·5 7·4 6·4 6·0 4·8 5·8 11·7 14·3	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8 0·3	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1 57·3	0·1 0·5 1·0 0·6	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7 0·3	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9  116 · 9	42·3 41·5 41·9 42·8 42·8 40·8 35·7 29·8 29·1	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0 79·8	8.3 8.8 7.6 8.0 6.6 6.5 7.3 6.7	1,028 45 · E 48 · E 47 · E 40 · E 42 · E 43 · E 43 · E
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923  Average—te years, 1914-s	. 1,585 · 5 . 1,721 · 6 . 1,616 · 4 . 1,645 · 9 . 1,701 · 5 . 1,741 · 4 . 1,415 · 5 . 1,382 · 3 . 1,409 · 7 . 1,333 · 8	6.6 5.8 6.7 6.1 6.0 4.1 5.6 4.4 3.0 4.5	0·9 0·9 0·9 1·2 0·9 0·7 0·9 0·5 0·6		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4 14·5 5·4	7·1 · 7·6 · 5·9 · 2·4 · 1·8 · 2·0 · 3·4 · 3·4 · 2·3 · 2·1	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·4 14·3	6·5 7·4 6·4 6·0 4·8 5·8 11·7 14·3 12·7 9·0	0.6 .0.5 0.5 0.4 0.9 0.5 0.8 0.3	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1 57·3 19·6	0·1 0·5 1·0 0·6 0·5	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7 0·3 0·5	RA  160·2 174·1 164·8 169·3 163·0 141·5 123·6 119·9 116·9 111·3	TES ]  42·3 41·5 41·9 42·8 40·8 35·7 29·8 29·1 29·8	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0 79·8 86·3	8·3 8·8 7·6 8·0 6·6 6·5 7·3 6·7	1,023
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 Average—te years, 1914-5	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5 . 1,741·4 . 1,415·5 . 1,382·3 . 1,409·7 . 1,333·8	6·6 5·8 6·7 6·1 6·0 4·1 5·6 4·4 3·0 4·5	0·9 0·9 0·9 1·2 0·9 0·7 0·9 0·6 0·6		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4 14·5 5·4	7·1 · 7·6 · 5·9 · 2·4 · 1·8 · 2·0 · 3·4 · 3·4 · 2·3 · 2·1 · 3·8	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7 6·4 14·3	6·5 7·4 6·4 6·0 4·8 5·8 11·7 14·3 12·7 9·0	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8 0·3 0·5	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1 57·3 19·6	0·1 0·5 1·0 0·6 0·5	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7 0·3 0·5	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9  111 · 3  144 · 5	TES ]  42·3 41·5 41·9 42·8 42·8 40·8 35·7 29·8 29·1 29·8	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0 79·8 86·3	8.3 8.8 7.6 8.0 6.6 6.5 7.3 6.7 7.6 7.4	1,028 45.5 48.5 45.9 47.7 40.8 44.6 42.6 44.0
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923  Average—te years, 1914-s	. 1,585·5 . 1,721·6 . 1,616·4 . 1,645·9 . 1,701·5 . 1,741·4 . 1,415·5 . 1,382·3 . 1,409·7 . 1,333·8	6·6 5·8 6·7 6·1 6·0 4·1 5·6 4·4 3·0 4·5	0·9 0·9 0·9 1·2 0·9 0·7 0·9 0·6 0·6		22·0 9·8 7·0 11·8 13·8 3·1 7·0 4·4 14·5 5·4	7·1 · 7·6 · 5·9 · 2·4 · 1·8 · 2·0 · 3·4 · 3·4 · 2·3 · 2·1 · 3·8	14·5 15·6 16·8 11·9 15·8 9·0 24·7 6·7 6·4 14·3	6·5 7·4 6·4 6·0 4·8 5·8 11·7 14·3 12·7 9·0	0·6 ·0·5 0·5 0·4 0·9 0·5 0·8 0·3 0·5	13·9 34·7 22·7 32·0 215·2 233·2 21·6 20·1 57·3 19·6	0·1 0·5 1·0 0·6 0·5	(2).  0·4 2·1 1·3 1·4 1·5 0·8 0·7 0·7 0·3 0·5	RA  160 · 2  174 · 1  164 · 8  169 · 3  163 · 0  141 · 5  123 · 6  119 · 9  111 · 3  144 · 5	TES ]  42·3 41·5 41·9 42·8 42·8 40·8 35·7 29·8 29·1 29·8	81·9 81·8 85·5 83·8 83·0 83·4 80·5 81·0 79·8 86·3	8·3 8·8 7·6 8·0 6·6 6·5 7·8 6·7 7·6 7·1	1,023 45.8 45.8 45.8 47.7 40.8 44.8 42.8 43.1

Principal Causes, and the number of Uncertified Deaths registered in SAORSTAT Annual Number for the ten years, 1914-1923; (2) the Respective Rates per 100,000 these causes, and the percentage of Uncertified Deaths to Deaths from All Causes;

Nomenclature as recently revised. The figures given in the Reports for the years 1914–20 have been adjusted, below, indicate the position of the Causes of Death in the International List.

Arterial Sclerosis (91E)  Bronchitis (99)  Pneumonia (all Forms) (100-101)  Other Diseases of the Respiratory System (97-8, 102-7)  Ulcer of the Stomach or Duodenum (111)  Diarrhea and Enteritis under 2 years of age (113)  Appendicitis and Typhitis (117)  Cirrhosis of the Liver (122)	Accident Sand Sand Sand Sand Sand Sand Sand Sand	Other Defined Diseases  Causes ill-defined or unknown (204-5) Uncertified Deaths
--	--	--

#### OF DEATHS.

#### ÉIREANN.

ī													1	1		1		1	[
	5,367	89	4,145	2,398	799	246	813	127	244	1,164	164	196	2,101	90	1,187	15,704	1,969	12,838	1914
ľ	5,682	103	5,027	2,789	788	226	813	140	215	1,153	139	219	2,156	81	1,232	17,305	1,941	14,485	1915
1	5,373	101	4,164	2,544	750	242	767	111	197	1,213	159	213	2,074	68	1,548	16,354	1,789	13,615	1916
	5,255	127	4,544	2,702	772	233	697	150	138	1,203	123	175	2,070	53	1,199	17,177	1,742	14,366	. 1917
	4,603	119	3,761	3,928	689	240	610	133	. 130	1,111	105	190	1,902	.65	926	14,843	1,512	12,319	1918
	5,020	149	4,355	3,601	751	222	634	121	113	1,124	111.	180	1,952	83	881	16,434	1,570	14,610	1919
1	4,591	137	3,516	2,626	652	204	571	161	109	1,065	136	190	1,987	61	1,218	14,451	2,055	12,352	1920
	4,437	152	3,013	2,303	678	201	891	139	118	1,024	123	179	1,752	79	2,031	14,707	1,985	12,098	1921
	4,609	147	3,345	2,792	714	216	443	147	. , 98	996	139	194	1,580	65	1,366	14,320	1,599	11,750	· <b>1</b> 922
	4,643	150	2,866	2,102	681	267	513	164	, 94	1,043	135	162	1,658	74	1,315	14,117	1,640	11,417	1923
-																·			
	4,958	127	3,874	2,779	727	230	675	139	146	1,110	133	190	1,923	72	1,290	15,541	1,780	12,985	Average 1914-1923
	4,792	202	2,926	2,667	763	292	515	159	88	1,062	123	180	1,879	96	833	14,782	1,437	12,208	1924

#### IRELAND.

2,736	183	1,522	1,387	271	124	274	88	24	431	43	86	1,041	68	408	5,053	173	2,426	1924

#### THE ESTIMATED POPULATION.

#### ÉIREANN.

	,																	
171.3	2.8	132 · 3	76.5	25.5	7.9	25.9	4.0	7.8	37.2	5.2	6.3	67.1	2.9	37.9	501.3	62 · 8	* 25·8	1914
182 · 1	3.3	161-1	89-4	25.3	7.2	26.1	4.5	6.9	37.0	4.5	7.0	69.1	2.6	39.5	554.6	62.2	27.0	1915
171.6	3.2	133.0	81.2	23.9	-7-7	24.5	3.5	.6 · 3	38:7	5.1	6.8	66.2	2.2	49.4	522 · 1	57.1	26.9	1916
167.3	4.0	144.6	86.0	24.6	7.4	22.2	4.8	4.4	38.3	3.9	5.6	65.9	1.7	38.2	546.7	55.4	27.8	1917
145.9	3.8	119.2	124.5	21.8	7.6	19.3	4.2	4.1	35.2	3.3	6.0	60 · 3	2.1	29.4	470.5	47.9	22.9	1918
156.7	4.7	136.0	112.4	23.5	6.9	19.8	3.8	3.5	35.1	3.5	.5.6	60.9	2.6	27.5	513 · 1	49.0	26.2	1919
142.8	4.3	109.3	81.7	20.3	6.3	17.8	5.0	3.4	33.1	4.2	5.9	61.8	1.9	37.9	449.4	63.9	27.1	1920
137.7	4.7	93.5	71.5	21.1	6.2	27.7	4.3	3.7.	31.8	3.8	5.5	54.4	2.5	63.0	456.4	61.6	27.2	1921
145.9	4.6	105.9	88 • 4	22.6	6.8	14.0	4.7	3.1	31.5	4.4	6.1	50.0	2.1	43.2	453.2	50.6	26.4	1922
146.7	4.7	90 · 6	66-4	21.5	8.4	16.2	5.2	3.0	33.0	4:3	5.1	52 · 4	2.3	41.5	446.1	51.8	27.0	1923
156.8	4.0	122.5	87.8	23.0	7.2	21.3	4.4	4.6	35⋅1	4.2	6.0	60~8	2.3	40.8	491.3	56.2	26.4	Average 1914-1923
151.6	6.4	92.5	84.4	24.2	9.3	16.3	5.0	2.8	33.6	3.9	5.7	59 · 4	3.1	26.3	467.6	45.5	27.0	1924
	1						-				1							

#### IRELAND

213.9	14.3	119.0	108.4	21.2	9.7	21.4	6.9 7.9	33.7	3.4	6.7	81.4	5.3	31.9	395.0	13-5	12.0	1924

Enteric Fever.—To this cause 123 deaths (of males 72 and of females 51), including 3 from paratyphoid fever, were ascribed. The 123 deaths are 19 under the number (142) recorded in 1923, and 44 below the average (167) for the ten years 1914-23. Twenty-nine appertained to urban areas and 94 to rural (see abstract commencing on page 60).

Typhus.—Five deaths from typhus were registered, as against an average of 26.

SMALL-Pox.—No case of this disease was reported during the year.

Measles.—The fatal cases of this disease numbered 198 (of males 101 and of females, 97). This number, which is 27 above the low number recorded during the preceding year, is 114 under the average for the ten years, 1914-23, viz., 312. Of the 198 deaths, 178 were those of children under 5 years of age, including 131 under 2 years.

Scarlet Fever.—Deaths from this disease amounted to 65 during the year 1924, as compared with 66 in 1923 and an average of 119 for the ten years ending with the latter year. Of the 65 deaths, 27 were those of males and 38 of females.

Whooping-Cough.—Deaths from whooping-cough, which numbered 795 in 1920, fell to 216 in 1921 and 201 in 1922, rising to 454 in 1923, and still further to 621 (equivalent to 0.20 per 1,000 of the population) in 1924.

This number is 192 above the average (429) for the ten years 1914-23. Of the 621 deaths (of males 281 and of females 340) 577 were those of children under 5 years of age, 261 of the latter being deaths of infants under one year of age.

The deaths recorded for urban areas numbered 239 and for rural areas 382, representing 0.28 and 0.17 per 1,000 of the respective populations, as compared with 0.31 and 0.08 per 1,000, respectively, in 1923. Thus the mortality for 1924 in urban areas shows a decrease of about 10 per cent. while that in rural areas has doubled.

DIPHTHERIA.—The number of deaths from this disease (186) which is 99 under the number (285) registered during 1923 is 83 below the average (269) for the ten years 1914-23. The deaths in 1924 comprise 89 of males and 97 of females, and of the 186 deaths 93 were those of children under 5 years of age and 56 were between 5 and 10 years, so that 149, or 80 per cent. of all the deaths from diphtheria were those of children under ten years of age.

Dysentery.—To this cause only 4 deaths were attributed, as compared with an average of 19 for the preceding ten years.

DIARRHEA AND ENTERITIS (Children under 2 years).—The number of deaths of children attributed to this cause during the year 1924 was 515, which number is 2 above that recorded in 1923, but 160 below the average (675) for the decennium, 1914-23.

Of the 515 deaths 308 were those of males and 207 of females. The mortality for 1924 is lower than that for any year of the decennium referred to, with the exception of that for 1922 and that for 1923. The 515 deaths include 207, or 40 per cent. belonging to the county borough of Dublin.

The mortality in 1924 from diarrhoea and enteritis for urban areas based on the births recorded therefor was  $16\cdot 7$  per 1,000 and for rural areas the corresponding rate was  $3\cdot 6$  per 1,000, the respective rates for the preceding year being  $17\cdot 4$  and  $3\cdot 7$ .

INFLUENZA.—The number of deaths from influenza registered during the year 1924 was 2,073—deaths of males, 1,005, and of females, 1,068—the rate per 1,000 of the population represented by these figures being 0.66, 0.63 and 0.68, respectively. In 1920 the number of deaths from this cause was 696, in 1921 it was 648, in 1922 it rose to 1,812, falling in 1923 to 621. The number of deaths for 1924 is 54 under the average (2,127) for the ten years, 1914-23.

It should be noted, however, that the highest annual mortalities from influenza ever known, viz., those for the years 1918 and 1919, during which 6,788 and 7,468 deaths, respectively, occurred, are included in this average.

With the exception of that for each of those years the influenza mortality in 1924 is the highest since 1900 during which year 3,512 deaths were registered, equivalent to 1.09 per 1,000 of the population, or 0.43 per 1,000 above the rate for 1924.

The epidemic of 1924 was widespread throughout Saorstát Éireann, especially during the first quarter of the year, about 62 per cent. of the deaths having been recorded in this period. In the second quarter the percentage fell to 28. Thus, about 90 per cent. of all the deaths registered during the year were recorded in the first six months.

About 17 per cent. of the deaths from influenza in 1924 were those of persons under 15 years of age, 16 per cent. were aged 15 and under 45 years, 25 per cent. were those of persons between 45 and 65 years, and 42 per cent. 65 years and upwards. In Ireland in 1900 the respective percentages were 13, 13, 30 and 44, in contrast with 21 per cent. under 15 years, 49 per cent. between 15 and 45 years, 17 per cent. between 45 and 65, and 13 per cent. 65 years and upwards in 1919. It will be seen that, while there is a certain amount of similarity in the age distribution of the deaths from influenza in 1900 and in 1924, the visitation in 1919 presented totally different features in this connection. Only thirty-three per cent. of the deaths in 1924 above referred to were those of persons under 45 years of age, and 67 per cent. were aged 45 years and upwards, whereas a reversal of these percentages is applicable to the mortality in 1919, viz., 70 per cent. under 45 years and 30 per cent., 45 years and upwards.

Of the total deaths (2,073), 840 related to the province of Leinster, equivalent to a rate of 0.72 per 1,000 of the population, 578 to Munster, or 0.56 per 1,000, 298 to Connaught, or 0.49 per 1,000, and 357 were referred to the province of Ulster (part of) affording a rate of 1.08 per 1,000 of the population. Included in the latter are Monaghan county with a mortality of 1.27 per 1,000, Donegal with 1.15 per 1,000, and Cavan county with 0.80 per 1,000.

In the rural areas of the province of Leinster the mortality from influenza in terms of the population averaged 0.74 per 1,000, in Munster rural it was 0.54 per 1,000, in Connaught rural 0.48 per 1,000, and in Ulster (part of) rural 1.09 per 1,000.

The rate for deaths from influenza in towns of 10,000 inhabitants and upwards was 0.62 per 1,000, as compared with a rate of 0.75 per 1,000 for towns under 10,000 population.

The former includes Dublin county borough with a rate of 0.65 per 1,000, Cork county borough 0.39 per 1,000, Limerick county borough 0.55, and Waterford county borough with the comparatively high rate of 1.13 per 1,000 of the population.

Of the 2,073 deaths from influenza in the entire area, 822 were associated with pulmonary complications, and 1,251 were returned as from influenza without qualification or were from that disease complicated with maladies other than pulmonary.

ERYSIPELAS.—There were 32 deaths (14 of males and 18 of females) from this cause, as compared with 38 in 1923.

Acute Poliomyelitis.—Fourteen deaths were ascribed to this disease, being 7 above the number recorded in the preceding year.

ENCEPHALITIS LETHARGICA.—The fatal cases of this disease, which numbered 4 in 1919, 17 in 1920, 31 in 1921, 19 in 1922, and 16 in 1923, rose to 55 in 1924. Thirty-three of the 55 deaths were of males and 22 of females.

CEREBRO-SPINAL FEVER.—This disease caused 28 deaths (16 of males and 12 of females) or 11 more than the number for 1923, but 2 under the average for the 10 years 1914-23.

OTHER EPIDEMIC DISEASES.—There were 11 deaths from malaria, one death from mumps, and 2 from German measles.

Tetanus.—The number of deaths from this disease was 24, those of males being 20 and of females 4, as against a total of 25 (19 of males and 6 of females) in 1923.

#### TUBERCULOSIS.

Deaths from all forms of tuberculous disease registered in Saorstát Éireann during the year 1924 numbered 4,582, and of these 2,264 were deaths of males and 2,318 of females. The former number is equivalent to a rate of 1·45 per 1,000 of the total population, the number of deaths of males affording a rate of 1·42 per 1,000 of the estimated number of males, and the deaths of females 1·48 per 1,000 of the estimated number of females in the population, as will be seen from the following Table.

The corresponding rates for all deaths from tuberculosis in Northern Ireland was 1.61 per 1,000 of the estimated population, in England and Wales 1.06 per 1,000 and in Scotland 1.16 per 1,000.

Table IV.—Showing by sexes the mortality from tuberculosis during each of the years 1914-23.

	Мат	ES.	FEMA	LES.	To	FAL.	Annual :	Increase.	Annual	Decrea
YEAR.	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	Number.	Per o
1914	3,329	2.10	3,015	1.95	6,344	2.03			172	2
1915	3,640	$2 \cdot 31$	3,085	1.99	6,725	$2 \cdot 16$	381	6.0		_
1916	3,394	$2 \cdot 15$	3,077	1.98	6,471	2.07		_	254	3
1917	3,378	2.13	3,288	2.11	6,666	$2 \cdot 12$	195	3.0	<u> </u>	
1918	3,244	2•03	3,248	2.09	6,492	2.06	_		174	2
1919	2,846	1.73	2,993	$1 \cdot 92$	5,839	1.82	- :		653	10
1920	2,516	$1 \cdot 52$	2,606	1.67	5,122	1.59	_		717	12
1921	2,337	$1 \cdot 41$	2,487	1.59	4,824	1.50			298	5
1922	2,316	1.45	2,298	1.47	4,614	1.46			210	4
1923 Average,	2,222	1.39	2,246	1.43	4,468	1.41			146	3
1914-1923,	2,922	1.82	2,834	1.82	5,756	1.82			*1,876	29
1924	2,264	1.42	2,318	1.48	4,582	1.45	114	2.6	_	

<sup>\*</sup> Decrease in 1923 as compared with 1914.

It will be observed from this table that a continuous reduction in the mortality from tuberculosis has taken place in the Saorstát Eireann area year by year, beginning with that for 1918 up to 1923, the rate for the latter year being the lowest recorded for Saorstát Eireann. This low mortality was followed by an increase in 1924, amounting to 114 deaths (42 of males and 72 of females) or  $2 \cdot 6$  per cent. As compared with the mortality in 1917, that for 1924 shows a reduction of 31 per cent. for all persons, 33 per cent. for males and 30 per cent. for females.

Of the 4,582 deaths, 3,692 (of males 1,807, and of females 1,885) were caused by tuberculosis of the respiratory system, 256 (of males 129 and of females 127) by tuberculosis of the meninges, 230 (of males 110 and of females 120) of the intestines and peritoneum, 56 (of males 27, and of females 29) of the vertebral column, 63 (of males 35 and of females 28) of the joints, 78 (of males 42 and of females 36) from tuberculosis of other organs, and 207 (of males 114 and of females 93) were caused by disseminated tuberculosis.

While the deaths from tuberculosis of the respiratory system in 1924 show an increase of 168 (80 among males and 88 among females) as compared with 1923, those from other forms of tuberculous disease, numbering 890 (457 deaths of males and 433 of females) exhibit a decrease of 54, consisting of 38 deaths of males and 16 of females.

Included in the 4,582 deaths from tuberculous diseases are 1,768 deaths of persons belonging to urban areas and 2,814 to rural, as compared with 1,773 urban and 2,695 rural deaths in 1923, showing a decrease of 5 in the urban deaths in 1924, and an increase of 119 in the deaths appertaining to rural areas.

The abstracts commencing on page 28 give the details regarding deaths from tuberculosis, by provinces, counties, county boroughs, and urban and rural districts, while Tables XV. and XVI. supply the rates per 1,000 of the population for these areas.

It will be seen from Table XV. that the highest tuberculosis mortality for county or county borough areas related to the following:—Cork county borough (2·41 per 1,000), Waterford (2·22 per 1,000), Louth county (2·14 per 1,000), Dublin county borough (2·09 per 1,000), and Wicklow county (1·76 per 1,000), the counties having the lowest rates in 1924 being Cavan (0·87), Leitrim (0·93), and Tipperary N.R. (0·99).

Table V.—Showing the rates per 1,000 of the estimated population represented by deaths from All Forms of Tuberculous Disease at the undermentioned age-periods registered during the year 1924.

		R	ATE PE	в 1,000	OF TH	E Esti	MATED	POPULA	ATION A	T AGES	S.	
Sexes.	All Ages	Under 5 years	5–10	10–15	15–20	20–25	25–35	35-45	45–55	55–65	65–75	75 & up-wards
Males	1.42	1.00	0.45	0.55	1.40	2.43	2.10	1.80	1.99	1.63	0.60	0.09
Females	1.48	0.85	0.44	0.89	2.23	2.71	2.43	1.83	1.52	1.00	0.40	0.23
Both Sexes	1.45	0.93	0.44	0.72	1.81	2.56	2.26	1.82	1.76	1.31	0.49	0.16

Owing to the length of time that has elapsed since the latest enumeration (1911) of the population and on which the estimated population at each age period is based it cannot be claimed for the above rates that they are trustworthy.

Syphilis, &c.—Twenty-two deaths (14 of males and 8 of females) were ascribed to syphilis as compared with 28 in 1923. Of the 22 deaths, 9 were those of infants under one year of age.

Three deaths (all males) were ascribed to other venereal affections.

There were 30 deaths (all males) from general paralysis of the insane; 17 deaths (of males 15, and of females 2) from locomotor ataxy, and 29 deaths (of males 21, and of females 8) from aneurysm.

PURULENT INFECTION, SEPTICÆMIA.—Under this heading 95 deaths were returned, 46 being those of males, and 49 of females, as against 92 in the preceding year.

OTHER INFECTIOUS DISEASES.—Four deaths from mycosis were recorded.

CANCER.—A distinctly upward tendency in the mortality from cancer is one of the notable features of the death statistics of the years 1923 and 1924, as will be seen from Table III., which shows that while the mortality for the years 1914-22 fluctuated but slightly, that for the year 1923 gave an increase of 8 per cent. as compared with 1922, and that for 1924 an increase of 6 per cent. as compared with 1923.

During the years 1882 to 1890, the average annual rate per 1,000 of the mean population of these years, represented by the number of deaths from cancer registered in the Saorstát Éireann area was 0.37, followed by a rate of 0.48 per 1,000 for the ten years, 1891-1900, by 0.68 per 1,000 for the decennium, 1901-10, by 0.82 per 1,000 for the ten yearly period, 1911-20, and by 0.85 per 1,000 for the four years, 1921-24.

It is not possible to say to what extent the increase in the mortality from this cause is due to faulty description of the cause of death in the records of the earlier years. The same objection, however, does not hold with a comparison of the mortality for the four years, 1921-24, with that for the decennium, 1901-10, as it is not thought likely that any more serious leakage, due to inaccurate diagnoses, has occurred in relation to the latter than to the former period.

Consequently, the mortality from cancer in the Saorstát Éireann area during the four years, 1921-24, viz., 0.85 per 1,000, shows a real increase of 25 per cent. as compared with the average annual rate (0.68 per 1,000) for the ten years, 1901-10.

The number of deaths recorded during the year 1924 was 2,903, the deaths of males numbering 1,535, and of females, 1,368. These figures are represented by rates of 0.92 per 1,000, 0.96 per 1,000, and 0.87 per 1,000, respectively.

In Northern Ireland the rate for both sexes was 1·10 per 1,000.

As compared with 1923 (0.91 per 1,000) the mortality among males in 1924 shows an increase of 5 per cent., the increase among females being 7 per cent. on the rate (0.81 per 1,000) in 1923.

Deaths from cancer in urban areas numbered 991 or  $1\cdot 12$  per 1,000 of the population, and in rural areas, 1,912, equivalent to  $0\cdot 83$  per 1,000, as compared with 932 urban deaths (rate  $1\cdot 06$  per 1,000) and 1,798 rural (rate  $0\cdot 78$  per 1,000) in 1923.

The increase in 1924 was, therefore, fairly evenly distributed between urban and rural areas.

Of the 2,903 deaths from cancer, 1,456 were returned as from carcinoma, 117 as from sarcoma, and 1,330 from cancer, malignant disease.

Table VI. shows the number of deaths from cancer, by sexes, ages, and parts affected.

Showing the deaths from CANCER\* registered in Saorstát Éireann during the year 1924, by Sexes, Ages, and parts affected.

														-							D TO 74	A T TOP	2						
							MAI	LES.		_											FEM								Total
Parts Affected.						AGE	S AT	DEA	TH.											,A G1	ES AT	DE	ATH.			1	- 1		Males and Fe-
	Un- der 20	20	25	30	35	40	45	50	55	60	65	70	75 and Upwards	TOTAL.	Un- der 20 <u>*</u>	20	25	30	35	40	45	50	55	60	65	70	75 and Upwards	TOTAL.	males
Jaw			1	1	1	3	7	13	9	9	4	9	11	68					1		1	3	1	1	1	1	1	10	78
Lip		-					4	3	2	9	10	6	14	48				•	*	•	*	•	•	2	•	2	1	5	53
Mouth		٠	•			2		4	5	1	4	1	3	20		•		•	•	•	•					2	•	2	22
Tongue		•		•	-2	3	11	18	21	18	13	12	10	108			•			'	1	2	10		1	0.5	10	4	273
Liver, Gall Bladder	1	•		1	1	2	11	13	15	25	17	26	18	130	2			2	4	6	10	16	13	32	23	25	10	143 22	89
Oesophagus	•		•	*	1	1	5	19	8	18	6	6	3	67					1	2			1	3		2		8	42
Pharynx			•		1	3	5	6	5	6	1	5	2	34 392		1	3	4	10	17	23	43	35	53	55	43	35	322	714
Stomach			1	7	5	19	37 13	54 17	56	69	68	17	32 16	134				4	8	6	14	12	15	19	24	21	20	143	277
Intestine					4	4																					-	.	
Mesentery Peritoneum								1.	1	1				3								1		2	2			5	8
Rectum			1	2		6	6	18	15	20	11	15	9	103		-4				4	4	7	9	9	6	12	3	54	157
Ovary																	1	1	3	3	4	2	2		2	3	2	23	23
Uterus																•	2	4	8	12	30	31	23	18	13	12	6	159	159
Vagina								•	•				٠			•		•	•	•		1		•	•	*	*	1	1
Vulva								•						٠		•	•				•	1	91		94	12	22	1 220	224
Breast				٠		1	•	•	1	•	2		٠	4			2	4	5	30	24	27	31	28	34	13	1	4	19
Ear							1	2		3		5	4	15							3	1	1	4	5	7	16	39	70
Face						1	•	1	1	7	7	5	9	31					2		9				2	1	1	4	8
Nose				•		•		•		2		1	1	4															8
Penis							2			1	1	1	3	8			4		`.										
Scrotum							٠	1					2	3											1	3		4	7
Other Skin												0		27	4					2		3	2	3	8	3	4	29	56
Arm, Leg	2		1		1	2		1	1.	4	3	2	10														2	2	2
Axilla					1	1	2	4	5	4	3	3	2	25						1		1	2		1	2	3	10	35
Bladder			1	1	1	1	-	1						4					2	٠			,			2		4	8
Eye							2	1				1	2	6.	1								1	2			1	5	11
Groin		,											2	2						٠									2
Kidney							1			2		1		4	4	٠					1	1						6	10
Larynx, Traches	a		,	1		2	3	5	10	6	3	6	1	37						1	1		5	1	2		1	11	48
Lung							1	1	2	3				7						٠		3	2	1		1		6	13
Mediastinum	1							2	1	2			-	6		. *				1	1	4		-	-	-	A	17	12 69
Neck		1			1	3	5	7	8	8	9	5		52	1	•	1		1	1	2	3		3	3	3	1	16	34
Pancreas					1	1	5	1	4	2	2	1	1	18						1	2	1	1		1			3	7
Parotid						•			2	1	1			5										1	1		1	3	8
Pelvis									2	8	9			46															46
Prostate		1						5	3	1	9		11	2				1										1	3
Rib, Sternum							1	1						1							-					1	1	1	2
Shoulder Spinal Column	1	ļ			2		1	1	1		2			8							1		1.					1	9
Spleen																													
Testes								-		1			1	2															2
Thorax						1		1	1					3								1		1				2	5
Throat					1		3	10	6	11	19	4	2	56				1		1	1	2	1		-	1	1	12	68
Thyroid										2				2					1	2		1	1	1	1	g pr		5	7
Abdomen	.   -			3	. 1	1		1	3	5	1		1	16				3			2		5				8	29	45 56
Other and Undefined				1	1	1	1	3	4	4	4	3	8	30			1	1		3	2	2	3	4	1	_			
TOTAL		1	5	17	24	58	127	215	214	275	222	190	182	1,535	13	1	10	25	46	95	126	174	158	201	197	176	146	1,368	2,903
ith rate from can r per 1,000 living			- 1				i —	63.0	43.0	35.6	54.9	0.3.3	73.9	7 0.9	60.02	0.0	10.0	80.25	0 · 45	1.09	9 1 . 7	5 2 · 4	92.9	03.8	4 3 · 5	3 2 · 4	3.00	0.87	0.92
r per 1,000 living same age	3 10.0	10.0	10.0	40.1	30.2	20.01	1.0	00,0	x 9	100	1 -	1	1		1	1	1	1	1	1	-	,						0.9	

Tumours.—Only tumours definitely stated to have been either non-malignant, or as to which further information was not obtainable, as the result of special enquiries regarding their nature, are included under this heading.

There were 37 deaths from cerebral tumour (of males 21 and of females 16); 13 from tumours of the ovary; 27 from tumours of the uterus; and 45 from tumours of other or unstated sites (10 of males and 35 of females).

The latter included 9 returned as from tumour of the abdomen, 4 of bladder, 3 of mediastinum, 3 of intestine, 3 of kidney, 3 of liver, 2 of pelvis, 2 of thyroid, 2 of breast, one of each of iliac, neck, lung, prostate, thigh, mesentery, spleen, colon, throat, sacrum, jaw, and 3 tumours of other sites unstated.

RHEUMATISM.—There were 82 deaths (40 of males and 42 of females) from rheumatic fever; 293 deaths (115 of males and 178 of females) from chronic rheumatism, osteo-arthritis and gout.

DIABETES.—To this cause 212 deaths were attributed, 128 being deaths of males and 84 of females. The total deaths are 12 under the number (224) for the year 1923, and 24 under the average for the ten years 1914-23.

Alcoholism.—Fifteen deaths were ascribed to alcoholism, and of these 14 were those of males. Cirrhosis of the liver caused 88 deaths, 66 being those of males and 22 of females. All except 2 females were aged 25 years and upwards.

OTHER GENERAL DISEASES.—Among these were 36 deaths from rickets, 165 from pernicious anemia, 87 from other anemias and chlorosis, 26 (of males 2, and of females 24) from exophthalmic goitre, 18 from other diseases of the thyroid gland, 23 (8 of males and 15 of females) from diseases of the adrenals, one from disease of the spleen, 25 from leukæmia, 23 from lymphadenoma (Hodgkins' disease) and 2 from chronic poisoning by mineral substances.

MENINGITIS AND ENCEPHALITIS.—Deaths from meningitis (not returned as cerebro-spinal or tuberculous) amounted to 329 (deaths of males numbering 182, and of females, 147) as compared with 309, 163, and 146 respectively, in 1923.

The number of deaths from encephalitis (not returned as encephalitis lethargica), was 32, as against 38 in 1923.

CEREBRAL Hæmorrhage.—The number of deaths returned under this heading was 1,329, comprising 593 deaths of males and 736 of females. The latter figures include the deaths of 33 males and 53 females from cerebral thrombosis and embolism.

The 1,329 deaths are 36 below the number recorded in 1923, and 62 under the average for the ten years, 1914-23.

EPILEPSY.—There were 183 deaths (of males 94, and of females 89) from epilepsy, as compared with 174 in the preceding year.

Convulsions.—The number of deaths ascribed to convulsions was 632 (of males 344, and of females 288) and of the 632 deaths, 509, or 80·5 per cent. were those of infants under one year of age, the 509 deaths constituting 11·2 per cent. of the deaths from all causes of infants under one year of age registered in Saorstát Eireann during the year 1924.

HEART DISEASE.—To this group, 4,792 deaths (of males 2,337, and of females 2,455) were assigned, equivalent to a rate of 1.52 per 1,000 of the estimated population, and contributing 11 per cent. to the mortality from all causes. As compared with the number in 1923, viz., 4,643, the number of deaths from heart disease during the year under review is 149 more, and with the average (4,958) for the ten years 1914-23 it is 166 fewer.

Of the 4,792 deaths, 18 were ascribed to pericarditis, 164 to acute endocarditis and myocarditis, 71 to angina pectoris, and 4,539 to other diseases of the heart.

ARTERIAL Sclerosis.—Deaths from arterial sclerosis, of which 119 were those of males, and, 83 of females, numbered 202. This number is higher than that recorded for 1923, viz. 150.

BRONCHITIS.—The deaths from this cause numbered 2,926 (of males, 1,375, and of females, 1,551), being equivalent to a rate of 0.93 per 1,000 of the population or 6.5 per cent. of the total number of deaths from all causes. The number of deaths (2,926) is 60 above the number for 1923, which was the lowest ever recorded, and 948 under the average for the ten years, 1914-23. Of the 2,926 deaths, 386 were returned as from acute bronchitis, 598 as from chronic bronchitis and 1,942 as from bronchitis (not otherwise defined).

PNEUMONIA.—Of 2,667 deaths from pneumonia (all forms), affording a rate of 0.84 per 1,000 of the population, 1,225 were from broncho-pneumonia, 263 from lobar pneumonia, and 1,179 from pneumonia (not otherwise defined).

The 2,667 deaths include 1,500 deaths of males and 1,167 of females.

PLEURISY; EMPYEMA.—The number of deaths classed to pleurisy, including deaths from empyema regarding which the originating cause other than pleurisy could not be ascertained, was 119, the males numbering 83, and the females 36.

As the result of inquiries into the causes of 6 deaths as from empyema registered in Saorstát Eireann during the year 1924, 3 were assigned to pneumonia (2 to lobar and one to pneumonia not otherwise defined), 2 to tuberculosis, and one to septicæmia of duodenum.

ULCERS OF THE STOMACH AND DUODENUM.—To these causes, 292 deaths were attributed, 190 being those of males and 102 of females. The total number is 62 above the average (230) for the ten years, 1914-23.

APPENDICITIS AND TYPHLITIS.—The deaths so classified numbered 159 (of males 95, and of females 64) being 20 above the average (139) for the ten years preceding.

CIRRHOSIS OF THE LIVER.—Deaths from this cause, viz., 88 (of males 66, and of females 22) are below those recorded during any of the preceding ten years, and are 58 under the average for that period.

Acute and Chronic Nephritis.—The number of deaths from acute nephritis was 124 (72 of males and 52 of females) and from chronic nephritis 938 (496 of males and 442 of females). The total number of deaths from the acute and chronic disease was 1,062, which number is 19 above that for 1923, but 48 below the average for the ten years 1914-23.

#### PREGNANCY AND CHILDBIRTH.

The mortality of women during pregnancy and childbirth is classified under three headings namely (1) septic conditions (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) disease or cause associated with pregnancy and childbirth. To the first group 123 deaths were attributed in the year 1924, to the second, 180, and to the third 27; altogether the deaths in Saorstát Éireann of childbearing women numbered 330. This number, which is 2 above that for the year 1923, represents a rate of 5·21 per 1,000 of the total births registered as compared with 5·32 in the year 1923, and with 5·73 per 1,000, the average rate for the decade, 1914-23.

Table VIII. shows that the mortality from puerperal septic diseases fell from 135 in the year 1923 to 123 in 1924, and from accidents of pregnancy and childbirth rose from 162 in 1923 to 180 in 1924. The deaths of women from causes associated with pregnancy and childbirth, which were 31 in the year 1923, fell to 27 in the year under review.

Tables XV. and XVI. give the rates per 1,000 births for (1) and (2) by provinces, counties and county boroughs and groups of urban and rural areas.

Table VII.—Showing the number of deaths of women in 1924 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.\*

Change on Drugge			ALL			AGES		
Causes of Death.			AGES.	15—	20—	30	40	45 yrs.
Total		•••	330	6	97	175	52	•
Influenza			7.	1	1	4	1	
Encephalitis Lethargica			1				1	
Plumonary Tuberculosis			3	•	1	2		
Carcinoma	• • •	• • •	1			•	1	
Anaemia			2	•	•	2		
Diabetes Insipidus			1	•	•	. 1	•	
Heart Disease (unspecified)			5	. •	1	. 2	2	•
Broncho-Pneumonia		***	1	•	•	1	•	
Lobar Pneumonia		• • •	2		2	٠	•	
Pneumonia (not otherwise defined)	***	• • •	. 2			2		•
Congestion of Lung	• • •	****	1			* .	1	
Tumour of Uterus	• • •	• • •	Ţ	•		•	1	•
Abortion	. ***	• • •	1			1	•	
Ectopic gestation	***	•••	1		5	· P7	9	
Other accidents of pregnancy	***	• • •	15		13	7 42	$\frac{3}{10}$	
Puerperal hæmorrhage	* * *	0.00	$\begin{array}{c} 65 \\ 22 \end{array}$		8	13	10	
Other accidents of childbirth	***	***	$\frac{22}{102}$	4	36	51	11	
Puerperal sepsis	0 0 0		21	4	3	14	4	
Phlegmasia alba dolens; embolism Puerperal albuminuria, convulsions	***		$\frac{21}{56}$	1	20	25	10	
Childbirth without other explanation	***	•••	$\frac{30}{20}$	1	6	8	6	
Children without other explanation		***	20		0	8	. 0	

<sup>\*</sup>These deaths are included in the general tables of Causes of Deaths.

Table VIII.—Showing the number of deaths of women directly attributable to or associated with PREGNANCY or CHILDBIRTH, during each of the years, 1914-24, under the circumstances before mentioned, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1914-23.

YEARS.	Deaths Puerpers Dise	al Septic	Deaths Accid of Pregr Child	s from dents nancy or	Total Dea Puerpera Dise and Ac of Pregr Child	al Septic ases cidents ancy or	Deaths causes as with Pre or Chil (not incl forego	ssociated egnancy dbirth luded in	caused associat Pregr	ed with
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1914 1915 1916 1917 1918 1919 1920 1921 1922 1923	164 139 159 123 105 111 136 123 139	$\begin{array}{c} 2 \cdot 37 \\ 2 \cdot 06 \\ 2 \cdot 45 \\ 2 \cdot 00 \\ 1 \cdot 72 \\ 1 \cdot 80 \\ 2 \cdot 03 \\ 2 \cdot 02 \\ 2 \cdot 36 \\ 2 \cdot 19 \end{array}$	196 219 213 175 190 180 190 179 194 162	2·84 3·24 3·29 2·85 3·11 2·91 2·84 2·93 3·30 2·63	360 358 372 298 295 291 326 302 333 297	5·21 5·30 5·74 4·85 4·83 4·71 4·87 4·95 5·66 4·82	36 44 39 30 42 73 41 34 37 31	0.52 $0.65$ $0.60$ $0.49$ $0.69$ $1.18$ $0.61$ $0.56$ $0.63$ $0.50$	396 402 411 328 337 364 367 336 370 328	5·73 5·95 6·34 5·34 5·52 5·89 5·48 5·51 6·29 5·32
Average, 1914-23	3 133	2.10	190	2.99	323	5.09	41	0.64	364	5.73
1924	123	1.94	180	2.84	303	4.78	27	0.43	330	5.21

#### VIOLENCE.

Deaths caused by violence, as registered in Saorstát Éireann during the year 1924 amounted to 929, a number equivalent to 0.29 per 1,000 of the estimated population, which number is 460 less than that recorded for 1923, and 433 below the average (1,362) for the ten years 1914-23.

Of the 929 deaths, 96 were classed to suicide, 79 to homicide, 4 to execution, leaving 750 to other deaths by violence, the majority of which were definitely

stated to be accidental.

The suicidal cases comprise the deaths of 77 males and 19 females.

Of the 79 homicidal cases, 70 were deaths of males (including 10 infants under one year old) and 9 of females (including 6 infants under one year old). In 52 instances (all males) the deaths referred to homicide were caused by firearms.

The deaths other than those classed to homicide, suicide or execution, include

8 (6 of males and 2 of females) caused by poisons or poisonous gases, and 153 (71 of

8 (6 of males and 2 of females) caused by poisons or poisonous gases, and 153 (71 of males and 82 of females) by burns or scalds. Of the 153 deaths caused by burns or scalds, 77 were those of children under 5 years of age.

There were 151 deaths (of males 118, and of females 33) from accidental drowning, 47 deaths caused by injuries due to firearms, of which 43 were those of males and 4 of females; and there were 103 deaths due to injuries caused by crushing (89 of males and 14 of females), including 46 (males 37, and females 9), as compared with 55 in 1923, by motor driven vehicles.

Of the 8 accidental deaths attributed to poisons or poisonous gases, 3 were caused by food, 2 by vegetable alkaloid, and one each by carbolic acid and sheep dip, and in one case the nature of the poison was not stated.

Of 9 suicidal deaths by poisoning, 3 were stated to have been caused by strychnine, and one each by sheep dip, hydrocyanic acid, poisonous liniment, phosphorous irritant poison, and in one case the nature of the poison was not stated. phosphorous, irritant poison, and in one case the nature of the poison was not stated.

#### Uncertified Causes.

Among the 45,180 deaths registered, 12,208 were not certified by medical practitioners, nor were inquests held into their causes. They constitute 27·0 per cent. of the total mortality in 1924, and an average of 26·4 for the ten years, 1914-23. The number of uncertified deaths in urban areas in 1924 was 4.7 per cent. of the total number of deaths registered therein, the corresponding percentage for rural areas being 37·3.

#### INQUESTS.

From returns furnished by the registrars it would appear that the number of inquests during the year 1924 was 651, or one inquest for every 69 deaths registered.

#### AGES AT DEATH.

The following statement shows by sexes, and certain age-periods, the rates per 1,000 of the estimated population represented by deaths from all causes, in Saorstát Éireann, 1924. (See remarks respecting age mortality from tuberculosis, page xvi).

	Mor	TALITY	BY AGE	s at Di	EATH PE	R 1,000	OF THE	ESTIM	ATED P	OPULAT	ON AT T	HESE AGE	s.
Sexes.	Under 5 years.	5—	10	15—	20—	25—	35—	45—	55	65—	75—	85 yrs. and upwds.	All ages.
Males	26.48	2.42	1.80	2.92	4.47	4.72	6.11	14.50	28.00	40.63	97.80	272.73	14.30
Females	22.57	2.26	2.05	3.52	4.44	5.12	$7 \cdot 23$	12.95	24.52	36 · 21	102 · 72	248 · 67	14.29
Persons	24.57	2.34	1.93	3.21	4.46	4.92	6.65	13.74	26.23	38 · 26	100.33	260 · 10	14.29

Of the 45,180 deaths at all ages, 6,889, or  $15\cdot 2$  per cent. were deaths of children under 5 years of age, including 3,796 deaths of males, or  $16\cdot 6$  per cent. of the male mortality at all ages, and 3,093 deaths of females, or  $13\cdot 8$  per cent. of the total number of deaths of females.

The deaths of 20,374 persons aged 65 years or upwards were registered during the year 1924, constituting 45·1 per cent. of the total number of deaths at all ages, and include 9,897 of males, or 43·4 per cent. of the total deaths of males, and 10,477 of females, or 46.9 per cent. of the deaths of females at all ages.

Among the deaths of persons at these ages 16,525, or 36.6 per cent. of the

total deaths were 70 years of age or over.

Deaths of persons aged 95 years or upwards numbered 283 (of males 136, and of females 147) and they include 61 (males 25 and females 36) whose ages at death were returned as 100 years or upwards.

The ages in detail of the persons whose deaths were registered in the year

1924 are given in the Abstracts commencing with page 8.

#### INFANT MORTALITY.

The number of deaths of infants under one year of age registered in Saorstát Eireann during the year 1924 was 4,543, equivalent to a rate of 72 per 1,000 births, as compared with 66 per 1,000 in 1923 and an average of 78 for the ten years 1914-23.

The deaths of male infants numbered 2,575, being equal to 79 per 1,000 births of males, and the deaths of female infants, 1,968, or 64 per 1,000 births of females,

the corresponding rates for 1923 being 73 and 60 respectively.

For Northern Ireland the infant mortality in 1924 was 85 per 1,000 births; for England and Wales, the rate was 75 and for Scotland 98 per 1,000 births.

From Table X., which gives the infant mortality rates for Saorstát Eireann, by sexes, ages and causes, it will be seen that atrophy, debility, marasmus ( $20 \cdot 27$ per 1,000) convulsions (8.02), pneumonia (7.26), diarrhœa and enteritis (7.03), premature birth (6.59), and bronchitis (4.74) in the aggregate, are equivalent to 53.91 per 1,000 births, or about 75 per cent. of the total infant mortality.

Of the deaths of infants, 36.6 per cent. were under one month old, 11.8 per cent. between one and two months; 9.5 per cent. between 2 and 3 months; 17.8 per cent. were aged 3 and under 6 months, and 24.3 in every 100 were 6 and

under 12 months old.

#### Urban and Rural Mortality.

There were 2,265 deaths of infants recorded for urban areas, equivalent to 104 per 1,000 births, the number of such deaths in rural areas being 2,278, or 55 per 1,000 births. Thus, the mortality in urban areas is nearly twice that in rural areas.

A reference to Table XI. shows that, although the mortality in rural districts is low, the rate for urban areas of 10,000 inhabitants and upwards is high, viz., 108 per 1,000 births. The urban areas which contribute to this result are:—Dublin Registration Area, including Dublin county borough (125), with a rate of 118, Cork county borough (94), Limerick county borough (96), Waterford county borough (94), and the urban districts of Galway (88), Dundalk (69), Drogheda (69), Wexford (58), Sligo (102), Kilkenny (87), Tralee (83), and Clonmel (87).

Deaths of infants in 1924, in towns of less than 10,000 inhabitants were

equivalent to a rate of 89 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas:-

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1924, in relation to urban and rural areas.

AGES.		oan Area	s.	ÉIREANN				l Urban Areas.			All Rura Districts.	
	10,000 p	op. & up	wards	Re	mainde	r.						
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	·F.	M. & F.	M.	F.
Under one Month	36.70	43.09	30.09	22.36	23.93	20.67	34.32	39.41	28 · 95	22.02	23.65	20.27
1-2 Months	12.58	15.47	9.60	6.88	7.96	5.71	11.47	14.12	8.68	6.83	7.81	5.77
2-3 ,,	9.79	11.12	8.41	5.75	5.79	5.71	10.46	11.80	9.05	4.95	4.83	5.08
3-6 ,,	19.57	20.86	18.25	10.21	11.01	9.35	19.04	20.38	17.63	9.44	10.13	8.71
6-12 ,,	29.19	30.71	27.61	13.02	14.55	11.37	28.63	30.47	26.68	11.51	12.82	10.11
Under one year	107.83	121 · 25	93.96	58.22	63 · 24	52.81	103.92	116.18	90.99	54.75	59.24	49.94

The rate for deaths of infants under one year old for Belfast in 1924 was 85 per 1,000 births; for Londonderry, 118; for London, 69; for Liverpool, 102; for Edinburgh, 89; and for Glasgow, 119.

In connection with the ages at death, as disclosed by Table XII., the marked difference in the mortality in urban and rural areas at each age period is shown and especially at one month old and upwards.

The following statement shows the proportion per cent. of the total mortality of infants for urban and rural areas at the different ages:—

	Saorsta	T EIREANN.	URBAN	N AREAS.	Rura	L AREAS.
Ages.	No. of Deaths.	Per cent. of Total Deaths under One Year.	No. of Deaths.	Per cent. of Total Deaths under One Year.	No. of Deaths.	Per cent. of Total Deaths under One Year.
Under One Month	1,664	36.6	748	33.0	916	40.2
1 and under 2 months	534	11.8	250	11.0	284	12.5
2 ,, 3 ,,	434	9.5	228	10.1	206	9.0
3 ,, 6 ,,	808	17.8	415	18.3	393	17.3
6 ,, 12 ,,;	1,103	24.3	624	27.6	479	21.0
Under One Year	4,543	100.0	2,265	100.0	2,278	100.0

The above table shows the high relative frequency of deaths under one month old, and the low relative frequency at the age-period 6 to 12 months, in the rural as compared with urban areas.

Of the total deaths under one year of age  $40 \cdot 2$  per cent. under one month old in the rural areas, and  $25 \cdot 3$  per cent. were under 7 days old, as compared with  $33 \cdot 0$  per cent. and  $17 \cdot 7$  per cent., respectively, in the urban areas (see Table XII.). These figures follow on the lines of those for 1923 in the Report for which year it was observed that, as a high proportion of the deaths were uncertified, possibly many more deaths occurred in the rural areas than would have been the case if proper attention was forthcoming at or shortly after birth.

#### DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered in Saorstát Eireann during the year 1924, was 529, consisting of 280 deaths of males and 249 of females. Based on the number of illegitimate births registered, the resulting mortality rate is 315 per 1,000 births for both sexes, 330 per 1,000 for males and 300 per 1,000 births for females, as compared with 344, 375, and 311, respectively, in 1923. These rates must be regarded as excessive.

It may be stated that the illegitimate infant mortality as derived from the records for 1924, is about 5 times the mortality among legitimate infants, which was 65 per 1,000 births for both sexes, 72 per 1,000 for males, and 58 per 1,000 births for females.

In other words, one out of every 3 illegitimate infants born alive in 1924, died before the completion of its first year of life.

In Northern Ireland in 1924, the illegitimate infant death-rate was 188 per 1,000 births; and in England and Wales, the illegitimate infant death-rate was

133 per 1,000 births, or about one death to every 8 illegitimate infants born alive. This rate is about twice that for legitimate infants, and it may be said that this proportion is maintained for that country yearly from 1906 onwards.

Table XIII. shows for the whole of Saorstát Éireann the number of deaths by causes and at different periods of life under one year of age. On account of the smallness of the numbers it was not considered desirable to calculate rates for each age and cause for one year only. Rates are, however, given for all causes and for each age period. It would appear from this table that at every period of life, the mortality among illegitimate infants is much in excess of that for all infants, as shown in Table X., especially at the age-periods one and under 2 months and 2–3 months.

It will be seen from Table XIV. that 225, or nearly 43 per cent. of the total number of deaths of illegitimate infants occurred in Dublin county and city. Of the 63 deaths in the county, 48 took place in institutions, and 15 elsewhere, and of the 162 city deaths, the corresponding numbers were 118 and 44. Thus, 59 of the 225 deaths in Dublin county and city did not occur in institutions. Of the latter, 27 were described in the registers of deaths as "nurse children," 22 of these occurring in the city, and 5 in the county.

Table IX.—Showing for Saorstát Éireann, by certain causes the MORTALITY among INFANTS UNDER 12 MONTHS old, per 1,000 Births registered in the eleven years 1914-24.

CAUSES OF DEATH.		DEA	THS OF	Infants	UNDER (	ONE YEA	AR PER ]	1,000 Bm	RTHS RE	GISTEREI	).
CAUSES OF DEATH.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
ALL CAUSES	81.07	85 · 27	81.33	84.07	80.24	84.42	77,51	72.61	68.89	66.43	71.65
Measles (7)	1.63	0.81	0.60	1.09	1.37	0.32	0.63	0.48	1.44	0.50	0.75
Scarlet Fever (8)	0.16	0.09	0.11	0.03	0.05	0.03	0.09	0.05	0.10	0.03	0.08
Whooping Cough (9)	2.88	2.96	4.06	2.57	3.00	1.97	5.40	1.57	1.22	3.52	4.12
Diphtheria (10)	0.22	0.25	0.08	0.13	0.15	0.23	0.42	0.35	0.44	0.19	0.18
Influenza (11)	0.41	0.82	0.31	0.59	2.85	5.11	0.57	0.53	1.48	0.65	1.86
Tuberculosis of Nervous	0.79	0.83	0.56	0.59	0.54	0.41	0.40	0.35	0.37	0.37	0.21
System (32). Tuberculosis of Intestines and	0.61	0.59	0.35	0.62	0.31	0.36	0.33	0.36	0.46	0.39	0.24
Peritoneum (33). Other Tuberculous Diseases	0.84	0.80	0.91	0.99	0.87	0.83	0.64	0.75	0.82	0.46	0.61
(31, 34-7). Syphilis (38)	0.75	0.49	0.37	0.33	0.38	0.37	0.63	0.52	0.36	0.28	0.15
Meningitis (71)	0.84	1.16	1.14	0.88	1.01	1.05	0.81	0.93	0.92	0.89	0.70
Convulsions (80)	11.61	12.19	11.35	11.05	10.66	11.03	10.61	8.88	8.75	8.18	8.02
Bronchitis (99)	6.79	8.39	7.03	8.91	6.76	7.50	6.88	4.67	5.30	5 · 12	4.74
Pneumonia (100-101)	4.76	5.85	5.18	5.08	5.97	7.00	6.85	4.93	.7.14	5.15	7.26
Inflammation of Stomach (112)			•	*	. •	• ,	•	•	2.21	1.86	1.50
Diarrhoea and Enteritis (113)	10.17	10.01	9.66	9.54	8 · 41	8.75	$7 \cdot 33$	12.52	6.49	7.17	7.03
Congenital Malformations (159)	1-78	1.79	2.27	1.90	1.59	1.52	2.09	1.38	1.80	1.85	2 · 41
Atrophy, Debility, Marasmus (160b).	21.66	22.92	22.96	25.07	22.77	22.53	19.52	20.90,	18 · 15	18.75	20 - 27
Premature Birth (161)	6.63	6.83	6 · 49	6.28	$6 \cdot 22$	7.10	7.46	6.38	6.49	5.92	6.59
Suffocation (Overlying) (180)	0.29	0.27	0.25	0.16	0.18	0.27	0.07	0.11	0.07	0.13	0.14
Other Causes	8.25	8-22	7.65	8.26	7.15	8.04	√ 6•78.	6-95	4.88	,5.02	4.79

Table X.—Showing for Saorstát Éireann area the MORTALITY, by certain causes, and by sexes and age-periods, AMONG INFANTS UNDER 12 MONTHS OLD, per 1,000 Births registered in the year 1924.

DEATH					ER 1,000	BIRTHS	RECISTR	RED.			
DEATE	JOF INF				EMALES		LULGISTE				
	1			1	[	1					
CAUSES OF DEATH,	Under 24	1-7	7-14	14-21	21 Days & under		1-2	2-3	3-6	6-12	Total under
	Hours.	Days	Days.	Days.	1 Mth.		Mths.	Mths.	Mths.	Mths.	l year.
					- 00			1 0 04	30 22	1	-1 02
ALL CAUSES	7 · 10	8.61	3.86	3.28	3.39	26.24	8 · 42	6.84	12.75	17.40	71.65
Measles (7) Scarlet Fever (8)		:					0.02	0.03	0.03	0.69	$\begin{array}{c} 0 \cdot 75 \\ 0 \cdot 08 \end{array}$
Whooping Cough (9)		i.		0.03	0.03	0.06 $0.02$	0.35	0.63	1.11	$\begin{array}{c c} 1 \cdot 97 \\ 0 \cdot 14 \end{array}$	$4 \cdot 12 \\ 0 \cdot 18$
Diphtheria (10) Influenza (11)		0.05	0.03	0.05	0.02	0.02 $0.13$	0.20	0.17	0.02	0.14	1.86
Tuberculosis of the Nervous System (32)		0.02				0.02	,	: •	. 0.05	0.14	0.21
Tuberculosis of Intestines and Peritoneum (33)							0.02		0.06	0.16	0.24
Other Tuberculous Diseases							0.06	0.08	0.19	0.28	0.61
(31, 34–7) Syphilis (38) Meningitis (71)		0.04	0.02	0.03		0.09	0.02	0.02		0.02	0.15
Convulsions (80)	0.49	1.06	0.59	0.49	0.49	$3 \cdot 12$	0.02 $1.29$	0.82	$0.24 \\ 1.45$	0.44 $1.34$	0.70 $8.02$
Bronchitis (99) Pneumonia (100, 101)	0.02	0.05	0.11	0.13	0.19	$0.50 \\ 0.52$	0.57 $0.60$	$\begin{array}{c} 0.66 \\ 0.54 \end{array}$	1.10	$\begin{array}{c} 1 \cdot 91 \\ 3 \cdot 99 \end{array}$	4.74
Inflammation of Stomach (112)		$\begin{array}{c} 0.06 \\ 0.05 \end{array}$	$\begin{array}{c} 0 \cdot 13 \\ 0 \cdot 05 \end{array}$	0.22 $0.03$	$\begin{array}{c c} 0 \cdot 11 \\ 0 \cdot 09 \end{array}$	0.22	0.27	0.22	0.41	0.38	$7 \cdot 26$ $1 \cdot 50$
Diarrhoea and Enteritis (113) Congenital Malformations (159)	0.50	$\begin{array}{c} 0 \cdot 09 \\ 0 \cdot 58 \end{array}$	$\begin{array}{c c} 0 \cdot 17 \\ 0 \cdot 23 \end{array}$	$\begin{array}{c} 0 \cdot 27 \\ 0 \cdot 14 \end{array}$	$\begin{array}{c c} 0 \cdot 32 \\ 0 \cdot 07 \end{array}$	0.85 $1.52$	$\begin{array}{ c c }\hline 1.02 \\ 0.28 \end{array}$	$\begin{bmatrix} 1 \cdot 07 \\ 0 \cdot 14 \end{bmatrix}$	$egin{array}{c} 2\cdot 13 \ 0\cdot 25 \end{array}$	$\begin{array}{c} 1 \cdot 96 \\ 0 \cdot 22 \end{array}$	$7 \cdot 03$ $2 \cdot 41$
Atrophy, Debility Marasmus	3.06	3.96	1.60	1.20	1.39	11.21	2.90	1.93	2.81	1.42	20.27
Premature Birth (161)	2.26	2.28	0.63	0.43	0.36	5.96	0.30	0.14	0.14	0.05	6.59
Suffocation (overlying) (180)	10 °	0.01	0.02	.0.03	0:02	0.08	0.03	0.03		•	0.14
Other Causes	0.77	0.36	0.28	0.23	0.30	1.94	0.47	0.36	0.74	1.28	4.79
			1	MALES.				-			
ALL CAUSES	8.10	9.05	4.00	4.07	3.82	29.04	9.97	7.21	13 · 63	18.86	78.71
Measles (7)									0.03	0.67	0.70
Scarlet Fever (8)				0.03	0.06	0.09	0.03 $0.37$	0.40	1.10	$\begin{array}{c} 0.06 \\ 1.92 \end{array}$	$0.09 \\ 3.88$
Diphtheria (10)	4			ě	0.03	.0.03	4 1			0.15	0.18
Influenza (11) Tuberculosis of the Nervous	٠	0.09		0.09		0.18	0.31	0.28	0.52	. 1.19	2.48
System (32) Tuberculosis of Intestines and	٠	,*	٠	•	•		•	•	0.09	0.18	0.27
Peritoneum (33)		٠	٠					. •	0.06	0.09	0.15
Other Tuberculosis Diseases (31, 34–7)			. "				0.03	0.12	0.21	. 0.15	0.51
Syphilis (38)             Meningitis (71)	•	0.06	0.03	0.03		0.12	0.03	•	0.25	0.52	0.15 $0.77$
Convulsions (80)	0.62	1.10	0.67	0.55	0.52	3.46	1.34	$0.85 \\ 0.70$	$\begin{array}{c} 1 \cdot 35 \\ 1 \cdot 25 \end{array}$	$1.50 \\ 2.14$	8.50
Bronchitis (99) Pneumonia (100, 101)	0.03	0.09	$ \begin{array}{c c} 0 \cdot 12 \\ 0 \cdot 12 \end{array} $	0.21 $0.28$	$\begin{array}{c} 0 \cdot 25 \\ 0 \cdot 18 \end{array}$	0.70 $0.67$	0.70 $0.58$	0.61	1.77	4.62	$\begin{array}{c} 5 \cdot 49 \\ 8 \cdot 25 \end{array}$
Inflammation of Stomach (112) Diarrhea and Enteritis (113)		$\begin{array}{c} 0 \cdot 06 \\ 0 \cdot 15 \end{array}$	$\begin{array}{c c} 0 \cdot 09 \\ 0 \cdot 15 \end{array}$	0.03 $0.40$	$\begin{array}{c} 0 \cdot 09 \\ 0 \cdot 43 \end{array}$	$\begin{array}{c c} 0 \cdot 27 \\ 1 \cdot 13 \end{array}$	0.28 $1.44$	0.31 $1.35$	$0.40 \\ 2.26$	0.37 $2.14$	$1 \cdot 63$ $8 \cdot 32$
Congenital Malformations (159)	0.43	0.52	0.21	0.15	0.03	1.34	0.28	0.25	0.34	0.25	$2 \cdot 46$
Atrophy, Debility, Marasmus, (160B)	3.42	4.38	1.70	1.38	1.55	12.43	3 · 53	1.74	2.97	1.48	22 · 15
Premature Birth (161) Suffocation (overlying) (180)	2.78	2.26	$\begin{array}{c} 0 \cdot 52 \\ 0 \cdot 03 \end{array}$	0.58 $0.06$	0.43	$\begin{array}{c} 6 \cdot 57 \\ 0 \cdot 09 \end{array}$	0.28 $0.03$	$\begin{array}{c c} 0 \cdot 15 \\ 0 \cdot 03 \end{array}$	0.12		$7 \cdot 12$ $0 \cdot 15$
Other Causes	0.82	0.25	0.36	0.28	0.25	1.96	0.74	0.42	0.91	. 1.43	5.46
Control Causes	0.02	0.20	0.30	0.79	0.25	1.00	0 11	0 12	J J.	2 10	J 40
			FE	EMALES				1			
ALL CAUSES	6.03	8-15	3.71	2.44	2.93	23.26	6.78	6.44	11.78	15.84	64.10
Measles (7) Scarlet Fever (8)	•		٠					0.06	0.03	$\begin{array}{c} 0 \cdot 72 \\ 0 \cdot 06 \end{array}$	0·81 0·06
Whooping Cough (9)				0.03		0.03	0.33	0.88	1.11	2.02	4.37
Diphtheria (10) Influenza (11)	•	•	0.06			0.06	0.10	0.06	$\begin{bmatrix} 0 \cdot 03 \\ 0 \cdot 29 \end{bmatrix}$	$\begin{array}{c} 0 \cdot 13 \\ 0 \cdot 68 \end{array}$	0.16 $1.19$
Tuberculosis of the Nervous System (32)		0.03				0.03				0.10	0.13
Tuberculosis of Intestines and		0.00									
Peritoneum (33) Other Tuberculous Diseases,	•	•	: *	•			0.03	1	0.06	0.23	0.32
(31, 34–7) Syphilis (38)		0.03		0.03		0.06	0.10	0.03	0.16	$\begin{array}{c c} 0 \cdot 42 \\ 0 \cdot 03 \end{array}$	$\begin{array}{c c} 0 \cdot 71 \\ 0 \cdot 12 \end{array}$
Meningitis (71)	0.20		0.59		0.47	2.78	$\begin{bmatrix} 0 \cdot 03 \\ 1 \cdot 24 \end{bmatrix}$	0.78	$\begin{array}{c c} 0 \cdot 23 \\ 1 \cdot 56 \end{array}$	0.36 + 1.17	$\begin{array}{c c} 0 \cdot 62 \\ 7 \cdot 53 \end{array}$
Convulsions (80) Bronchitis (99)	0.36	1.01	0.52 $0.10$	0.42 $0.03$	0.16	0.29	0.42	$0 \cdot 62$	0.94	1.67	$3 \cdot 94$
Pneumonia (100, 101) Inflammation of Stomach (112)	•	0.03 $0.03$	0.13	$0.16 \\ 0.03$	$\begin{array}{c} 0 \cdot 03 \\ 0 \cdot 10 \end{array}$	$\begin{array}{c} 0 \cdot 35 \\ 0 \cdot 16 \end{array}$	0.62 $0.26$	0.46 $0.13$	$1 \cdot 44$ $0 \cdot 42$	$\begin{array}{c} 3\cdot 32 \\ 0\cdot 39 \end{array}$	$6 \cdot 19$ $1 \cdot 36$
Diarrhœa and Enteritis (113)	0 50	0.03	0.20	0.13	0.20	0.56	0.59	0.78	1.99	1.76	$5 \cdot 68$
Congenital Malformations (159) Atrophy, Debility, Marasmus	0.59	$0 \cdot 62$	0.26	0.13	0.10	1.70	0.29	0.03	0.16	0.20	2.38
(160B) Premature Birth (161)	$\begin{vmatrix} 2 \cdot 67 \\ 1 \cdot 70 \end{vmatrix}$	3.56 $2.31$	$\begin{array}{c} 1\cdot 50 \\ 0\cdot 75 \end{array}$	$\begin{array}{c} 1 \cdot 02 \\ 0 \cdot 26 \end{array}$	$\begin{array}{c c} 1 \cdot 20 \\ 0 \cdot 29 \end{array}$	$9.95 \\ 5.31$	$\begin{bmatrix} 2 \cdot 21 \\ 0 \cdot 33 \end{bmatrix}$	$ \begin{array}{c c} 2 \cdot 12 \\ 0 \cdot 13 \end{array} $	$2 \cdot 64$ $0 \cdot 16$	$\begin{array}{c c} 1 \cdot 37 \\ 0 \cdot 10 \end{array}$	$\begin{array}{c c} 18 \cdot 29 \\ 6 \cdot 03 \end{array}$
Suffocation (overlying) (180)	*	0.03	*	•	0.03	0.06	0.03	0.03	*	,	0.12
Other Causes	0.71	0.47	0.19	0.20	0.35	1.92	0.20	0.30	0.56	1.11	4.09

Table XI.—Showing for the year 1924, the INFANT MORTALITY—DEATHS OF INFANS UNDER ONE YEAR of age per 1,000 Births registered—for each of the undermention areas or group of areas in Saorstát Éireann. (Corrected for Births and Deaths in Institution).

		Dubli	n Regist	TRATION	AREA.		Cour	NTY BORG	oughs.		URBAN REAS.			. R		ISTRICTS 1	IN
CAUSES OF DEATH.	Total.	Dublin Co. Borough.	Blackrock Urban District.	Dún Laoghaire Urban District.	Pembroke Urban District.	Rathmines and Rathgar U. D.	Cork.	Limertok.	Waterford.	10,000 population and upwards.	Under 10,000 population.	Total Urban Areas.	Total Rural Areas.	Leinster.	Munster.	Connaught.	
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	()
ALL CAUSES	118.29	124.68	88.54	89.95	76.01	108.04	94.20	96.11	93.61	107.83	89.42	103.92	54.75	66.78	55.20	39.77	5-9
Measles (7)	3.51	4.02		5.29		1.20	0.51			2.33		1.84	0.19	0.34			3
Scarlet Fever (8)	0.18	0.22	•		•			0.92		0.17		0.14	0.05	•	0.14		
Whooping Cough (9)	0.63	0.56	•			2.40	16.29	0.92	4.46	3.49	6.69	4.18	4.09	3.35	5.10	3.57	137
Diphtheria (10)	0.45	0.34			1.31	1.20	1.02	0.92		0.47	. •	0.37	0.07	0.17	0.07		
Influenza (11)	1.08	1.00	5.20			2 · 40	1.02	0.92	7.43	1.22	2.81	1.56	2.02	1.93	2.05	1.59	131
Tuberculosis of the Nervous System (32)  Tuberculosis of Intestines and	0.36	0 · 45		•	٠		0.51	*		0.35	0.43	0.37	0.12	0.08	0.07	0.10	(37
Tuberculosis of Intestines and Peritoneum (33) Other Tuberculous Diseases	0.54	0.34	5.20		. •	2 · 40	•			0.35	0.65	0.41	0:14	0.25	0.14		(8)
Other Tuberculous Diseases (31, 34-7)	0.72	0.78				1.20				0.52	0.65	0.55	0.65	0.50	0.50	1.09	(5)
Syphilis (38)	0.72	0.89	•							0.47	0.22	0.41		1877		.,.	
Meningitis (71)	1.53	1.45	15.62			1.20	• ,		1.49	1.05	0.43	0.92	0.58	1.00	0.35	.0.50	- H7
Convulsions (80)	8.27	9.04		2.65	5.24	7.20	9.16	22.18	13.37	10:37	12 31	10.78	6.59	7.37	6.65	7.04	15
Bronchitis (99)	7.28	7.70	10.42	7.94	5.24	3.60	7.64	10.17	5.94	7.22	7.13	7.20	3.46	2.93	3 · 61	3 · 47	12
Pneumonia (100-101)	19.32	21.54	10.42	7.94	5.24	15.61	16.80	3.70	4.46	15.50	10.80	14.50	3.46	3.77	4.03	1.69	8
Inflammation of Stomach (112)	2.43	2.57		5.29	2.62		2.04	9.24	2.97	2.56	3.24	2.71	0.86	0.67	1.27	0.69	65
Diarrhœa and Enteritis (113)	19.41	19.98		26.46			7.64	5.55	17.83		8.64	14.31	3.22	4.86	3.82	0.99	No. of the last
Congenital Malformations (159)				5.29	5.24		3.06	0.92	1.49	4.43	1.94	3.89	1.63	2.85	1.49	0.50	
Atrophy, Debility, Marasmus (160B)	21.57	22 · 66	10.42	13.22	17.04	20.41	10.93	00.65									
Premature Birth (161)				2.65			18·83 7·13	28.65	14.86	21.09	21.81	21.24	19.78	25.71	19.32	13.88	
Suffocation (overlying) (180)	0.36			2.05	19.73	10.81	1.70	10.17	11.88	13.63	4.75	$\begin{array}{ c c c }\hline 11.75 \\ \hline 0.23 \\ \end{array}$	3.89	6·20 0·17	3·33 0·14	1.98	4.3
Other Causes	# 01		District and the second		7.86		2.55	1.85	5.94	6-47	6.92	6.56	3.85	4.61	3.12	2.68	(3

Table XII.—Showing for the undermentioned Urban and Rural areas of Saorstát Éireann the number of DEATHS OF INFANTS UNDER ONE YEAR of age, sub-divided into ten groups of ages, with the mortality per 1,000 Births in 1924.

(Corrected for Births and Deaths in Institutions).

	(COIT	ected 10	r births	and De	aths in	Institutio	ons).				
			Nυ	MBER O	F DEATH	s of In	FANTS AT	r Ages :-	_		
AREAS.	Under 24 Hours.	1-7 Days.	7–14 Days.	14–21 Days.	21 Days and under 1 Month	Total Under 1	1-2 : Mths.	2-3 Mths.	3-6 Mths.	6–12 Mths.	Total Under 1 Year.
DUBLIN REGISTRATION AREA	127	112	53	67	70	429	166	116	254	351	1,316
Dublin Co. Borough	105	88	46	56	60	355	146	96	218	302	1,117
Blackrock Urban District	•*	3		÷		3	4	1	5,	4	17
Dún Laoghaire ,, ,,	*	3		1		4	4	4	7	15	34
Pembroke . ,, ,,	. 11	9	5		3	28	4	6	11	9	58
Rathmines and Rathgar	11	9	2	10	7	39	8.	9	13	21	90
Cork County Borough	16	18	. 8	6	7	55	17	14	28	71	185
Limerick " "	9	21	3	5	6	44	11	9	20	20	104
Waterford ,, ,,	4	13	4	1	-5	27	4	7	5	. 20	63
Urban Areas 10,000 population and upwards Urban Areas under 10,000	176 19	187	80 20	85 22	102	630 118	216.	168	336 79	501	1,851 414
Total Urban Areas	195	225	100	107	121	748	250	228	415	624	2,265
Total Rural Districts	255	321	145	101	94	916	284	206	393	479	2,278
Province of Leinster (Rural)	102	128	53	36	39	358	92	68	123	156	797
" Munster " …	80	109	45	31	31	296	105	69	154	156	780
" Connaught "	40	42	26	25	12	145	48	46	71	91	401
" Ulster " …	33	42	21	9	12	117	39	23	45	76	300
(Part of)  SAORSTÁT ÉIREANN (Urban and Rural).	450	546	245	208	215	1,664	534	434	808	1,103	4,543
and Ivalai).			ι σ		1 000 T				·	)	•
	J	INFANT I	MORTALI'	ry PER	1,000 Br	RTHS.			1	1	
DUBLIN REGISTRATION AREA	11.42	10.07	4.76	6.02	6.29	38.56	14.92	10.43	22 · 83	31.55	118-29
Dublin County Borough	11.72	9 · 82	5.13	6.25	6.70	39 · 62	16.30	10.72	24.33	33.71	124 · 68
Blackrock Urban District										ſ	88.54
Dún Laoghaire											89.95
Pembroke " "	10:16	11.08	3.23	5.08	4 · 62	34.17	9 • 23	9.23	16.62	22 · 62	76.01
Rathmines and Rathgar Urban District											108.04
Cork County Borough	8.15	9.16	4.07	3.05	3 · 57	28.00	8 · 65	7 · 13	$14 \cdot 26$	36.16	94.20
Limerick ,, ,,	8.32	19-40	2-77	4 - 62	5-55	40.66	10-17	8.32	18.48	18.48	96.11
Waterford,, ,,	5.94	19.32	5.94	1:49	7.43	40.12	5.94	10.40	7-43	29.72	93.61
Urban Areas 10,000 population and upwards	10·25 4·10	10.89	4·66 4·32	4·95 4·75	5·95 4·10	36.70	12·58 7·35	$9.79 \\ 12.96$	19·57 17·06	29·19 26·57	107 · 83 89 · 42
Urban Areas under 10,000  TOTAL URBAN AREAS	8.95	$\frac{8 \cdot 21}{10 \cdot 32}$	4.59	4.13	5.55	$25 \cdot 48$	11.47	10.46	19.04	28.63	103.92
	6.13	7.72	3.48	2.43	2.26	22.02	6.83	4.95	9.44	11.51	54.75
Total Rural Districts  Province of Leinster (Rural)	8.55	10.72	4.44	3.02	3.27	30.00	7.71	5.70	10.30	13.07	66.78
35	5.67	7.72	3.18	2.19	2.19	20.95	7.43	4.88	10.90	11.04	55.20
G 1.	3.97	4.16	2.58	2.48	1.19	14.38	4.76	4.56	7.04	9.02	39.77
" Connaught " … " Ulster " … (Part of)	6.05	7.70	3.85	1.65	2.19	21.44	7.15	4.22	8.25	13.93	54.99
SAORSTÁT ÉIREANN (Urban and Rural).	7.10	8 · 61	3.86	3.28	3.39	26.24	8.42	6.84	12.75	17.40	71.65

.Table XIII.—Saorstát Éireann—Showing the MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE CHILDREN UNDER 12 MONTHS old, in the year 1924.

			Numbei	R OF DE	ATHS OF	ILLEGIT	IMATE I	NFANTS .	AT AGES		
CAUSES OF DEATH.	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	under 1	1-2 Mths.	2-3 Mths.	3-6 Mths.	6–12 Mths.	Total under l Year.
Measles (7)	*	4	•	*	•		2	1	•	8	11
Scarlet Fever (8)	•	٠			•	•	٠	. •	•	•	•
Whooping Cough (9)	•	٠	*		•		٠	3	3	8	14
Diphtheria (10)		•	*	•	•		•	•		,	•
Influenza (11)	4	*	•	•	•		1	2	1	1	5
Tuberculosis of the Nervous System (32)	,	•	• ,	•	,				1	•	1
Tuberculosis of Intestines and Peritoneum (33)	•	•							•	4	4
Other Tuberculous Diseases (31, 34-7)	•.	P.	•	·	*		3	4	5	7	19
Syphilis (38)	•	•	•	1		1	1		•	•	2
Meningitis (71)	٠	٠		. •			•	٠	2	7	9
Convulsions (80)	2	3	2	3	3	13	4	6	4	4	31
Bronchitis (99)			*	2	1	3	3	4	9	5	24
Pneumonia (100–101)		*		٠	2	2	2	2	7	13	26
Inflammation of Stomach (112)			2	•	2	4	10	3	1	3	21
Diarrhea and Enteritis (113)		" 3	4	2	2	11	16	7	24	8	66
Congenital Malformations (159)	1	2	1		1	5	. 3	1	•	2	11
Atrophy, Debility, Marasmus, (1608)	9	14	7	8	12	50	43	26	48	15	182
Premature Birth (161)	6	10	5		2	23	2	.3	1	1	30
Suffocation (overlying) (180)	1	•		٠		1	•	•	*	٠	1
Other Causes	36	. 8	4	5	3	56	2	6	3	, 5	72
All Causes	55	40	25	21	28	169	92	68	109	91	529
	Rate	per 1,0	000 Illegi	timate I	Births reg	gistered.			. ^		
All Causes	32.80	23.85	14.91	12 · 52	16.70	100.78	54.86	40.55	65.00	54.26	315.45

Table XIV.—Showing by age-periods, the number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR of age registered in each county and county borough of Saorstát Éireann during the year 1924, distinguishing deaths in Institutions (public and private).

- C	OUNTIES AND COUNTY	Under				21 Days	Total	7	e e			Total	Plac Occur	
	BOROUGHS BY PROVINCES.	24 Hours	1–7 Days.	7–14 Days.	14-21 Days.	& under 1 mth.	under 1 mth.	1-2 mths.	2-3 mths.	3–6 mths.	6-12 mths.	under 1 year		Else- where.
	SAORSTÁT ÉIREANN	55	40	25	21	28	169	92 :	68	109	91	529	363	166
(	Carlow ; ··· ; ·••	1	. 2	•	•	2	5	2	2		1	10	5	5
]	Dublin	2	1	_1	3	6	13	15	5	9	21	63	48	. 15
3	Dublin Co. Borough	10	4	6	4	. 111	35	.38	. 25	39	25	162	118	44
]	Kildare	1.	.;	. 2	. •	d' e	3	. * 9		1.1		4	•	4
]	Kilkenny	1	1	1	1.	3.	4	. :		5	2	11	6	5
	Laoigheas	3	2 .	1	1	· .	;7	, 1			1.	8	3	,5
3	Longford	1				71	[1]	1.5		1		2	1	. 1
2	Louth	i	1				2	2		. 2.	1	7	4	. 3
	Meath	2	1		5.,*	1., 1.	14.	14	, 1		. 2	8	6	2
	Ui Failighe	• .	1	1	:	. 1	3	1		1	2	7	7	•
٦	Westmeath	1.					1			. 1		2	1	, 1
,	Wexford	2	3		1	1.	6			1	1	8		8
,	Wicklow	1	1		1.	1	4	2	1	5		12	. 4	8
PR	OVINCE OF LEINSTER	26	17	.12	11	22	88	62	34	65	55	304	203	101
	Clare	4.	- 1		1	1	7		4	8	5	24	19	5
	Cork	7	7	2	2	1	19	11	9	12	5	56	46	10
	Cork Co. Borough	1				1	1	.,	1		1	3		3
	Kerry		2	3	2		7		5	1	6	19	18	1
	Limerick	5	3	1		. 2	11		1	2		14	. 6	. 8
	Limerick Co. Borough		] 1				1					1		1
	Tipperary, North Riding	1		1			2	1	1	1		5	3	2
	Tipperary, South Riding			. 1	2.	1	7.	. 2		1	4	14	9	5
	Waterford							4	2	5	2	13	9	4
	Waterford Co. Borough	1	1	. a			2.	1	1	.*		4	. 2	2
PH	OVINCE OF MUNSTER	22	15	8	7	5	57	19	24	30	23	153	112	41
	Galway	3	2	1	2		8	8	6	10	4.	36	32	4
	Leitrim			1		1	2					2	2	
	Mayo					5 4			. 1	2	**	3	1	2
	Roscommon	ı					111				2	3	2	1
	Sligo	1	1				2		. 2		1.0	4	2	2
			-			·						-	ļ	
	OVINCE OF CONNAUGHT	5	3	2	2	. 1	13	8	9	12	6	48	39	9
	Cavan	1:	1		1: -	1.1	2				1	3	1	2
	Donegal	1	. 2	3	,1	* , .	7	. 2		2	5	16	6	10
	Monaghan	•	2	4 *	, ,	- •	2	1	-		1	5	2	3
Pi	OVINCE OF ULSTER (Part of).	2	5	3	1		11	3	l .	-2	7	24	9	15

Table XV.—Showing by Provinces, Counties, and County Boroughs, the Rates for 1924 per 1,000 of the population represented by MARRIAGES, BIRTHS, DEATHS from All Causes; Deaths from the PRINCIPAL EPIDEMIC DISEASES, and from TUBERCULOSIS; also the Mortality arising out of the PUERPERAL STATE, and INFANT MORTALITY, per 1,000 Births. (Corrected for Births and Deaths in Institutions).

				BIRT	CHS.		1,000 of Ported by Deat		RAT	E PER 1,000 BIRTHS.	)
COUNTIES AND COUNTY BOROUGHS BY PROVINCES.		Popula- tion, 1911.	Number of Marriages per 1,000 of Popula- tion.	Total (including Illegitimate) per 1,000 of Population.	Illegiti- mate per cent. of Total Births.	All Causes.	Principal Epidemic Diseases*	Tubercu- losis.	Deaths From Puerperal Sepsis	Deaths from other Accidents and Diseases of Pregnancy and Parturi- tion.	Deaths of Infants under One Year of age.
Carlow	***	36,252	4.05	19.45	3 · 55	15.09	0 · 52	1.43	1:42	4.26	72
†Dublin ···	•••	172,394	6.76	21.72	$2\cdot 64$	14.62	0.66	1.61	1.27	2.03	91
†Dublin Co. Borough	•••	304,802	7.09	26.90	2.68	16.83	1.24	$2 \cdot 09$	1.56	3.13	125
Kildare ···		66,627	3 · 59	18.31	$5 \cdot 25$	12.44	0.29	1.29	0.82	2.46	62
Kilkenny		74,962	3 · 64	19.61	$3 \cdot 67$	16.03	0.40	1.27	1.36	2.72	79
Laoigheas	•••	54,629	3.48	17:77	3 · 50	14.33	0.31	1.39	3.09	2.06	77
Longford		43,820	$4 \cdot 95$	18.48	1.73	14.61	0.37	1.12	• * * *	3.70	51
Louth ···		63,665	4.16	21.93	3.15	15.52	0.42	2.14	$2 \cdot 15$	1.43	58
Meath	• • •	65,091	3.66	18.80	3.02	14.59	0.09	1.46	0.82	3.27	74
Ui Failighe	***	56,832	3.84	17.61	3 · 80	14.62	0.30	1.57	3.00	3.00	58
Westmeath	***	59,986	4.77	20.64	4.04	13.40	0.25	1.35	1.62	4.04	48
Wexford	•••	102,273	4.38	19.31	4.66	14.97	0.60	1.58	1.01	2.03	71
Wicklow	•••	60,711	4.20	19.90	3.73	15.29	0.48	1.76	5.79	2.48	65
PROVINCE OF LEINSTER		1,162,044	5.48	22 · 47	3.22	15.74	0.68	1.73	1.68	2.76	90
Clare	***	104,232	4.09	16.23	1.95	12.53	0.38	1.36	1.77	2.96	63
Cork ···	• • • •	315,431	3.48	17.08	2 · 40	13.05	0.35	1.31	$3 \cdot 71$	3.34	57
Cork Co. Borough	***	76,673	8.43	25.62	$2 \cdot 34$	18.78	1.72	2.41	$2 \cdot 55$	3.05	94
Kerry		159,691	4.65	20.15	2 • 42	11.79	0.75	1.27	2 · 49	3.11	46
Limerick	a15 6	104,551	3.75	20.98	3.65	14.35	0.46	1.37	3.65	1.37	78
Limerick Co. Borough	***	38,518	10.00	28.09	0.92	15.11	0 · 42	1.66		0.92	96
Tipperary, North Riding		62,881	4.98	19.85	2.16	13.96	0.41	. 0.99	3.21	0.80	61
Tipperary, South Riding		89,552	3.95	19.50	4.93	14.09	0.41	1.56	0.57	4.01	. 64
Waterford		56,502	3.66	18.67	5.12	16.09	0.67	1.29	. 1 • 90	1.90	86
Waterford Co. Borough		27,464	6.01	24.50	1.63	15.40	0.80	2 · 22	4.46	1.49	94
PROVINCE OF MUNSTER;	***	1,035,495	4.57	19.56	2.73	13.81	0.57	1.44	2 · 67	2 · 67	67
Galway :		182,224	.3.71	19.53	1.88	12.29	0.46	1.32	0.84	3.09	47
Leitrim		63,582	. 3.99	14.52	1.51	12:46	0.09	. 0.93	3.25	3.25	.41
Mayo		192,177	3.75	19.07	0.76	11:40	0.31	. 1.12	1.09	2.73	46
Roscommon		93,956	. 4.42	. 16.98	0.63	13:78	0.29	. 1.03	4.39	2 · 51	42
Sligo	0 0, 0	79,045	4.30	16.76	1.21	12.56	0.28	1.01	2.26	3.02	43
PROVINCE OF CONNAUGHT		610,984	3.94	18.11	1.22	12.29	0.32	1.13	1.81	2 · 89	45
Cavan	* * * *	91,173	4.29	17.92	2.69	14.52	0.43	0.87		0.61	45
Donegal		168,537	3.71	18.03	$2\cdot\dot{5}7$	15:69	0.45	1+40	0.66	3-29	65
Monaghan	***	71,455	4.31	18.12	1.93	15-66	0.38	1.01	1.54	8:49	54
Province of Ulster (part	of)	331,165	4.00	18.02	2.46	15.36	0.43	1-17	0.84	3.69	57
†SAORSTAT ÉIREANN	***	3,139,688	4.69	20.06	2.65	14.29	0.54	1-45	1.94	2.84	72

<sup>\*</sup> Enteric Fever, Typhus, Small-pox, Measles, Scarlet Fever, Whooping-Cough, Diphtheria, Dysentery, and Diarrheal Diseases.
† The rates for Dublin County, Dublin County Borough, and Saorstát Éireann are calculated on the estimated population in the middle of 1924. See note (†) page xxxi., and page 73.

## TABLE XVI.—Showing BIRTH, DEATH, and INFANT MORTALITY RATES for Urban and Rural areas, 1924.

(Corrected for Births and Deaths in Institutions).

				1,000 OF POPTITED BY DEATE		RATE	PER 1,000 BIR	rhs.
URBAN AND RURAL AREAS.	Population, 1911.	Total Births including Illegitimate per 1,000 of Population.	All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Deaths from Puerperal Sepsis.	Deaths from other Acci- dents and Diseases of Pregnancy and Parturition.	Deaths of Infants Under one year of Age.
Dublin Registration Area†	397,957	25.57	16.38	1.11	1.91	1.44	2.70	118
Dublin Co. Borough	304,802	26.90	16.83	$1 \cdot 24$	2.09	1.56	3.13	125
Blackrock Urban District	9,080	19.00	13.76	0.40	1.09	•	5.21	89
Dún Laoghaire Urban District	16,941	21 · 12	16.42	0.89	1.34	$2 \cdot 65$		90
Pembroke Urban District	29,294	24.07	15.24	0.60	1.42	•	•	76
Rathmines and Rathgar Urban District	37,840	19.69	14.30	0.71	1.35	1.20	1.20	108
County Boroughs and Urban Districts:		t a						
10,000 Population and upwards	633,213	27.11	17.40	1.17	$2 \cdot 17$	1.75	2 • 56	108
Under 10,000 Population	212,806	21.76	15.14	0.73	1.88	1.94	3.24	89
Total Urban Areas	846,019	25.76	16.84	1.06	2.10	1.79	2.71	104
Total Rural Districts	2,293,669	18.14	13.49	0.36	1.22	2.02	2.91	55
Province of Leinster (Rural)	636,322	18.76	14.43	0.36	1.42	1.76	. 2.93	67
Province of Munster (Rural)	779,314	18.13	12.93	<b>0</b> ⋅40	1.24	2.76	2.69	55
Province of Connaught (Rural)	569,363	17.71	12.15	0.27	1.04	1.88	2.98	40
Province of Ulster (part of) (Rural)	308,670	17.68	15.41	0.40	1.12	0.92	<b>3</b> ·30	55

<sup>\*</sup> See Note (\*) on page xxx.

†The Rates for the Dublin Registration Area and its component parts are calculated on the estimated population in the middle of 1924, which was as follows:—

Area							Estimated Population in 192
Dublin Co. Borough	***			***			333,000
Blackrock Urban District	***	***		***	• • •		10,100
Dún Laoghaire Urban District					•••		17,900
Pembroke Urban District		* * *		***		***	31,700
Rathmines and Rathgar Urban	District		* * *		***		42,300
Total Dublin Registration Area		* * *	***	***	,		435,000

#### METEOROLOGY.

The following observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin; D.Sc., Oxon; F.R.C.P.I.; F.R.Met.Soc.

Month.	Abs. Max.	Date.	Abs. Min.	Date.	Mean Daily Max.	Mean Daily Min.	Mean Temp.	Rainfall.	Days of Rain.	Mean Height of Barometer.	Highest Pressure.	Date	Lowest Pressure.	Date.	Prevalent Wind.
	Deg.		Deg.		Deg. 48·4	Deg.	Deg. 44 2	Ins. 3.461	22	Ins. 29·810	Ins. 30.667	27th	Ins. 29.060	8th	w.s.w.w.s.w.
January	55.7	21st	30.9		45.6	37.7	41.7	0.813	11	30.094	30.634	16th	28.894	9th	W.
February	50.8	4th & 27th	30.9	17th	47.5	36.4	42.0.	0.486	7	29.840	30 · 383	31st	28-997	23rd	S.F., S.S.E
March	56.2	22nd & 24th	25.9	3rd		38.7	45.6	1.699	12	29.852	30 · 545	20th	29.146	26th	W.W.S.W., N.E., W.N.W.
April	67.0	. 20th	31.0	1st	52.4	46.0	52.4	2.548	23	29.789	30.225	17th	29.329	24th	w., s.w.s.
May	66.6	30th	35.0	4th	58.7	51.9	57.6	2.776	18	29.958	30.267	25th	29.341	11th	w.s., w.s.w.
June	73.0	25th	46.1	3rd & 14th	63.2		59.5	3.587	22	29.820	30 · 257	14th	29.259	3rd	w.s.w
July	75.2	15th	46.3	4th	64.9	54.0		3.020	24	29.800	30.434	8th	29.070	17th	W., W.N.W., W.S.W.
August	67.2	1st	47.1	7th	63.2	52.3	57.8	}		29.745	30.283	3rd	28.796	20th	W.S.W. W., S.W., E.
September	67.7	8th	42.0	10th	59.8	49.4	54.6	4.944	17	1	30.394	14th	29.154	30th	w., w.s.w.,_
October	62 · 1	14th	39.1	3rd	55.1	45.2	,50.2	1.562	18	29.835			28.938	27th	S.W. E.S.E. W.S.W., W.
November	58.0	23rd	32.0	13th	51.1	43.4	47.3	2.245	14	29.978	30.660	19th	1		·
December	57.8	23rd	34.2	31st	51.5	42.5	47.0	4.434	21	29.750	30 - 377	20th	28-810	27th	S., S.W., W.
												Jan.		Sept.	
Extremes, Totals & Means	75.2	July 15th	25.9	March 3rd	55.1	44.8	50.0	31.575	209	29.856	30.667	27th	28.796	20th	

The striking features of the weather in the year 1924 were as follows:— January, an open month, but unpleasant by reason of clouds, dampness and frequent rainfall; an after winter of some severity in February; a cold very dry March; an unduly cold April, and a snowstorm on the 13th; May showed an average mean temperature, a frequent rainfall, much cloudiness, with a consequent shortage of sunshine and a high relative humidity; an "Atlantic" June of south-west and west winds, clouds and showers.

July was a cloudy, rainy, and generally unsettled month, with a mean temperature (59·5 deg.), nearly a degree below the average (60·4 deg.). In fitting sequel, August showed clouded skies—70 per cent. of cloud—which interfered with solar radiation by day and terrestrial radiation by night, so causing a diurnal range of temperature of only 10.9 deg. September was a cool month of heavy rains, including 1.570 inches on the 7th, and 1.173 inches on the 19th. October proved a month of average mean temperature, with a small diurnal range of 9.9 deg., and frequent, but not heavy rains. November was a very open month, the mean temperature being 47·3 deg. or 1·8 deg. above average. December was almost frostless—in fact, the screened thermometer did not fall lower than 34·2 deg. in the city of Dublin. Fogs prevailed in the early part of the month, and the closing days were tempestuous in the extreme.

The rainfall was 31.575 inches, or 4.205 inches above the average annual measurement of the thirty-five years, 1881-1915, inclusive, viz., 27·370 inches.

In 1924 there were 209 "rain-days," or days upon which not less than .005 inch of rain (five-thousandths of an inch) was measured. This was 11 days more than the average number of rain-days in the thirty-five years 1881-1915, inclusive (198). In 1868 and 1887—the warm dry years of recent times—the rain-days were only 160, and in 1870 they were only 145. A millimetre of rain—roughly 0.04 inch—fell on 153 days in 1924.

The rainfall in the first six months of 1924 was 11.783 inches on 93 days. In

the second six months it was 19.792 inches on 116 days.

Particulars kindly furnished by the Director, Meteorological Office, London, regarding meteorological observations taken at the Ordnance Survey Office, Phænix Park, Dublin, are published in my Quarterly Returns of Marriages, Births and Deaths.

Mise, le meas,

WILLIAM J. THOMPSON,

Ard-Chláruidhe.

Oifig um Chlárú Ghenearálta, Tigh Charlemont, Baile Atha Cliath.

19adh lá de mhí Deireadh Foghmhair, 1925.

SAORSTAT EIREANN.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1924, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES AND COU	Excess of Births over Deaths.  18,222  7,828 5,960 3,555 879  158 1,287 3,356 391 268
APMINISTRATIVE COUNTIES AND COUNTY BOROUGHS.    Area in Statute Acres.   Census, 1911.   Censu	of Births over Deaths. 18,222 7,828 5,960 3,555 879 158 1,287 3,356 391
SAORSTAT ÉIREANN   17,019,155   3,139,688   14,822   63,402     63,402   1,677     1,677   45,180     45,180	7,828 5,960 3,555 879 158 1,287 3,356 391
SAORSTAT ÉIREANN   17,019,155   3,139,688   14,822   63,402   .   .   63,402   1,677   .   .   1,677   45,180   .   .   45,180    PROVINCES. No. I. LEINSTER   4,847,731   1,162,044   6,864   26,307   262   68   26,113   909   73   5   841   18,508   274   51   18,285    II. MUNSTER   5,963,557   1,035,495   4,728   20,205   57   109   20,257   528   4   30   554   14,203   34   128   14,297    III. CONNAUGHT   4,228,211   610,984   2,406   10,957   25   133   11,065   106   2   31   135   7,422   29   117   7,510    IV. ULSTER (part of)   1,979,656   331,165   1,824   5,933   15   49   5,967   134   .   13   147   5,047   4   45   5,088    I.—PROVINCE OF LEINSTER :—MARRIAGES, BIRTHS, AND DEATHS, 1924.—COUNTIES.  1. CARLOW   221,485   36,252   147   690   7   22   705   19   .   6   25   551   23   19   547    2. DUBLIN   218,873   172,394   1,226   3,123   135   948   3,936   46   12   70   104   2,691   546   504   2,649    3. DUBLIN CO. BORO'   7,911   304,802   2,362   10,337   1,493   115   8,959   472   236   4   240   6,117   918   404   5,003    4. KILDARE   418,645   66,627   239   1,161   13   72   1,220   52   1   13   64   779   20   70   829    5. KILKENNY   509,458   74,962   273   1,450   12   32   1,470   45   .   9   54   1,178   15   39   1,202    6. LAOIGHEAS   424,888   54,629   190   929   10   52   971   22   4   16   34   786   35   32   783    7. LONGFORD   257,770   43,820   217   807   10   13   810   12   .   2   14   617   3   26   640    8. LOUTH   202,181   63,665   265   1,884   20   32   1,896   35   1   10   44   939   6   55   988	7,828 5,960 3,555 879 158 1,287 3,356 391
No. Leinster 4,847,731    1,162,044    6,864    26,307    262    68    26,113    909    73    5    841    18,508    274    51    18,285     II. MUNSTER 5,963,557    1,035,495    4,728    20,205    57    109    20,257    528    4    30    554    14,203    34    128    14,297     III. CONNAUGHT 4,228,211    610,984    2,406    10,957    25    133    11,065    106    2    31    135    7,422    29    117    7,510     IV. ULSTER (part of) 1,979,656    331,165    1,324    5,933    15    49    5,967    134    ·	158 1,287 3,356 3,356 3,91
H. MUNSTER 5,963,557 1,035,495 4,728 20,205 57 109 20,257 528 4 30 554 14,203 34 128 14,297 III. CONNAUGHT 4,228,211 610,984 2,406 10,957 25 133 11,065 106 2 31 135 7,422 29 117 7,510 IV. ULSTER (part of) 1,979,656 331,165 1,324 5,933 15 49 5,967 134 · 13 147 5,047 4 45 5,088  I.—PROVINCE OF LEINSTER :—MARRIAGES, BIRTHS, AND DEATHS, 1924.—COUNTIES.  1. CARLOW 221,485 36,252 147 690 7 22 705 19 · 6 25 551 23 19 547 2. DUBLIN 218,873 172,394 1,226 3,123 135 948 3,936 46 12 70 104 2,691 546 504 2,649 3. DUBLIN CO. BORO' 7,911 304,802 2,362 10,337 1,493 115 8,959 472 236 4 240 6,117 918 404 5,603 4. KILDARE 418,645 66,627 239 1,161 13 72 1,220 52 1 13 64 779 20 70 829 5. KILKENNY 509,458 74,962 273 1,450 12 32 1,470 45 · 9 54 1,178 15 39 1,202 6. LAOIGHEAS 424,888 54,629 190 929 10 52 971 22 4 16 34 786 35 32 783 7. LONGFORD 257,770 43,820 217 807 10 18 810 12 · 2 14 617 3 26 640 8. LOUTH 202,181 63,665 265 1,384 20 32 1,396 35 1 10 44 939 6 55 988	158 1,287 3,356 3,356 3,91
III. CONNAUGHT 4,228,211 610,984 2,406 10,957 25 133 11,065 106 2 31 135 7,422 29 117 7,510 IV. ULSTER (part of) 1,979,656 331,165 1,324 5,933 15 49 5,967 134 · 13 147 5,047 4 45 5,088   I.—PROVINCE OF LEINSTER:—MARRIAGES, BIRTHS, AND DEATHS, 1924.—COUNTIES.  1. CARLOW 221,485 36,252 147 690 7 22 705 19 · 6 25 551 23 19 547 2. DUBLIN 218,873 172,394 1,226 3,123 135 948 3,936 46 12 70 104 2,691 546 504 2,649 3. DUBLIN CO. BORO' 7,911 304,802 2,362 10,337 1,493 115 8,959 472 236 4 240 6,117 918 404 5,603 4. KILDARE 418,645 66,627 239 1,161 13 72 1,220 52 1 13 64 779 20 70 829 5. KILKENNY 509,458 74,962 273 1,450 12 32 1,470 45 · 9 54 1,178 15 39 1,202 6. LAOIGHEAS 424,838 54,629 190 929 10 52 971 22 4 16 34 786 35 32 783 7. LONGFORD 257,770 43,820 217 807 10 13 810 12 · 2 14 617 3 26 640 8. LOUTH 202,181 63,665 265 1,384 20 32 1,396 35 1 10 44 939 6 55 988	158 1,287 3,356 391
IV. ULSTER (part of) 1,979,656 331,165 1,324 5,933 15 49 5,967 134 · 13 147 5,047 4 45 5,088  I.—PROVINCE OF LEINSTER:—MARRIAGES, BIRTHS, AND DEATHS, 1924.—COUNTIES.  1. CARLOW 221,485 36,252 147 690 7 22 705 19 · 6 25 551 23 19 547 2. DUBLIN 218,873 172,394 1,226 3,123 135 948 3,936 46 12 70 104 2,691 546 504 2,649 3. DUBLIN CO. BORO' 7,911 304,802 2,362 10,337 1,493 115 8,959 472 236 4 240 6,117 918 404 5,603 4. KILDARE 418,645 66,627 239 1,161 13 72 1,220 52 1 13 64 779 20 70 829 5. KILKENNY 509,458 74,962 273 1,450 12 32 1,470 45 · 9 54 1,178 15 39 1,202 6. LAOIGHEAS 424,838 54,629 190 929 10 52 971 22 4 16 34 786 35 32 783 7. LONGFORD 257,770 43,820 217 807 10 13 810 12 · 2 14 617 3 26 640 8. LOUTH 202,181 63,665 265 1,384 20 32 1,396 35 1 10 44 939 6 55 988	158 1,287 3,356 391
1. CARLOW        221,485       36,252       147       690       7       22       705       19        6       25       551       23       19       547         2. DUBLIN        218,873       172,394       1,226       3,123       135       948       3,936       46       12       70       104       2,691       546       504       2,649         3. DUBLIN CO. BORO'       7,911       304,802       2,362       10,337       1,493       115       8,959       472       236       4       240       6,117       918       404       5,603         4. KILDARE        418,645       66,627       239       1,161       13       72       1,220       52       1       13       64       779       20       70       829         5. KILKENNY        509,458       74,962       273       1,450       12       32       1,470       45       9       54       1,178       15       39       1,202         6. LAOIGHEAS        424,838       54,629       190       929       10       52       971       22       4       16       34       786 <td>1,287 3,356 391</td>	1,287 3,356 391
2. DUBLIN        218,873       172,394       1,226       3,123       135       948       3,936       46       12       70       104       2,691       546       504       2,649         3. DUBLIN CO. BORO'       7,911       304,802       2,362       10,337       1,493       115       8,959       472       236       4       240       6,117       918       404       5,603         4. KILDARE        418,645       66,627       239       1,161       13       72       1,220       52       1       13       64       779       20       70       829         5. KILKENNY        509,458       74,962       273       1,450       12       32       1,470       45       9       54       1,178       15       39       1,202         6. LAOIGHEAS        424,838       54,629       190       929       10       52       971       22       4       16       34       786       35       32       783         7. LONGFORD        257,770       43,820       217       807       10       13       810       12        2       14 <t< td=""><td>1,287 3,356 391</td></t<>	1,287 3,356 391
3. DUBLIN CO. BORO' 7,911 304,802 2,362 10,337 1,493 115 8,959 472 236 4 240 6,117 918 404 5,603 4. KILDARE 418,645 66,627 239 1,161 13 72 1,220 52 1 13 64 779 20 70 829 5. KILKENNY 509,458 74,962 273 1,450 12 32 1,470 45 9 54 1,178 15 39 1,202 6. LAOIGHEAS 424,838 54,629 190 929 10 52 971 22 4 16 34 786 35 32 783 7. LONGFORD 257,770 43,820 217 807 10 13 810 12 2 2 14 617 3 26 640 8. LOUTH 202,181 63,665 265 1,384 20 32 1,396 35 1 10 44 939 6 55 988	3,356 391
4. KILDARE        418,645       66,627       239       1,161       13       72       1,220       52       1       13       64       779       20       70       829         5. KILKENNY        509,458       74,962       273       1,450       12       32       1,470       45       9       54       1,178       15       39       1,202         6. LAOIGHEAS        424,838       54,629       190       929       10       52       971       22       4       16       34       786       35       32       783         7. LONGFORD        257,770       43,820       217       807       10       13       810       12        2       14       617       3       26       640         8. LOUTH        202,181       63,665       265       1,384       20       32       1,396       35       1       10       44       939       6       55       988	391
5. KILKENNY        509,458       74,962       273       1,450       12       32       1,470       45       9       54       1,178       15       39       1,202         6. LAOIGHEAS        424,838       54,629       190       929       10       52       971       22       4       16       34       786       35       32       783         7. LONGFORD        257,770       43,820       217       807       10       13       810       12       2       14       617       3       26       640         8. LOUTH        202,181       63,665       265       1,384       20       32       1,396       35       1       10       44       939       6       55       988	
6. LAOIGHEAS      424,838     54,629     190     929     10     52     971     22     4     16     34     786     35     32     783       7. LONGFORD      257,770     43,820     217     807     10     13     810     12     2     14     617     3     26     640       8. LOUTH      202,181     63,665     265     1,384     20     32     1,396     35     1     10     44     939     6     55     988	200
8. LOUTH 202,181 63,665 265 1,384 20 32 1,396 35 1 10 44 939 6 55 988	188
	170
0 MEATH 577 735 65 091 238 1.151 0 89 1.994 21 9 8 27 010 19 40 050	408
	274
10. UI FAILIGHE 493,263 56,832 218 979 12 34 1,001 24 1 15 38 774 11 68 831 11. WESTMEATH 434,665 59,986 286 1,194 17 61 1,238 35 3 18 50 781 13 36 804	170 434
11. WESTMEATH 434,000 59,980 280 1,194 17 61 1,238 35 3 18 50 781 13 36 804 12. WEXFORD 580,950 102,273 448 1,949 9 35 1,975 83 · 9 92 1,527 12 16 1,531	434
13. WICKLOW 499,957 60,711 255 1,153 18 73 1,208 33 · 12 45 849 14 93 928	280
II.—PROVINCE OF MUNSTER:—MARRIAGES, BIRTHS AND DEATHS, 1924.—COUNTIES.	
14. CLARE 788,337 104,232 426 1,658 7 41 1,692 29 4 33 1,287 10 29 1,306	386
15. CORK 1,841,035   315,481   1,097   5,301   79   164   5,386   158   44   15   129   4,346   405   174   4,115   16. CORK CO. BORO'   2,681   76,673   646   2,056   161   69   1,964   18   15   43   46   1,231   176   385   1,440	1,271 524
17. KERRY 1,161,752 159,691 743 3,203 17 32 3,218 69 · 9 78 1,846 4 40 1,882	1,336
18. LIMERICK 661,573 104,551 392 2,120 29 102 2,193 83 9 6 80 1,578 173 95 1,500	693
19. LIMERICK CO. 2,386 38,518 385 1,161 104 25 1,082 6 4 8 10 496 83 169 582 BOROUGH.	500
20. TIPPERARY, N.R.   493,266   62,881   313   1,222   9   35   1,248   22   2   7   27   854   11   35   878	370
21. TIPPERARY, S.R. 558,038 89,552 354 1,736 26 36 1,746 75 2 13 86 1,232 21 51 1,262 22. WATERFORD 453,051 56,502 207 1,037 19 37 1,055 40 1 15 54 827 19 101 909	484 146
23. WATERFORD CO. 1,438 . 27,464 165 711 43 5 673 28 18 1 11 506 107 24 423 BOROUGH.	250
III.—PROVINCE OF CONNAUGHT:—MARRIAGES, BIRTHS AND DEATHS, 1924.—COUNTIES.	
24. GALWAY   1,467,850   182,224   676   3,532   19   45   3,558   55   3   15   67   2,240   37   37   2,240	1,318
25. LEITRIM 376,510 63,582 254 911 6 18 923 11 · 3 14 759 4 37 792	131
26. MAYO 1,333,356 192,177 721 3,637 14 41 3,664 21 7 28 2,157 7 40 2,190 27. ROSCOMMON 608,290 93,956 415 1,557 6 44 1,595 6 4 10 1,256 13 52 1,295	1,474 300
27. ROSCOMMON 608,290 93,956 415 1,557 6 44 1,595 6 · 4 10 1,256 13 52 1,295 28. SLIGO 442,205 79,945 340 1,320 9 14 1,325 13 · 3 16 1,010 27 10 993	332
IV.—PROVINCE OF ULSTER (Part of)—MARRIAGES, BIRTHS AND DEATHS, 1924.—COUNTIE	S.
29. CAVAN 467,025 91,173 391 1,606 3 31 1,634 33 · 11 44 1,285 5 44 1,324	310
30. DONEGAL 1,193,641 168,537 625 3,038 9 9 3,038 78 · · 78 2,624 1 22 2,645	393
31. MONAGHAN 318,990 71,455 308 1,289 3 9 1,295 23 · 2 25 1,138 30 11 1,119	176

#### I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS, 1924.

Superintendent Registrars' Districts, by Counties.\*

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

						NCLUD FIMATE		ILLE	GITIM	ATE B	IRTHS.		DEA	ATHS.		
SUPERINTENDENT REGISTRARS' DISTRICTS. '	Area in Statute Acres:	Popula- tion. Census, 1911.	Total Number of Mar- riages Regis- tered.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Excess of Births over Deaths
1. Carlow Co. No. 1. CARLOW 2. Dublin Co.	221,485	36,252	147	690	7	22	705	19		6	25	551	23	19	547	158
2. BALROTHERY	84,072	19,232	74	364	9	46	401	11	1	3	13	307	53	23	277	124
3. DUBLIN, part of	107,806	106,569	801	1,976	139	723	2,560	26	11	43	58	1,708	482	412	1,638	922
4. RATHDOWN	26,995	46,593	351	783	10	202	975	. 9		24	33	676	62	120	734	241
3. Dublin Co. Borough. 5. DUBLIN, part of 4. Kildare Co.	7,911	304,802	2,362	10,337	1,493	115	8,959	472	236	4	240	6,117	918	404	5,603	3,356
6. ATHY	130,461	17,566	74	402	- 34	15	383	43	18	4	29	252	44	61	269	114
7. CELBRIDGE	53,701	8,988	. 30	Ì21		28	149	3		6	. 9	82		25	. 107	42
8. NAAS	234,483	40,073	135	638	10	60	688	6		20	26	445	31	39	453	235
5. Kilkenny Co.		; ; ;	1	; .												
9. CALLAN 10. CASTLECOMER	62,167 57,866	7,826 9,377	13 21	156 192	2	10	164	4		5 2	9	86 146	2	30	116 161	48
10. CASTLECOMER	110,989	23,001	97	436	8	27	455	6		12	18	421	76	18	363	36 92
12. THOMASTOWN	225,435	29,112	119	588	29	13	572	31	17	3	17	472	31	54	495	77
13. URLINGFORD	53,001	5,646	23	78	2	6	-82	4	1	. 5	, 8	53		14.	67	. 15
6. Laoigheas.																
14. ABBEYLEIX	200,641	23,862	. 88	417	21	15	411	16	9	8	15	318	. 26	35	327	84
15. MOUNTMELLICK	224,197	30,767	102	512	6	54	560	. 6	T	14	19	468	. 53	41	456	104
7. Longford Co.																
16. BALLYMAHON	69,733	8,684	48	161		3	164	3	:	2	5	117	"1"	19	135	29
17. GRANARD	77,964 110,073	14,012 21,124	72 97	217 429	4 15	14	227 419	3 6	4.	4	7	203 297	25	22 8	225	2
8. Louth Co.	110,070	41,141	;	+29	19		419		4		. 4	291	20		200	139
19. ARDEE	65,909	10,924	;31	218	1	11	228	2	. :	4	6	146	2	-19	163	65
20. DROGHEDA	41,858	18,812	76	438	22	9	425	13	3	. 2-	12.	284	16	35	~303	122
21. DUNDALK	94,414	33,929	158	728	7	: 22	743	. 20	2	8	26	509	6	19	- 522 -	-221
9. Meath Co.																
22. DUNSHAUGHLIN	106,822	8,085	32	116	•,	32	148	# 1 T	- 1	2	2	81	yn 17	24	105	43
23. KELLS	103,426	13,271	49	241	2	17	256	3:	• /	4	7	133	419 1	42	175	81
24. NAVAN       25. OLDCASTLE	181,931 44,122	23,354 5,174	100	415	4	41	452	6		12	18	387	71	34	350	102
25. OLDCASTLE 26. TRIM	141,434	15,207	46	295	30	5	279	1   21	14	2	9	73 245	46	39	238	. 7
10. Ui Failighe.		20,201	10	2100	00			21	A.T		9	240	70	อฮ	200	41
27. BIRR	248,809	26,901	92	429	4	 25	450	4		9	13	329	2	59	386	64
28. EDENDERRY	81,061	7,341	15	117	4	16	129	4.		7	. 7	84		19	103	26
29. TULLAMORE	163,393	22,590	111	433	26	15	422	20	11	9	18	361	90	71	342	80
11. Westmeath Co.																
30. ATHLONE	98,723	19,891	119	373	10	22	385	2	•	8	. 10	231	21	44	254	131
31. DELVIN 32. MULLINGAR	110,791 225,151	11,255 28,840	34	185	1	30	214	. 3	-	7	, 10	119		12	131	83
12. Wexford Co.	220,101	20,040	133	636	32	35	639	30	11	. 11	30	431	30	18	419	220
33. ENNISCORTHY	193,396	31,304	142		33:	. 17.	569	41	20	6	> 27	.514	62	10	462	. 107
34. GOREY	130,109	16,095	60	251	4	21	268	5	, , ,	7	12	216	1	11	226	42
35. NEW ROSS	124,398	.22,183	99	:411	,1	12	,422	. 15	* 4	8	23	317.	22	43	338	84
36. WEXFORD	133,047	32,691	147	702	5	19	716	22	• 6	8	30	480	10	35	505	211
13. Wicklow Co.								, .								
. 37. BALTINGLASS		12,040	49	175	3	19	191	5.		. 14	9	. 154.		. 34	188	3
38. RATHDRUM 39. SHILLELAGH	261,990	40,053	176	847	21	56	882	28	2	8	34	578	44	70	604	278
	83,074	8,618	30	131	2	6	135	•	.	2	2	117		19	136	1

# II.—PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS AND DEATHS, 1924.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

	t.	SUPERIN	TENDE	NT KE	GISTI	RARS	DIST	RICTS,	BY (	OUN	TIES.					
				Bn	RTHS (]	NCLUI	OING)	ILL	EGITIM	ATE B	IRTHS.		. D	EATHS.		
SUPERINTENDENT		Popula-	Total Number		1	1	1					-	1		1	Excess
REGISTRARS'	Area in Statute	tion. Census,	of Mar- riages	Total Number Registered.	ed a.	eq		Total Number Registered.	ed a.	pa		Total Number Registered.	pod.	pe		of Births
DISTRICTS.	Acres.	1911.	Regis- tered.	l Nu stere	Transferred from Area.	Transferred to Area.	ber.	Nun	Transferred from Area.	Transferred to Area.	ber.	Nun	Transferred from Area.	Transferred	Net Number.	over Deaths
				Pota  Regis	rom	rang o An	Net Number.	otal	rang	rans o Ar	Net Number.	otal	rans	rans	lum't	
	1	1			1 ===	   H4	42	H#	154	1.64	1 22		1 5-4	1 11 7	ZZ	
14. Clare Co.	*.						1 1	7	1 2	4						
No. 40. BALLYVAGHAN	71,658	3,651	18	70		3	73		1 1	1	1 . 1	38		21	59	14
41. COROFIN	61,382	4,483	12	79	1.1	1	79				1	39		11		29
42. ENNIS	113,839	19,523	125	322	2	16	336			7	7	373	101	12		52
43. ENNISTYMON	99,619	16,882	48	234	1	8	242			6	6	143	8	20	155	87
44. KILLADYSERT	62,618	8,216	25	126.	eî.	.3	129	1.				89		10	99	30
45. KILRUSH	137,501	.25,647	98	466	24	.2	444	. 25	17		; 8	340	71	73	342	102
46. SCARRIFF	241,720	25,830	100	361	1	29	389	4	1 . !	7	11	265	2	54	317	72
15. Cork Co.		·														
47. BANDON	101,483	16,888	, 66	308	23	17	302	1.	***	7	1 7	222	11	38	249	53
48. BANTRY	107,285	12,733	33	201	1	9	210	; 1		2	3	130	3	14	1	69
49. CASTLETOWN	74,320	10,393	53	164	1	1	165	. 1	* .	1	2	101	1	5		60
50. CLONAKILTY	81,015 167,840	17,628	158	282	14	15	283	13	10	9	90	272	45	48	275	8
51. CORK, part of 52. DUNMANWAY	103,921	57,785 12,273	158	992	94	83	981	86	68	2	22	1,181	545	62	698	283
52. DUNMANWAY	196,734	31,385	117	503.	9	14	508	4	4	4	6	153 390	26	63	173	24 81
54. KANTURK	185,657	22,299	109	431	3	14	442	1		4	5	249	20	55	304	138
55. KINSALE	80,160	15,661	41	197	2	11	206	4		2	6	174	3	40	211	—5
56. MACROOM	179,154	21,418	71	325	1	19	343	. 3		9	12	230		45	275	68
57. MALLOW	169,103	25,206	109	522	13	28	537	21	5	11	27	357	63	31	325	212
58. MIDDLETON	109,383	19,622	49	299	2	15	312	: 7	j.,	3	9	246	36	54	264	48
59. MILLSTREET	74,939	10,180	22	,189	3	3	189	3	*2	1	4	117	2	16	131	58
60. SKIBBEREEN	115,389	23,476	120	374	4	12	382	3	•	6	9	272	11	24	285	97
61. SKULL	57,692	8,643	18	137	*	2	139	7.1	• 1	1	2	83		9	92	47
62. YOUGHAL	36,960	9,841	23	186	2	6	190	. 3	1	2	4	169	43	34	160	30
16. Cork Co. Borough.	***		. ;							¥						
63. CORK, part of	2,681	76,673	646	2,056	161	69	1,964	; 18	15	43	46	1,231	176	385	1,440	524
17. Kerry Co.	1															
64. CAHERCIVEEN	198,130	20,785	: 81	317	1	. 15	332	( 4	•	6	1.0	163		23	186	146
65. DINGLE	126,459	17,804	42	302		7	309	,		3	3	187	2	21	206	103
66. KENMARE 67. KILLARNEY	198,416 251,430	13,212 35,986	166	224 764	51	. 5	, 228	45	29	3	3	95 516	134	18	113	115
68. LISTOWEL	165,504	30,221	143	685	9	26	702	45 8		13	19	379	38	73	414	292
69. TRALEE	221,813	41,683	269	911	4	18	925	12	1	11	22	506	9	36	533	392
18. Limerick Co.			1													
70. CROOM	83,369	10,372	34	307	87	12	232	58	49		9	175	47	26	154	78
71. KILMALLOCK	164,341	25,851	- 99	524	6	53	571	9.		.14	1 23	. 310	,*; }	76.	386	185
72. LIMERICK, part of	142,822	26,855	89	404	8	56	452	5	2	12	15	471	167	46	350	102
73. NEWCASTLE	143,843	23,594	101	528	4	34	558	2		12	14	409	83	32	358	200
74. RATHKEALE	127,198	17,879	. 69	357	. 6	29	380	. 9	*.	10	19	213	•	39	252	128
19. Limerick Co. Borough.		1						i								
75. LIMERICK, part of	2,386	38,518	385	1,161	104	25	1,082	6	4.	8	10	496	.83	169	582	500
20. Tipperary N.R.		1	1 '	·	1		: 1	ie ,	1	ister a					7 150 14	
76. BORRISOKANE	109,667	9,736	37	162	i	12	173	7:	. 98	. 2	2	105		23	128	45
77. NENAGH	183,399	23,038	95.	425	3	12	434	2	•n	4	6	306	19	34	321	113
78. ROSCREA	57,541	7,652	48	181	4	6	183	. 3		2	5	136	17	9	128	55
79. THURLES	142,659	22,455	133	454	:7	11	458	17	5	* 2	14	307	15	9	301	157
21. Tipperary S.R.	7/4						1	,	24						Co	
80. CARRICK-ON-SUIR	26,121	7,655	40	151	2	14	163	2	4 m	7	9	98	- 3	34	129	34
81. CASHEL	222,781	27,480	98	558	33	22	547	40	12	5	33	428	134	79	373	12174
82. CLOGHEEN	117,415	14,737	49	231	1	18	248	5		2000	12	146	74	50	196	52
83. CLONMEL	47,305	15,012	86	329	15	13	327	16	6	4	14	256	74 30	62	228 336	99
84. TIPPERARY	144,416	24,668	81	467	26	20	461	. 12	1	7	18	304	30		336 5-86-	125
22. Waterford Co. 85. DUNGARVAN	144,323	19,768	70	383	25	9	367	25	.9	-2	18	371	81	40	330	37
86. KILMACTHOMAS	64,592	6,830	15	146	1	12	157	. 5		3	8	103		21	124	33
87. LISMORE	97,179	12,000	62	195	9	11	197	. 2	4 .	6	8	144		36	180	17
88. WATERFORD, part	146,957	17,904	60	313	8	29	334	. 8	. 0 0	12	20	209		66	275	59
23. Waterford Co.	2142 0 14002 0000 0	* *************************************	h, a mintanissifer(in hove in	PG - the section of t	the second	~~ ~. ,~(*)	M. indust " which	Complete of the Control	y	60° . "		577 July				200
Borough.	1.100	97.404	70"	purt of	40	,	070	90	10	-	11	500	107	0.4	400	0.40
89. WATERFORD, part	1,438	27,464	165	711	43	5	673	28	18	1	11	506	107	24	423	250

# III.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS AND DEATHS, 1924.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

			matal.	BIR	THS (I)	NCLUDI TIMATE)	NG ).	ILLE	GITIMA	ATE BIR	ths.		DEA	ATHS.		
SUPERINTENDENT REGISTRARS' DISTRICTS.	Area in Statute Acres.	Popula- tion. Census, 1911.	Total Number of Mar- riages Regis- tered.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Excess of Births over Deaths
24. Galway Co.																
No. 90. BALLINASLOE	125,570	15,275	71	263		21	284	3		7	10	214	78	45	181	103
91. CLIFDEN	193,782	17,325	41	226	1	13	238	2		4	6	190		33	223	15
92. GALWAY	198,536	35,083	137	888	90	11	809	43	29	1	15	621	170	84	535	274
93. GLENNAMADDY	100,271	15,263	47	278	1	8	285			1	1	159	30	21	150	135
94. GORT	106,326	11,382	36	212	3	11	220	3	1	7	9	87		29	116	104
95. LOUGHREA	198,927	19,149	107	402	2	20	420	3		4	7	296	83	41	254	166
96. MOUNT BELLEW	102,404	14,203	46	233		10	243			6	6	132		23	155	88
97. OUGHTERARD	173,506	16,736	44	284	4	14	294			3 .	3	126		17	143	151
98. PORTUMNA	77,264	8,681	40	181	2	5	184			2	2	85		10	95	89
99. TUAM	191,264	29,127	107	565	4	20	581	1		7	8	330	•	58	388	193
25. Leitrim Co.																
100. CARRICK-ON-SHAN-	63,484	11,786	55	151	1	9	159			2	2	117	7	18	128	
101. MANORHAMILTON,	177,282	.25,173	77	413	8	2	407	11	4		7	390	15	11	386	
102. MOHILL	135,744	26,623	122	347	2	12	357	•		5	5	252		26	278	79
26. Mayo Co.																
103. BALLINA	255,588	31,387	105	681	4	10	-687	2		2	4	385	. 6		410	
104. BALLINROBE	147,144	19,928	67	385	2	4	387					231	•	20	251	
105. BELMULLET	179,246	14,346	123	346	2	2	346	2		1	3	103	•	6		
106. CASTLEBAR	141,193	25,805	71	457	5	3	455	12	4		8	410	151	25	284	
107. CLAREMORRIS	110,790	24,280	113	380	4	11	387	•		4	4	244	2			
108. SWINEFORD	151,560	42,751	145				712	1		3	. 4	409		38	446	
109. WESTPORT	347,835	33,680	97	680	1	11	690	4		1	5	375		43	418	272
27. Roscommon Co.														10	200	
110. BOYLE	. 122,173	21,568	105	330			339	2			2	272				
111. CASTLEREAGH	. 163,663	31,554	130			. 9	513			2	4	330	1	52		
112. ROSCOMMON	. 322,454	40,834	180	722	7	28	743	2		2	4	654	53	24	625	118
28. Sligo Co.												100		14	140	-
113. DROMORE WEST	97,063	12,103	35			6		Į.	1	3	1	128		14		
114. SLIGO	. 219,333			1		1	838		3		1	694				
115. TOBERCURRY	. 125,809	18,002	. 56	293	2	2	293			1	1	188		30	218	71

# IV.—PROVINCE OF ULSTER (Part of).—MARRIAGES, BIRTHS AND DEATHS, 1924.

Superintendent Registrars' Districts by Counties.

																-
29. Cavan Co.																
116. BAILIEBOROUGH	113,873	23,837	106	432	1	20	451	3		8	11	307	•	46	353	98
117. BAWNBOY	102,415	13,857	67	215	1	3	217	3		2	, 5	127	•	17	144	73
118. CAVAN	250,737	53,479	218	959	12	19	966	27	6	7	28	-851	43	19	827	139
30. Donegal Co.														,		
119. BALLYSHANNON	41,627	9,888	37	161	2	5	164		•	2	2	166	10	22	178	14
120. DONEGAL	160,445	19,616	79	272	2	11	281	3	1	- 4	6	334	10	17	341	60
121. DUNFANAGHY	126,165	15,471	61	311	4	9	316	8	•	5	13	205	•	7	212	104
122. GLENTIES	258,498	32,800	90	568	11	7	564	3		4	7 -	438	1	24	461	103
123. INISHOWEN	160,049	27,576	88	573	2	. 3	574	11	•	1	12	446	4	15	457	117
124. LETTERKENNY	160,380	20,290	91	400	2	9	407	12	•	6	18	325	36	21	310	97
125. MILLFORD	112,088	19,393	79	299	4	. 3	298	6	1	1	6	285	•	11	296	2
126. STRANORLAR	174,389	23,503	100	454	25	5	434	35	21	·	14	425	46	11	390	44
31. Monaghan Co.																
127. CARRICKMACROSS	65,687	15,108	70	241		6	247	1	·	4	5	183	•	24	207	40
128. CASTLEBLAYNEY	63,835	15,668	72	321	2	4	323	4		2	6	254	•	32	286	37
129. CLONES	64,288	13,953	43	230	2	6	234	3		2	5	156	i	27	182	52
130. MONAGHAN	125,180	26,726	123	497	10	4	491	15	7	1	9	545	102	1	444	47

ABSTRACT OF MARRIAGES.

### ABSTRACT OF MARRIAGES.—Marriages registered in Saorstát Éireann

		ABST	RACT	OF M	ARRIA	lges	Marr	iages <b>r</b>	egistei	ed in	Saorst	át Eir	eann
		than	Mar-	D	etails o R	f Marri Ioman	iages ot Catholic	ther the	ın	in t	Marriag he Qua the last	rter en	ding
Provinces  AND  Counties.	TOTAL MARRIAGES.	Total Marriages other Roman Catholic.	Total Roman Catholic riages.	According to the Rites of the Church of Ireland.	In Registered Presby- terian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
SAORSTÁT ÉIREANN	14,822	987	13,835	709	143	54	65	1	15	4,425	3,414	3,759	3,224
PROVINCES.  LEINSTER  MUNSTER  CONNAUGHT  ULSTER (part of)	6,364 4,728 2,406 1,324	591 115 55 226	5,773 4,613 2,351 1,098	451 97 42 119	35 3 9	33 11 3	57 . 3 . 1 . 4	1	14	1,549 1,686 751 439	1,500 962 660 292	1,852 1,066 512 329	1,463 1,014 483 264
			•					I	-PRO	VINCE	OF 1	LEINS'	rer_
CARLOW	147	16 219	131 1,007	14 185	. 4	2 16	. 14			$\frac{34}{269}$	30 276	40 395	43 286
DUBLIN DUBLIN CO. BOROUGH KILDARE KILKENNY LAOIGHEAS LONGFORD MEATH UI FAILIGHE WEXTMEATH WEXTMEATH WEXTMEATH WICKLOW	1,226 2,362 239 273 190 217 265 238 218 286 448 255	232 7 7 16 7 8 6 12 9 24 28	2,130 232 266 174 210 257 232 206 277 424 227	141 4 7 16 6 6 5 11 8 22 26	26 1 1 1 1 1	13	38 2		14	510 64 74 53 75 54 60 64 87 150	548 64 69 40 61 72 64 48 72 101 55	745 62 72 52 43 78 55 58 85 91 76	559 49 58 45 38 61 59 48 42 106 69
								П	PROV	INCE	OF N	IUNST	ER.—
CLARE CORK CORK CO. BOROUGH KERBY LIMERICK LIMERICK CO.BOROUGH TIPPERARY, N.R TIPPERARY, S.R WATERFORD WATERFORD CO. BOROUGH	426 1,097 646 743 392 385 313 354 207 165	2 41 26 15 3 8 13 2 2	424 1,056 620 728 389 377 300 352 205 162	2 35 20 15 3 7 10 2 2	2 : : 1	. 4 2 	2 1		1	149 417 180 272 180 136 137 127 59 29	90 224 128 115 83 74 67 80 47 54	80 245 194 181 48 96 55 72 58 37	107 211 144 175 81 79 54 75 43 45
							II	I.—PR	OVING	CE OF	CON	NAUG	нт.—
GALWAY LEITRIM MAYO ROSCOMMON SLIGO	676 254 721 415 340	5 18 8 4 20	671 236 713 411 320	4 16 4 4 14	1 2 3	3	:	•	•	192 93 199 173 94	179 55 229 103 94	178 36 143 95 60	127 70 150 44 92
						IV.	PR(	OVINC	E OF	ULST	ER (I	part of	.—
CAVAN DONEGAL MONAGHAN	391 625 308	54 117 55	337 508 253	42 55 22	8 58 30	3 4	. 3		•	123 223 93	108 131 53	78 153 98	82 118 64

in the year ending 31st December, 1924.

			MARR	IAGES.					Signé	d the		
Co	ntracte	d betw	een	· O	)f	no	ersons t of Age.	М	arriage with	Registe Marks.	ər	
g and ers.	s and ws.	s and ers.	s and ws.	205							es in ich	Provinces and Counties.
Bachelors ar Spinsters.	Bachelors a. Widows.	Widowers a	Widowers a Widows.	Widowers.	Widows.	Men.	Women.	Men.	Wотер.	Both signed.	One signed.	
13,523	366	764	169	933	535	188	686	297	162	63	333	SAORSTÁT ÉIREANN.
,												PROVINCES.
5,748	179	337	100	437	279	120	371	103	69	25	122	LEINSTER.
4,342	122	221	43	264	165	40	161	61	31	4	84	MUNSTER.
2,227	42	125	12	137	54	23	85	91	36	24	79	CONNAUGHT.
1,206	23	81	14	95	37	5	69	42	26	10	48	ULSTER (part of).

#### MARRIAGES in the Year 1924—in Counties.

135 1,105 2,128	1 31 77	7 74 114	4 16 43	11 90 157	5 47 120	3 7 68	9 35 159	$\begin{bmatrix} 1\\ 7\\ 26 \end{bmatrix}$	5 27	3 4	$\begin{array}{c c} 1 \\ 6 \\ 45 \end{array}$	CARLOW. DUBLIN. DUBLIN CO. BOROUGH.
217 249 174 201 250 211 195 259 397 227	7 4 3 6 7 5 10 7 14 7	9 19 11 8 5 18 11 18 26 17	6 1 2 2 3 4 2 2 11 4	15 , 20 , 13 , 10 , 8 , 22 , 13 , 20 , 37 , 21	13 5 5 8 10 9 12 9 25 11	6 7 2 5 6 3 2 4 5 2	, 18 12 7 16 15 17 12 16 37 18	6 7 4 7 2 6 6 7 14 10	3 2 8 2 2 2 4 9 5	2 2 2 2 3 3	5 5 4 11 4 4 4 7 17 9	KILDARE. KILKENNY. LAOIGHEAS. LONGFORD. LOUTH. MEATH. UI FAILIGHE. WESTMEATH. WEXFORD. WICKLOW.

### MARRIAGES in the Year 1924—in Counties.

393	9	19	5	24	. 14	1	18	3	3		6	CLARE.
1,004	28	58	7	65	35	5	30	16	4		20	CORK.
591	19	31	5	36	24	9	19	4	6	1	8	CORK CO. BOROUGH.
694	11	31	7	38	18	9	24	10	1		11	KERRY.
363	8	19	2	21	10		9	5	2	1	5	LIMERICK.
354	11	14	6	20	17	9	15	6	4	1	8	LIMERICK CO. BOROUGH.
282	14	16	1	17	15		5	2	2	·1.	2	TIPPERARY, N.R.
326	13	13	2	15	15	2	23	6	4		6	TIPPERARY, S.R.
192	1	11	3	14	4	2	7	5	4		9	WATERFORD
143	-8	9	5	14	13	3	11	4	5		.9	WATERFORD CO. BOROUGH.

### MARRIAGES in the Year 1924—in Counties.

631 236 666 377 317	14 6 11 8 3	30 9 42 28 16	1 3 2 2 4	31 12 44 30 20	15 9 13 10 7	7 1 10 2 3	30 7 31 12 5	33 7 31 9 11	16 2 11 6 1	10 11 3	29 9 20 9 12	GALWAY. LETTRIM, MAYO. ROSCOMMON. SLIGO.

#### MARRIAGES in the Year 1924—in Counties.

|--|

SAORSTÁT ÉIREANN.—DEATHS at different Ages registered in the year 1924-in the Provinces and Counties.

											AGE		AT	DEATH.											
Provinces and Counties.	Counties.	TOTAL	Тотаг Беатня	Under 1 Year.		2	4	Under 5 Years.	Under 6 b	10	10	- 20	25	30	355	40-	45	20-	100	-09	100	70—	× ×		95 & up- wards
SAORSTÁT ÉIREANN	Persons Males Females	63,402 32,713 30,689	45,180 22,821 22,359	4,543 2,575 1,968	1,252 676 576	522 248 274	332 2-4 178 11 154 12	240 6,889 119 3,796 121 3,093	89 662 96 348 93 314	12 604 18 286 14 318	4 1,008 6 .467 8 541	8 1,240 7 650 1 590	1,177	1,135 530 605	1,208 561 647	1,409 687 - 722	1,651-881	2,317 1,251 1,066	2,269 3, 1,205 1, 1,064 1,	3,237 3 1,680 1 1,557 1	3,849 5 1,919 2 1,930 2	5,163 8, 2,516 3, 2,647 4,	8,285 2, 3,929 1, 4,356 1,	2,794 1,397 1,397	283 136 147
LEINSTER	Persons Males Females	26,113 13,422 12,691	18,285 9,182 9,103	2,342 1,336 1,006	668 358 310	266 123 143	156	97 3,529 51 1,947 46 1,582	Ø H H	39 125 28 132	7 416 5 181 2 235	6 515 1 284 5 231	234	229 229 261	513 257 256	611 316 295	747 390 367	954 509 445	991 1, 524 467	,406 693 713	,530 1 741 789 1	1,965 2, 946 1, 1,019 1,	2,755 1,266 1,489	818 377 441	252 422 82
MUNSTER .	Persons Males Females	20,257 10,484 9,773	14,297 7,227 7,070	1,364 756 608	365 197.	150 72 78	96 49 7.4	83 2,058 37 1,111 46 947	64	23 191 123 90 115 101	1 334 0 167 1 167	4 412 7 211 7 201	382	378	413 196 217	458 230 228	508 282 226	781 441 340	727 1 411 316	,007 543 464	1,199 1 611 588	,554 2, 733 1, 821 1,	2,667 1,242 1,425	907 448 459	88 85 85 85
CONNAUGHT	Persons Males Females	11,065 5,755 5,310	7,510 3,820 3,690	497 285 . 212	115 60 55	69 40 29	48 29 19	41 18 23 33	770 8 432 4 338 4	86 100 45 37 41 63	0 165 7 71 3 94	5 217 1 113 4 104	217 3 114 4 103	170 84 86	184 74 110	192 90 102	225 123 102	336 174 162	306 153 153	440 233 207	604 305 299	908 1, 457 451	1,763 883 880	726 380 346	101 52 49
ULSTER (part of)	(Persons Males Females	5,967 3,052 2,915	5,088 2,592 2,496	340 198	104.	-37 13 24	32 21 11	13 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	532 306 226 3	71 41 30 2	56 93 34 48 22 45	3 96 5 42 5 64	109 52 4 57	97 46 51	98 44 64	148 51 97	171 86 85	246 127 119	245 117 128	384 211 173	516 262 254	736 1, 380 356	,100 538 562	343 192 151	25 22
I.—LEINSTER.	ER.																								
CARLOW .	Persons Males Females	705 366 339	547 285 262	201	12 7	ထုံးက က	12007	ल्ला	79 1 47 32	377	F 80 4	11. 13 7 5 4 8		133	14 4 10	17 7 10	19	18	22 12 10	44 26 18	45 26 19	84 44	89 40 49	34 12 12	es es ≔
DUBLIN .	Persons Males Females	3,936 2,032 1,904	2,649 1,238 1,411	360 217 143	73 44 29	10 00 EE	23.	12 7 7 7	503 301 202	36 4 20 1 16 2	43 54 19 26 24 28	4 · 84 6 37 8 47	72 77 45	84 34 34	82 45 37	339	-132 56 76	144 64 80	146 76 70	216 93 123	227 110 117	261 118 143	384 139 245	120 37 83	210
DUBLIN CO. BOROUGH.	Persons   Males   Females	8,959 4,544 4,415	5,603 2,798 2,805	1,117 639 478	394 212 182	117 50 67	33 33 33 33 33 33 33 33 33 33 33 33 33	41 1,729 23 951 18 77.8		80 7 47 33	76 148 37 60 39 88	8 172 0 95 8 77	2 126 5 62 7 64	167 89 78	167 95 72	266 144 122	264 150 114	318 169 149	344 177 167	422 188 234	377 171 206	423 165 258	424 162 262	96 35 61	416
KILDARE .	Persons   Nales	1,220 605 615	829 423 406	76 43 33	11 6	11 6	10 6 4	m m	1111 1 60 1 51	118 10 8	4 24 3 7 1-17	4 36 7 20 7 16	23	18	188	. 32	30	44 26 18	23 28 28	62 37 25	881 443 438	114 65 49	132 61 71	26 10 16	ಸಾಲಾಣ
KILKENNY .	Persons Males Females	1,470 768 702	1,202 563 639	116 54 62	22 111	15.00	3 10	9 1 2	172 1 76 96 1	1 6 1 0 1 0 1	2 20 4 8 8 12	25 13 . 12	34 21 21 13	23	32 14 18	20 5	24 19	228	74 33 41	950	113 67 46	173 78 95	233 102 131	66 23 43	
LAOIGHEAS .	Persons Males Females	971 491 480	783 431 352	75 49 26	10 6	တကက	07-1	ରାରୀ ,	95 34	0 89	11 12 4	2 8 10 8 10 8	21 12 9	19 6 13	10	24 14 10	24 13 11	38 19 19	25 20 20	31	388	101 60 41	152 78 74	32 19	60 61 ⊢
LONGFORD	Persons Males Females	810 407 403	640 325 315	23 18 18	12	00 es 12	4 to H	61 63	33	046	8 4 4	4 12 7 10 7 2	388	1000	10 1- 80	15	20 12 8	34 10 15	17 23	48 20 28	35	76 34 42	156 77 79	34 20 14	400

e – e	10 क थ	87-1	r-654	44	n 67 =		w C w	~ ~ ~						
				I			18 10 8	27 9 18	1 1 1	16 9 7	040		70 1-1 4	400
47 24 23	61 28 28	32 32 26	63 32 31	110 55 55	52 22 30		114 55 59	290 152 138	23	146 73 73	114 53 61	0470	09 78 78 78	79 39 40
182 98 84	210 111 99	168 83 85	165 77 88	290 144 146	170 94 76		295 143 152	798 363 435	135 53 82	383 193 190	342 163 179	52 18 34	174 92 82	225 112 113
128 67 61	1114 57 57	105 56 49	38 88	192 109 83	105 46 59		149 75 74	482 229 253	126 52 74	202 103 99	142 58 84	42 21 21	105 47 58	152 80 72
84 35 49	81 40 41	79 36 43	78 35 43 55	150 74 76	74 36 38		104 45 59	381 201 180	116 57 59	156 83 73	1112 57 55	36 17 19	99 93 33	129 73 56
71 42 29	65 40 25	988 26	81 36 45	93 43	80 39 41		83 40 43 43	304 164 140	113 54 59	. 123 70 53	102 59 43	43 28 15	72 41 31	81 46 35
37 23 14	50 34 16	37 22 15	32 17 15	32 27	54 33 21		49 26 23	234 136 98	72 27 45	65 40 25	80 50 30	45 23 22	42 27 15	72 43 29
21 21	46 28 18	41 23 18	38 19 19	78 41 37	25 22 22		95 35 30	195 114 81	112 63 49	921	68 39 29	48 25 23	322	70 41 29
46 26 20	40 20 20	120	23 13 10	255 28 28	31 18 13		23.20	149 85 64	67 37 30	68 48 44 44	50 23 27	27 14 13	28 18 10	34 19 15
34 18 16	25 15 10	19 10 9	21 9 12	34 15 19	31 15 16		34 16 18	130 56 74	70 37 33	53 27 26	35 20 15	26 15 11	25 13 12	22 23 23
28 13 15	22 8 14	27 13 14	14 8 8	45 24 24	30 11 19		27 15 12	127 56 71	25 32 32 32	56 22 34	30 16 14	20	22	34 20 14
35	23	22 9 13	188	41 16 25	29 13 16		32 11 21	110 50 60	52 27 25	51 26 25	35 12 23	19	23	33 19 14
32 19 13	13	28 13 15	23 11 12	43 25 18	23 13 10		35 17 18	104 51 53	39 16 23	69 31 38	29 15 14	23 10 13	112	33 12 21
26 19 7	132	12 2 2	24 16 8	32 15 17	24 13 11		227	111 62 49	45 20 25	20	35 21 14	70 1- 00	19	39 16 23
26 7 7 19	15	17 9 8	16	36 20 16	23 10 13		30 16 14	92 41 51	28 15 13	52 25 27	38 20 18	13	18	34 15 19
13	17 8 8 9	13	111	26 13 13	16 10 6		10	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	16	28	110	111 9		18 4 14
118	000	19 10 9	14 3 11	25 10 15	L 63 70		21 10 11	65 30 35	35 21 14	36 17 19	28 19 9	13	∞ <del>41</del> 41	17 10 7
127 70 57	1117 58 59	93 4 45 45	87 46 41	220 122 98	129 73 66		156 70 86	458 257 201	333 170 163	231 123 108	232 132 100	139 69 70	121 68 53	160 93 67
467	9 . 9	0101	භ <sub> </sub> භ	000	9000		10 10	19 10 9	17	10	467	es – e3	00 00 01	ထ မာ က
0000	940	416	400	12 7 2	70 C1 C0		တ္ကက	17 10 7	18	14	0.40	000	940	79 FT
× 4 4	थल ।	10	တပ္က	22 10 12	12 72		10	31 16 15	34 15 19	16	12	24-1	∞ <del>41</del> 41	13
25 14 11	EL ∞ 70	19 8 11 11	12 7 7 2	37 17 20	288		28 12 16	82 45 37	79 37 42	44 25 19	37 19 18	± ± ∞ ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	23 14 9	22 16 6
81 46 35	90 44 46	23 23 24 24 24 24 24 24 24 24 24 24 24 24 24	25 26 26 26	140 82 58	44 44 44 44		107 49 58	309 176 133	185 100 85	147 83 64	170 101 69	104 48 56	76 40 36	112 63 49
988 520 468	950 503 447	831 432 399	804 398 406	1,531 791 740	928 475 453		1,306 636 670	4,115 2,079 2,036	1,440 694 746	1,882 974 908	1,500	582 292 290	878 460 418	1,262 669 593
1,396 715 681	1,224 653 571	1,001 522 479	1,238 664 574	1,975 1,023 952	1,208 632 576		1,692 865 827	5,386 2,797 2,589	1,964 1,027 937	3,218 1,646 1,572	2,193 1,124 1,069	1,082 532 550	1,248 655 593	1,746 940 806
Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons' Males Females		Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females	Persons Males Females
P. F.	TA TA	P. F. F.	Fr	Fee	Pe Fig.	TER.	Re	Re	Me Kei	Wa	Persor Males Femal		Person Males Femal	(Fer
ŧ		HE	1TH	Q	_	II. MUNSTER.			HK		00 1	C CO.	ξΥ,	εΥ,
LH	IH	AILIO	CME,	FOR	TOM	II. M	題	.00	ВОКО СО.	Z.Z.	RICK	MERICK C BOROUGH	ERAF	SRAF
LOUTH	МЕАТН	UI-FAILIGHE	WESTMEATH	WEXFORD	WICKLOW		CLARE	CORK CO.	CORK CO. BOROUC	KERRY	LIMERICK CO	LIMERICK CO. BOROUGH	TIPPERARY, N.R.	TIPPERARY, S.R.
-											-	H	F	

SAORSTÁT ÉIREANN.—DEATHS at different Ages registered in the year 1924—in the Provinces and Counties—continued.

	95 & up-	ल्ल	H H		29 111 18	010	33	18 12 6	111 6		10	31 16 15	984
	9 — 88 — W	85 35 35	220		202 98 104	34 36	224 111 113	127 75 52	103 62 41		9 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	186 97 89	84 37 27
	75 8	209 88 121	171 377		511 249 262	189 94 95	547 287 260	301 161 140	215 92 123		302 147 155	288 308 308	210 111 99
		104 46 58	25 28 28		252 123 129	125 66 59	219 116 103	179 82 97	133 70 63		195 103 92	380 207 173	161 70 91
	70	38 38	111		162 93 69	377	60 83	99	109 49 60		63	249 134 115	132 65 67
	65-	31	30		31 1 70 61	47 29 18	101 61 40	888	73 1 34 39		92 1	182 2 103 1 79 1	110 61 49
	-09	222	25.00		97 19	140	68 1 24 44	000000000000000000000000000000000000000	39 18 18		4 00 8 30 00 4 30 00 00 00 00 00 00 00 00 00 00 00 00 0	96 16 50	42
	700				82 46 36 4	28 12 12	97 6	39	43 18 25 1		32		34
	- 20-	222	168									115 62 53	
	45	31 19 12	100		68 41 27	24 13 11	855 378	28 14 14	20 7		22 33 07.	87	15
	40—	15 0	133		51 26 25	22 12 10	31 24	39 12 27	25 9 16		33	75 26 49	31
	35	139	4·0 m.		70 63 68 60 68 68	. 24 8 16	57 26 31	30 10 20	17 10 10		29 11 18	45 14 31	24
DEATH	30—	0470	41		48 24 24	20 111 9	23	35 20 15	17 6 11		24 10 14	54 20 25	13
AT D	25	17 10 7	14		37 29	10	35	37 20 17	29 12 17		224	66 39	113
AGES	-02	20 12 8	177		80 42 42	21 12 9	64 40 24	31 13 18	21 10 11		119	226	24
	15	21 11 10	್ಷ ೧೦೦ ೧೦.		3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	00 61 <u>10</u>	225	12 15 15	12		17	62 28 34	11 E
	10-	12 6	တကက		36	984	30	14	14		14	138	II oo ee
	- 0	0.000	10 01 es		37 20 17	<b>ひ</b> I 4	27 13 14	∞ r - 1	0470		22 8 4	46 26 20	13
	Under 5 Years.	140 78 62	88 21 21		267 143 124	22.22	259 147 112	91 59 32	98 56 42		125 66 59	299 179 120	108 61 47
	14	4 4	70 67 60		100	ю <b>—</b> ,61	00 KJ CD	ယကက	ಸಾ es es		4 6 1	1200	eo
	60	040	တ္ က က		16	1 1 1	18 10 8	es 61 ==	I 00 60		898	20 111	441
	-2	14 10 10	r 4 to		22 12 10	4-6	24 15 9	940	13		10	20 6 14	F-460
	1	25 111 14	P 20 61		43 22 21	10 33 7	41 23 18	27.0	12 7 2		30 16 14	333	21 12 12 12
	Under 1 Year.	91 59 32	93.4 26		167 90 77	38 22 16	168 97 71	67 43 24	7.0 8.8 4.		L 00 00 00 10	197 120 77	30
	Тотаг	909 444 465	423 207 216		2,240 1,132 1,108	792 413 379	2,190 1,145 1,045	1,295 655 640	993 475 518		1,324 684 640	2,645 1,359 1,286	1,119 549 570
	TOTAL TOTAL BIRTHS DEATHS	1,055 548 507	673 350 323		3,558 1,869 1,689	923 463 460	3,664 1,889 1,775	1,595 835 760	1,325 699 626		1,634 837 797	3,038 1,570 1,468	1,295 645 650
	Counties.	Persons Males Females	Persons   Males   Females	UGHT.	Persons Males Females	Persons Males Females	Females	Persons   Males   Females	Persons Males Females	part of).	Persons Males Females	Persons Males Females	Persons Males Females
	Provinces and Counties.	WATERFORD CO.	WATERFORD CO. BOROUGH	III.—CONNAUGHT.	GALWAY	LEITRIM	MAYO	ROSCOMMON	SLIGO	IV.—ULSTER (part of).	CAVAN	DONEGAL	MONAGHAN

CAUSES OF DEATH.

## SAORSTÁT ÉIREANN.—CAUSES of DEATH at differen

Note.—In the cases in which International List numbers, representing Causes of Death, are omitted from this Abstrac

		1										AG	ES AT
os.			I										1
International List Nos.	Causes of Death.	All Ages.	Under Month		2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1	2	3—	4—	Total Under 5 years.
	Total Deaths (All Causes) $\cdots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	22,821 22,359	950 714	326 208	236 198	446 362	617 486	2,575 1,968	676 576	248 274	178 154	119 121	3,796 3,093
	I. Epidemic, Endemic, and $\left\{ egin{array}{ll} M. \\ Infectious Diseases \end{array}  ight.  ight.$	4,013 4,135	17 9	27 17	27 33	69 54	149 138	289 251	254 222	103 119	71 77	47 54	764 723
la	Enteric Fever $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	70 50		•	•	•	•	:		. 1			
b	Paratyphoid Fever $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	2 1	·							•	•	•	
2	Typhus $\left\{ egin{array}{lll} M. & \dots & \left\{ egin{array}{lll} M. & \dots & \left\{ egin{array}{lll} F. & \dots & \left\{ egin{array}{lll} M. & \dots & \left\{ B. & \dots & \left\{ A. & \dots & A. & \dots & \left\{ A. & \dots & A. & \dots & \left\{ A. & \dots & A. & A.$	3 2		•					٠	•	٠		
5	Malaria $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	11	• .			٠		:					* **
7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	101 97			. 2	1	22 22	23 25	50 33	14 18	4 8	. 3	91 87
8	Scarlet Fever $\cdots $ $M$ .	27 38		1			2 2	3 2	4 4	5 6	5 2	3 4	20
9	Whooping Cough $\ldots \begin{cases} M. \\ F. \end{cases}$	281 340	3	12 10	13 27	36 ·34	63 62	127 134	85 87	28 43	20 20	10 23	270 307
10	Diphtheria $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	89 97	1			1	5 4	6 5	12	9	7 14	_8	42 51
11	Influenza—		:	*	•		. *		11		14	0	91
	A. With Pulmonary Complications specified $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$ .	408 414	. 1	3	2	6 3	16 11	28 14	20 24	8 6	7 6	3	66 53
	B. Without Pulmonary Complications specified {M.	597 654	5 2	7 3	7 2	11 6	23 10	53 23	27 18	9 9	6 9	1 5	96 64
13	Mumps $M$ .	. 1			*						1	:	.1
16	Dysentery $\begin{bmatrix} M \\ F \end{bmatrix}$	1 3					:						: 1
21	Erysipelas $\binom{M}{F}$ .	14 18	1	1	1	i		3	1 1				4 2
22	Acute Poliomyelitis § M. F.	7 7							. 1	2 2			2 4
23	Encephalitis Lethargica $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right\}$	33 22					1	1	1 1	1		2	5
24	Meningococcal Meningitis \{ M. \} F.	16 12					$\frac{1}{2}$	1 2	1 1	2	. 1		5
25	Other Endemic and Epidemic $\{M, F, C\}$	2				1		1	1				2
29	Tetanus $M$ .	20	1 1				1 1	2 2		1			3 2
30	Mycoses <u>M.</u>	3 1											
31	Tuberculosis of Respiratory System (M. F.	1,807 1,885		1 2	3	5 3	5 9	14 15	20 12	6 5	1 3	2 1	43 36
32	Tuberculosis of the Meninges and $\{M, Central Nervous System generally \}$ F.	129 127				3	6 3	9 4	11 10	6 5	9 5	8 2	43 26
33	Tuberculosis of the Intestines and $\{M, Peritoneum \dots \}$ F.	110 120		. 1		2 2	3 7	5 10	12	8 6	4 5	5 3	34 33
34	Tuberculosis of the Vertebral Column $\{M, F\}$	27 29								. 1	1		2
	(*.									- 1	- 1		

riods of Life in the Year 1924.

will be understood that no deaths from such causes have been registered during the year.

WIII D	o ando				110111 50		-	- Decir i	- Camborot	- uning	the year	•						
EATE	Η.																	
5—	10.—	15—	20	25—	30-	35—	40	45—	50—	55—	60—	65—	70	75—	85	95 & up- wards.	Intenatio Lis No	onal st
348 314	286 318	467 541	650 590	582 595	530	561 647	687 722	881 770	1,251 1,066	1,205 1,064	1,680 1,557	1,919 1,930	2,516 2,647	3,929 4,356	1,397 1,397	136 147		
145 147	136 188	261 383	408 403	318 346	263 <b>3</b> 05	234 227	231 225	221 164	217 174	159	191 144	174 185	133 185	140 176	15 27	3 2		
$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	7 4	6	10 12	8 7	6	. 3	4 6	6	5	2 2	5 2	$\frac{1}{3}$	. 1	1 2	• .	•	}	la
					•	1	. 1				. 1.		•		•		}	b
		1	1	**	. 1	•		2				•	•				}	2
				. 1		. 1	. 3	. 2	2	. 2	• ;	• .	•	•		•	}	5
5 3	3 2	. 1	. 1	. 1	•	1	2					• .	•	• • • •	•	•	}	7
3 8	2 8	1	. 1	•	1		1	. 1	. •		• .	• 1 -	en Grande			•	}	8
9 26	2 7	*	**	• •			:	1 +		• :	. •		•				}	9
34 22	5 10	6	3	2	. 1	*	2	. 1	•		•	•		1			}	10
4	8	. 8	12	. 8	18	: 18	17	25	34	22	35	30	41	54	. 8		7	11A
8	4 9	5	9	13	10	22	15 18	15	35 30	26 33	31 68	40	. 62	55 79	· 11	3	5	11B
8	8	12	12	17	14	15	28	.24	. 34.	35	57	98	107	104	15	2	3	13
						. 1											3	16
•		. 2	. 1	2					•	. 1	1	1	1	. 1	٠	•	5	21
. 4		•	. 1	1				2	4	3	1	4	• • •	1			}	22
1	. 2	1 2	. 4	2	5	. 0,	. 2	1	1 5	1.	. 2	2		. ^ .			}	23
4	3	, 4 , 1	. 2	. 2	. 2		. 2		2	1	•			1			}	24
2 2	. 2	î	- 1	. 1	1	1						•					3	25
2	. 6	. 1	2	:			. 2	. 1	. 2							•	}	29
6	٠	- 1					. 1			1			1				}	30
11	36	180	300	239	196	178	148	141	117	. 83	69	. 52	10	4			}	31
14 14 28	87	285	316	257	248	162	148	102	. 83	. 54	41.	36	- 7	8	1		}	32
18	27	23	16	8	3	1 1	1 4	. 5	. 2	3	1		•	1			}	33
13	10	11 . 2	10	13	9	5 5	7	3	. 4		•	1		1	• •		}	34
3	. 2	1	. 4	5	2	1 1	3		. 3	2	• ,	1			•		}	O'T

# SAORSTAT ÉIREANN.—CAUSES of DEATHS at differen

								OA					ES A
International List Nos.	Causes of Death.	All Ages.	Under 1 Month		2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1	2—	3—	4	Total under 5 years
	I. EPIDEMIC, &c., DISEASES—cont.												
35	Tuberculosis of the Joints $\dots \begin{cases} M. \\ F. \end{cases}$	35 28					•				.1		1
36	Tuberculosis of other Organs—												
	A. Tuberculosis of the Skin and M. Subcutaneous Cellular Tissue F.	3 7							. 1				1
	B. Tuberculosis of the Bones \( M. \) (Vertebral Column excepted) \( \) F.	17 9			•				.1	1	. 1		3
	C. Tuberculosis of the Lymphatic \( \) M. System (Mesenteric & Retroperitoneal Glands excepted)	6			•	1	1	2	. 1	•		•	1 2
	D. Tuberculosis of the Genito- M. Urinary System F.	15 14	:					•		•		. 1	1
	E. Tuberculosis of Organs other $\left\{ egin{array}{ll} M. \\ \text{than above} & \dots & \dots & \left\{ F. \right. \end{array} \right.$	. 5						:			:		. !
37	Disseminated Tuberculosis $\cdots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	114 93		. 1	. 1	2	. 3	3 5	6 4	2 5	4 2	2 2	17 18
38	Syphilis $\left\{ egin{array}{ll} \mathbb{M}.\\ \mathbb{F}. \end{array} \right.$	14 8	4 2		1		1	· 5	1		:		5
40a	Gonococcal Infection (Ophthalmia $\{M, excepted\}$ $\{F, excepted\}$	. 2							•				
40b	Gonorrhœal or Purulent Ophthalmia { M. F.	. 1			•	. 1	•	, 1			:		
41	Purulent Infection, Septicæmia $\dots \begin{cases} M. \\ F. \end{cases}$	46 49	1 2	. 1	•	1	.1	4 3	2	3	.1	2	6
	II. General Diseases not	2,041 1,958	2 2	2 2	1	3 2	3	11 10	8	7 9	3	5	34 34
43	Carcinoma $\left\{ egin{array}{lll} M. & \dots & \dots & \prod K. \\ F. & \dots & \dots & \dots \end{array} \right\}$	741 715					·						
to	Sarcoma $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	68 49	1 1	1			. 1	2 2		. 1	. 1		2
49	Cancer, Malignant Disease (not otherwise defined) { M. F.	726 604										•	
50	Tumours, non-malignant (not { M. Cerebral, Ovarian, or Uterine) { F.	10 35								1:			• 1
51	Rheumatic Fever $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	40 42									. 1	1 1	N SA
52a	Chronic Rheumatism, Osteo- $M$ . Arthritis $M$ .	115 177			1.								
52b	Gout {M. F.	. 1					:						
56	Rickets $\cdots$ $\left\{ egin{array}{ll} \mathbb{M}. \\ \mathbb{F}. \end{array} \right.$	21 15		1	. 1	.1	1	4 2	6 7	6 5	1	.1	18 18
57	Diabetes $\left\{ egin{array}{ll} \mathbb{M}. \\ \mathbb{F}. \end{array} \right.$	128 84		:		•						. 1	. 1
58a	Pernicious Anæmia $M$ .	78 87											
58b	Other Anæmias and Chlorosis M. F.	38 49						· <sub>1</sub>	. 1	1 1	. 2	.1	- El 64
60a	Exophthalmic Goitre $\begin{cases} \dot{M} \\ F \end{cases}$	2 24		•				1:					
60b	Other Diseases of the Thyroid Gland $\{M, F.\}$	6	1					.1	. 1				l l
62	Diseases of Thymus $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right.$	2 3 1	1			1	1	2 2	. 1				Z <sub>1</sub>
										- 1			

Periods of Life in the Year 1924.—(continued).

DEAT	н.														Α*		
DEAT	<u></u>		and a substitute of out of the same	·	Annual Manager and St.	nom traditional formula or an			And the state of t	,	or for the control of the	1					Inter-
5—	10	15	20_	25—	30—	35	40	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards.	national List Nos.
1	3 5	4 4.	7	3	3	2	3	1 5	4 2	. 2	2 2	2		•	•	***	35
1	1,	2 3	3	1.	2	1	2 3	2	•		1 2		· 1	•	•	• 1	} 36A } 36B
1	•	1	•		•		!	1		1	1	•	•		•	• •	36C
1	1	1	3 4	1 2	1	2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2	1	•		 	•	5	•	} 36D } 36E
10 10	11 5	13 14 1	16 10	9 8	6 9	6 7	10 3	6 3	5 2	4	1	1 2	. 1	. •11 . •	•	• :	37
			2			•		i:	• • •	2	•		•	•	•		} 38 } 40a
1 3	3	3	. 2	3 5	3	3 4	4.3	2	4	2 3	3	7	1 5	1 2	e e /8		} 40b } 41
11 3	13	24	12	24 26	35 45	45	81	162 162	257 242	267 205	337 273	264 263	244 243	196	35 21	1	
	:	2	1	1 3 2	10 7	7 28	29 55	58 54	95 84 12	131 95	128 113	111 95	90 95 5	68 77	12 8		43
2	2	5		2 4	4 17	14 14	25 39	65 70	108	76 60	3 140 85	104 97	5 95 76	79 52	14		} to 49
6	5 10	8 3	1 2 1	1 1 4	1 3 2	2	2 1 2	5	3 5	1 4 1 4	1 1 2 5	5	6 2 1	3 2 ·	1	•	<pre> 50</pre>
	1	1	* 1	1	1	2 4	1	4, 5	8 19	15 14	20 25	12 39	22	25 29	6 7		52a 52b
3	•	•	•	•	•	•	•	•	•		•	:	•	•	•	• :	56
1	1 1	6 2	1 2	11 3 2 2	5 8 2 2	3 5 5. 7	10 4 6 11	7 4 11 9	8 7 10 8	11 4 10 10	14 11 15 16	$\begin{bmatrix} 17 \\ 10 \\ & 6 \end{bmatrix}$	16 12 7	11 8 1 4	1	• .	57 58a
·1	۰	2 2	1 2	2 4	2	2	1 6	2 2	4 9	7 5	3 4	2 2	3 7	1		•	58b 60a
	1	1 1	1	1	2	1	3	2	1	. 1	2		1	3	•	• -	} 60b
	• ;		•	•		•		!				•	:			• ;	$\left.\rule{0mm}{3mm}\right\}  62$

## SAORSTAT ÉIREANN.—CAUSES of DEATHS at differen

ional												AG	ES A
International List Nos.	Causes of Death.	All Ages.	Under 1 Month		2—3 Mths.	3—6 Mths.	6-12 Mths.	Total under 1 year.	1 !	2—	3—	4-	Total under 5 years
	II. GENERAL DISEASES NOT INCLUDED ABOVE—continued.												
63	Diseases of the Adrenals $\left\{ egin{array}{ll} M. \\ F. \end{array} \right\}$	8 15		•			•		:	٠.			
64	Diseases of the Spleen	. 1											
65a	Leukæmia $\left\{ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13 12		•	. :		. 1	. 1		. :			1
65b	$ Lymphadenoma~(Hodgkin's~Disease) \left\{ \begin{matrix} M. \\ F. \end{matrix} \right.$	12 11		•	* *							1	1
	Alcoholism (acute or chronic) \ M. F.	14	*										
67	Chronic Poisoning by Mineral Substances {M. F.	2					·						
69	Other General Diseases $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	. 16 22	•	1	1	. 1	. 1	1 3	. 1	2	٠.	. 1	· #3
	,												
	III. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS . { F.	1,903 1,912	114 85	· 44 39	28 25	55 · 56	71 49	312 ·254	71 · 54.	19 20	12	12	426 355
	Encephalitis $\left\{ egin{array}{lll} \mathbb{F}. \end{array} \right.$	16			* *	•			•	•	. 1	* •	1.
	Meningitis $\dots \dots \in \mathbb{R}$	182 147		1		8 7	17 11	25 19	25	. 6	. 6	10	. 72 . 59
	Tabes Dorsalis (Locomotor Ataxy) $\left\{ egin{array}{l} M. \\ F. \end{array} \right.$	15 2			•		·	÷	•	•	•	•	
	Other Diseases of Spinal Cord $\dots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	70 59	•	*	•	•		·	•	•		•	
	Cerebral Hæmorrhage, Apoplexy $\{M, F, F\}$	560 683					:		1	•	•		1
74b	Cerebral Thrombosis and Embolism $\{M, F\}$	33 53	•				:			•			
75a	Hemiplegia $\cdots $ $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	153 201								٠.,		1	1
75b	Other forms of Paralysis $\dots \begin{cases} M. \\ F. \end{cases}$	169 182	•							. 1			. 1
76	General Paralysis of the Insane $\dots \begin{cases} M. \\ F. \end{cases}$	30									•		
77	Other forms of Mental Alienation $\dots \left\{ egin{aligned} M. \\ F. \end{aligned}  ight.$	93 87								•			1.
78	Epilepsy $\left\{ egin{array}{ll} M. \\ F. \end{array} \right\}$	94 89	1			. 1	·	2		2	. 1		5 2;
79–80	Convulsions (non-Puerperal) $\dots \begin{cases} M. \\ F. \end{cases}$	344 288	113 85	38	28 24	44 48	49 36	278 231	· 44 36	10 9	· 1	. 5	338 283
81	Chorea $M$ .	3						:					
82a	Hysteria and Neuralgia $\left\{egin{array}{ll} M.\\ F. \end{array}\right\}$	. 2						:					
82b	Neuritis $\left\{egin{array}{lll} M. \\ F. \end{array}\right\}$	19 12							:				
83	Cerebral Softening $M$ .	15 9						:				:	
84	Other Diseases of the Nervous M. System	84 61				1	1.	2	2 2				4 3
85	Disease of Eye $M$ .	6 13			1		1 2	. 1		. 1			1 4
86	Disease of the Ear and of the Mastoid Sinus $\dots \left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	15				1	3	4					4

eriods of Life in the Year 1924.—(continued).

					24.—(0													
)EAT	H.							1									In	iter-
5—	10	15—	20—	25—	30	35	40	45	50—	55—	60	65	70	75	85—	95 & up-wards.	nat I	ional list los.
			1 2	**	. 2	. 1	1 2	. 2	1 2	. 2	. 2	. 1	· 1				}	63
	•			1		٠.							•	•	:		}	64
1	1 1	. 1	. 1	*	1	$rac{1}{2}$	1	1 1	2 3	1	2	1 1	• * *	1	•		}	65a
	1		1	•	3	. 1	1	4 2		1 1	1 3	• •	. 2			•	}	65b
		•	•	. 1	. 1	1	2	. 1	3	2	1	. 1	-1	•	•		}	66
		**	•		•	•		1		1			• * *	•		•	}	67
		3 2	•		1 1	2	1 1	1	. 1	1	1 3	$\begin{array}{c} \cdot \\ & 2 \\ 1 \end{array}$	1	. 2		•	}	69
•	2		**			- 1			. 1				•		*	•	,)	
50 38	23 34	28 34	43	35 24	33 29	54 47	65 62	70 77	116 152	127 137	167 195	191 186	213 218	225 246	37 38	. 3		
.1	1 3	$\frac{1}{2}$	1 4	1	. 1	3	1	1 1	. 1	2 1	•		. 1	. 1	•		}	70
41 27	11 19	11 11	6 8	9	4	8 · 4	6 2	, 3	4 2	3 3	. 3	1	•	. 1	*	•	}	71
P.		•		•		•	. 3	2	. 4	. 1	3	1 1		. 1	•	•	}	72
.1	1 1	2 1	1	1	5 2	$\frac{1}{4}$	3 7	4 5	8	7 9	6 4	13 5	9	9 2	. 1		}	73
. 1		$\frac{1}{3}$	. 2	$\frac{1}{3}$	2 4	9 8	10 21	20 30	43 68	58 64	69 108	83 96	125 105	113 147	23 24	1	}	74a
. 1		.1	1		1	•	2	1 3	3 2	2 4	5 7	6 3	7 16	6 13	1 1	•	}	74b
1 1	•	.3	2	, 1	3 3	. 3	5 4	3 11	4 13	8 18	27 31	30	24 40	36 37	6 5	1	}	75a
. 1	2	1 1	3	2 4	3 2	. 5	6 9	12 2	15 18	13 20	17 20	23 26	27 35	38 29	6 5	*	}	75b
				. 1	3	6	- 6	5	2	. 4	•	. 2		, 1	*	•	}	76
		. 1	4	4 6	2 6	8	6 5	8 8	13 20	9 8	13 13	15 7	4 3	5 4	. 1	•	}	77
1	2 3	8 5	12 15	10 5	2 6	. 10	7 7	6	9 6	8 4	6 4	8 3	3 6	2 4	. 2	•	}	78
2 4	3	•	1							1	*			•	•		}7	9-80
1	1	1		•		•		•		1		1				•	}	81
						. 1	.1		•	•		•		•	•	•	}	82a
Ę		•	1		. 1		. 2	. 1	2 3	2 2	4 2	4 3	. 1	2	•	•	}	82b
				•		•	.1		•	. 1	. 2	2 2	. 5	7 2	•	1	}	83
1	2 3	2 3	3 1	4 2	7 2	· 7	6 4	4 5	8 7	8	14 3	3 8	7 5	4 4	•	•	}	84
2		1	3 1		1	. 1	•	•	1	•	•	•	.1	1	•	•	}	85
3	1 2	3	5 1		,	. 2	2		1	•	•		•	•	•	•	}	86
-	•																9	

### SAORSTAT ÉIREANN.—CAUSES of DEATH at different

												AGI	ES AT
International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.		3—6 Mths.		Total under 1 year.	1—	2—	, <b>3</b> —:	4	Total Under 5 years.
	IV. DISEASES OF THE CIRCULATORY $\left\{ egin{array}{ll} M. \\ SYSTEM \end{array}  ight.$	2,518 2,591		•	4 4	2	$\begin{bmatrix} & 1 \\ & 2 \end{bmatrix}$	1 4		. 1	3	3 2	7 9
87 .	Pericarditis $\cdots \begin{Bmatrix} M, \\ F. \end{Bmatrix}$	15 3							·		.•	*	
88	Acute Endocarditis and Myocarditis $\left\{ egin{array}{l} M. \\ F. \end{array}  ight.$	, 82 82	. •	,,						.*	, 1	•	.1
89	Angina Pectoris $\cdots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	51 20			*				:				
90	Other Diseases of the Heart $\cdots \left\{ egin{array}{l} M \\ F \end{array} \right.$	2,189 2,350				2	1 2	1 4		.1	. 2	2 2	5 8
91a	Aneurysm $\cdots$ $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	21 8					:		:	•			:
91b	Arterial Sclerosis $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	119 83							:				
91c	Other Diseases of the Arteries $\dots \begin{cases} M. \\ F. \end{cases}$	18 20							:	•	:		
92	Embolism and Thrombosis (not $\{M, Cerebral\}$ $\{M, F\}$	9 12	·	•						•	:		
93	Diseases of the Veins (Varices, Hæmorrhoids, Phlebitis, etc.) $ \begin{cases} M. \\ F. \end{cases} $	8 10		•					:	•			
94	Diseases of Lymphatic System $\{M, (Lymphangitis, etc.)\}$	, 1	:	*					1	*		. 1	. 1
95	Hæmorrhage (not stated) $ \cdots \left\{ \begin{matrix} M. \\ F. \end{matrix} \right.$	5 1	:	•				:	:				
96	Other Diseases of the Circulatory $\left\{ egin{array}{ll} M. \\ System & \dots & \dots & \left\{ F. \right. \end{array} \right.$		:	•	•				:	•	•		
	V. DISEASES OF THE RESPIRATORY $\left\{ egin{array}{ll} M. \\ SYSTEM \end{array}  ight.$	3,340 3,016	48 23	49 33	43	103 74	230 162	473 327	255 193	76 81	50 31	29 23	883 655
97	Diseases of the Nasal Fossae $\dots \begin{cases} M. \\ F. \end{cases}$	. 1		•	•				:				
98	Diseases of the Larynx	40 33	1	3	2	2	5 4	11 9	9	5 4	4 2	3	32 24
99a	Bronchitis, Acute $\left\{ \begin{array}{ccc} M. \\ F. \end{array} \right.$	163 223	4 2	4 1	4 7	7 6	16 11	35 27	10	3	5 3	1	53 40
99b	Bronchitis, Chronic $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right.$	309				.1		. 1	. 2	1	.1		4
99cđ	Bronchitis (not otherwise defined) $\left\{ egin{aligned} \mathbf{M}. \\ \mathbf{F}. \end{aligned} \right.$	903 1,039	19	19 12	19	33 23	54 40	144	40 32	7	9 3	3 5	203 151
100	Broncho-Pneumonia (including Capillary Bronchitis) $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right.$	644 581	15 6	18 12	14	48 34	117 77	212 141	124 115	41 46	19 14	12	408 330
101a	Lobar Pneumonia $\left\{ egin{array}{ll} M,\\ F. \end{array} \right.$	162 101	1 1	•	. 1	2	4 5	8 7	7	. 1	1 1	3	19 12
101b	Pneumonia (not otherwise defined) $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	`694 485	6 4	7	5 2	8,9	30 20	50 42	54 27	. 19 7	9 7	5	137 83
102	Pleurisy $\binom{M}{F}$ .	` <b>83</b> 36		. 2	•	. 1	. 2	5	3 2	. 1	•	. 1	10 2
103	Congestion and Hæmorrhagic Infarct $\left\{ egin{array}{ll} M. \\ \text{of the Lung} & \dots & \dots \end{array} \right\}$	92 75	2 2	.1		.1	2 2	$\begin{array}{c} 6 \\ 4 \end{array}$	2		•		8 4
104	Gangrene of the Lung $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	9		•	•					•			
105	$ \text{Asthma} \qquad \dots \qquad \dots \left\{ \begin{matrix} \texttt{M}. \\ \texttt{F}. \end{matrix} \right. $	170. 102	:		•		•		.1	. 1	. 1		2
106	Pulmonary Emphysema $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	20 14		·					. 1	:			
107	Other Diseases of the Respiratory System (Tuberculosis excepted) { F.	50 37		. 1	•		. 3	1 3	3	1	1	2	7

riods of Life in the Year 1924.—(continued).

7.47					21(0								•		<del></del>		
EAT	H.		1	1	1												Inter-
5	10	15—	20	25⊹	30—	35	40—	45	50	55	60	65—	70—	75—	85—	95 & up- wards.	national List Nos.
14 10	19 21	33 26	23 24	25	31 50	43 52	70 86	112 114	187	217 213	339 359	410 408	457 443	454	75 65	:	
1	. 1	2	1		2	•		1	3		.1.	2	. ' . <b>4</b>			• ,	} 87
$\begin{array}{c} 1 \\ 2 \end{array}$	3 4	3 5	2 4	$\frac{4}{2}$	9 8	6 5	. 5	7 11	16 13	19 15	2 3	2 1	1 1	1		•	3 88
in the second	•	•	•	1	1	, 4	1	1	10 2	5	8 2	9 4	7 5	9 3		•	\bar{2} 89
12 8	15 17	27 21	21 18	18 25	18	35 45	57	. 94	. 144	. 180	304	366 384	415 409	410 451	67 53	1 2	3 90
			•	. *		1	. 4	1 1	. 4	, 5	1 2	1 1	4				) 91a
		, .			ş. <b>1</b>		1	2 3	7 3	6 6	19. 13	29	21 19	25 21	7 8	1	) 91b
							1	3	. 1	1 2	1.	2 2	.4	5 6	$\frac{1}{2}$	-	) 91c
		. 1	. 1		1	2	[ 1	2 4	1 1		. 1	$\frac{1}{2}$	. 1	2			92
		4			. 1	1	. 1	. 1	1	1 2	2 2	. 1	1 1	1 1			} 93
			. •		1		•										} 94
				2		•	•	1	1			. 1		1	•		95
					•						•				•		96
47	29	36	46	61	58	65	104	147	213	186	276	314	389	404	79	3	
54	22	24	34	50	49	59	73	92	121 1	157	281	393	411	442	93	6	∖ 97
2 3	•		*		1 1	. 1	1	· 2				1		1			\frac{\}{\} 98
	1	2	. 1	$\frac{1}{2}$	1 1 1		2 2	4	. 8	6	. 9	1 16	32	3 20	. 8	•	∫ \ 99a
5	2	2	1	6	6 2	5	7	5 16	8 24	12 24	20 29	28 60	43	35	14	•	99b
8	4	3	1 8	3	, 6 8	6 6	6	8 17	11 46	19	34 88	50 91	63 149	75 173	14 37	2 4	} } 99cd
9	5 9	5 2	8	5	. 4	7 6	12	23 11	41 17	49 17	108 26	165	186	207 36	. 48 2 4		\( \) 100
13	7	5	7	12	10	. 8	9	11 15	15 10	17 12	32 15	37 12	.14	37	1	1	) 101a
14	11	12	18	25	21	28	32	3 52	5 69	48	7 52	17 65	12 56	9	7		) 101b
16	6	14	15	24	3	24	26	30 7	20 5	28	49	55	34	$\frac{34}{4}$	7		\[ \] 102
3		1	1	3	6	3	1	3	6	6	1 14	6	18	18	3	1 1	\[ \] 103
1	•	1	1	1 1	1	2	. 1	2 1	3	6	14	12	11 2	11	1		). 104
The second secon		1	•	3	3	5	6	13	20	14	31	20	25	23	4		) 105
1	1					4	6	6 2	7	14	13	19 5	13	16	1		[ 106
1	1 1	2	3	1	I	2 1	1 4	4	5	7	3 2	3	4	3	2		\ \%B07
	1	. 1	- [		2	1	•	2	2	2	2	5	1	11		·	

## SAORSTAT EIREANN.—CAUSES of DEATH at differer

												AG	ES A
International List Nos.	Causes of Death.	All Ages.	Under 1 Month	12 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tota under 5 years
	VI. DISEASES OF THE DIGESTIVE $\left\{ egin{array}{l} M. \\ SYSTEM. \end{array}  ight.$	1,292 1,052	51 29	61 27	58 30	95 78	95 73	360 237	42 47	13 17	13 18	5 11	433 330
108	Diseases of the Buccal Cavity and its Annexa	16 19	2 5	. 1	.1	2	. 1	7 5	1				8 8,
109	Diseases of Pharynx and Tonsils (including Adenoid Vegetations) $\left\{ egin{array}{l} M. \\ F. \end{array} \right.$	24 19	1	. 1	1	•	$\frac{2}{1}$	3	·	3	2		8 7.
110	Diseases of the Oesophagus $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	4	:						•	•	. 1		1
111a	Ulcer of the Stomach $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	137 89	:		•				:		.1		•
111b	Ulcer of the Duodenum $\cdots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	53 13	:		. 1			. 1					
112	Other Diseases of the Stomach (Cancer excepted) $\dots$ $\left\{ egin{array}{l} M. \\ F. \end{array} \right.$	191 207	9 5	9 8	10 4	13 13	12 12	53 42	3 8	5 2	3 4	4	· 64 60
113-114	Diarrhœa and Enteritis $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	408 313	37 17	47 18	44	74 61	70 54	272 174	36 33	4 8	3 9	3 3	318 227
116	Diseases due to Intestinal Parasites $\left\{ egin{array}{l} M. \\ F. \end{array} \right.$	1 1	:										
117	Appendicitis and Typhlitis $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	95 64				:			. 1	1	1	1	2 8
118a	Hernia $\cdots$ $\cdots$ $\binom{M}{F}$ .	46 46	:	. 1		1	:	2		•	•		2
118b	Intestinal Obstruction $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	131 122	1 1	2	2	5 4	8 4	18 9	4		2	2	22 15
119	Other Diseases of the Intestine $\dots \begin{cases} M. \\ F. \end{cases}$	31 26	1	1	:		. 1	2			1	1	619 619
120	Acute Yellow Atrophy of the Liver \{M. \ F.	4 1	:							:			
121	Hydatid Tumour of Liver \{ M. \ F.	. 1	:										
122	Cirrhosis of the Liver $M$ . $M$ .	66 22						:	. 1				. 1
123	Biliary Calculi $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right.$	12 22	:						:				
124	Other Diseases of the Liver $\dots \begin{cases} M. \\ F. \end{cases}$	41 47	1				1 2	$\frac{2}{2}$	.1	. 2			3
125	Diseases of the Pancreas \{ M. \{ F.	4 2						:	:				
126	Peritonitis of Unstated Origin { M. F.	28 37	:		. 1			. 1			. 1		1
127	Other Diseases of the Digestive $\left\{ egin{array}{ll} M. \\ \text{System} \end{array} \right.$ $\left\{ egin{array}{ll} F. \end{array} \right.$	:											
	VII. Non-Venereal Diseases of M. THE GENITO-URINARY SYSTEM F. AND ITS ANNEXA.	892 600	·	1	2 1	3 1	2 4	8 6	3 2	2 1	. 4	3	17 12
128	Acute Nephritis (including unspecified under 10 years of age) ${\rm Spec}(M, M)$	72 52	:	1	2 1	3	2 4	8 5	2 2	2	4	3	16 11
129	Chronic Nephritis (including unspecified over 10 years of age) { M. F.	496 442						:					
131	Other Diseases of the Kidneys and M. their Annexa (Diseases of the F. Kidneys in Pregnancy excluded).	38 18				1		1	. 1	•	•	•	1 1
132	Calculi of the Urinary Passages $\dots \begin{cases} M. \\ F. \end{cases}$	2 1						:					:
133	Diseases of the Bladder $\cdots \begin{cases} M. \\ F. \end{cases}$												
-	1	1			1		1	1			1		

riods of Life in the Year 1924.—(continued).

EATI	H.																
4 5 f	10	15	20—	25—	30—	35—	40—	45—	50	55	60—	65	70	75—	85—	95 & up- wards.	Inter- national List Nos.
20 33	21 15	23 15	27 12	39 19	42 22	41 29	48 25	57 56	77 62	88 62	98 88	105	86 103	79 69	8 15		
1	* •	1	1	1 2	. 1	. 2	٠.	. 1			2	3		-1	•		} 108
2 3		2	. 2	. 2	· 1	. 1	. 1	2	1	. 1		3	1	1	•1		} 109
	• •									. 1	. 1	•	. 1	1			} 110
2	1	1 3	3	5 4	10	10	15 - 6	7 8	20 · 14	19	13 13	19 11	8	5	•	•	} 111a
	•	1		6	5	6	- 8 - 1	5 2	5 1	6	4	2	2 . 1	2	• .	•	} 111b
4	. 1	1 4	· 2	· 5	- 4	· 1 2	· 6	6 9	- 5 15	· 12	22 16	22 27	19 27	19 14	2 7		$ \} \ ^{112}$
2 7	. 2	2 2	2	4 2	. 2	6	· 4	6 3	5	6 7	11 12	16 10	9	13 15	. 2		} 113- 114
	. 1				1	۰ ،	* •				•			•		•	} 116
10 9	· 10 8	12	10	. 5	· 5	· 7	· 2 2	6 5	· 7	· 10	5· 4	4	. 2	1	•	•	} 117
		•		.1	1	1	3	6	3 3	· 3	5 6	4 5	11 16	6 4	1 1		} 118a
3 1	3	3 2	5	2 2	3	2 4	4 3	4	5 9	10	13 17	16 11	21 19	14 18	1 4		} 118b
1 1		7 .	1	1	2	. 1	· 1	· 2	2 3	. 1	3 4	4 2	3	5 3			} 119
*		• •		. 1	1	• •		. 1	. 1	* .		. •	• ' '			•	} 120
	•				•	:	•	.1			•			•	. *		} 121
		1		3		· 3	1 2	. 8	13 2	11	14 4	··· 4	3	4 2	• • • 1		} 122
1	•		1	. 1	1	. 1	D .	1	2	$\begin{array}{c c} 1 \\ 2 \end{array}$	5	2 5	1 4	. 3	•		$\bigg\}^{-123}$
1			. 1	. 3	3	3	. 1	. 1	6 4	5 6	3	2 - 11	· 6	5 · 5	2		} 124
					. 1	. 1	· 1			1	. 1					4	} 125
5	3	. 1	1 3	. 1	2 3	1 2	2	2 5	3 2	3	1.	4 4	3	1	•		} 126
	•	•	:			•	•	•			•						} 127
5	7 6	· 7	, 9 10	· 11 20	· 17	· 24 35	- 31 - 45	· 43 53	· 76	· 59	· 109	131 80	159 59	161 57	25 10	. 1	
3	3	. 1	2 . 1	3 5	3	9 - 5	5 2	4 2	5 7	4 4	8	4 2	4	2		. • :	} 128
2	3 3	5- 5	7 5	8 9	14 6	11 24	23	35	57 30	44 54	67	73 72	78 50	66 47	3 10		129
	. 1	.1		1	1	· 2	* 3	2 2	4 3	2	4 2	6	6	5 4	1		3 131
	۰.											. 1	1	•	•		132
	• •	* •		* *		• •		4 6	4	3	14	18'	24	38	12	1	\frac{133}{133}
	••		•		1	• 1	1	• 1	4 2	1	4.	3	2	3			}

## SAORSTÁT ÉIREANN.—CAUSES of DEATH at differen

												AG:	ES A
International List Nos.	Causes of Death.	All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under . 1 .: year.	.1	2-	.3	.4	Tota. Unde 5 years
134ε	VII. Non-Venereal Diseases of the Genito-Urinary System and its Annexa—continued.  Stricture of the Urethra	8		•						•		·	
1341		2 1											
135	Diseases of the Prostate $\dots $ $M$ . $F$ .	157									•		
136	Non-Venereal Diseases of the Male Genital Organs M.	2					, .			•			
137	Cysts and other benign Tumours of the Ovary F.	13											
138	Pelvic Abscess and Salpingitis F.	3											
139	Benign Tumours of the Uterus F.	27											
140	Non-Puerperal Uterine Hæmorrhage F.	9									•		
1418	Metritis F.	4											
1417	Non-Puerperal Diseases of the Female Genital Organs F.	9											I.
142	Non-Puerperal Diseases of the Breast F.	2									•		
1431	VIII. THE PUERPERAL STATE F. Accidents of Pregnancy— A. Abortion F.	303	٠	•	•	•	٠			•	•		
	B. Ectopic Gestation F.	1											
	C. Other Accidents F.	15											
144	Puerperal Hæmorrhage F.	65							•				
145	Other Assidents of Chilling	22											
146	Downward Genetic	102		•					·		•		ì
147	Puerperal Sepsis F.  Phlegmasia Alba Dolens; Puerperal Embolism or Sudden Death in the Puerperium F.	21					•				•		1
148	Puerperal Albuminuria and Convulsions F.	56											
149	Childbirth (without other explanation) F.	20											;
	IX. DISEASES OF THE SKIN AND $\left\{ egin{array}{ll} M. \\ CELLULAR & TISSUE \end{array}  ight.$	99 80	1 4	3	.1	2 1	2	9 5	. 2	1 2	•		1.
151	Gangrene $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right.$	41 40		:							•		
152	Furuncle $\left\{ egin{array}{lll} \mathbb{M}. & \mathbb{K} \\ \mathbb{F}. & \mathbb{K} \end{array} \right\}$	9		:	:	:				:			
153	Phlegmon, Acute Abscess $\cdots$ $\left\{ egin{array}{l} M. \\ F. \end{array} \right.$	27 19	2	1	:		2	3 2	. 1	1 1			
154	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 21	1 2	. 2	1	2 1	:	6 3	. 1	1			
	X. DISEASES OF THE BONES AND ORGANS OF LOCOMOTION F.	53 34					1	1		1	1 1	2 2	
155	Diseases of the Bones (Tuberculosis $\{M, and Rickets excepted\}$ $\{F, F\}$	39 24	. :							1	1	2 2	1
156	Diseases of the Joints (Tuberculosis $\{M,$ and Rheumatism excepted) $\{F,$	13 10	:				1	. 1			•		
158	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	. 1	:										•

P ods of Life in the Year 1924.—(continued).

-											•						
AT	H.																
, .	10—	15—	20—	25—	30-	35—	40	45—	50—	55—	60	65	70	75	85—	95 & up-wards.	Inter- national List Nos.
			•	•				2	1	1	. 1	2	•	1	•	•	] 134a
		•		. 1		1					. 1				•		} 134b
		•					•		. 4:	5	.14	26	.50	49	9		} 135
		•				•	•		1		•	. 1					136
		1				1		2	2	1	1	2	2	-1			137
		٠	٠	1	•	1	6	1 3	4	. 5	1 5			•	0	٠,	138 139
		1	2	1	1		2	1	1					•			140
		•		•		2	1	1		•		•		•	*	*	141a
		1	1	1		•		1	•	2	2			Ī	•		141b
-	•	•	1	1	•	. •	•	•	•	•	•	•	•	•	• '	•	142
The state of the s	•	5	30	62	- 67	94	38	7	•	•	•	•	•	٠	•		
	•	•	1		٠	1				٠				•			) }143b
The second second		•	1	4	4	3	2	1						•			
		•	5	8	13	29	8	2	•	• .	٠	•	•			. •	144
		4	10	26	23	28	9	2	•		•					*	145 146
	•			3	6	. 8	3	1			•	*		•	•		147
			2	13	13	12 5	10	1	•		0		•	•			148 · 149
2		. 2	2	i	2	1 2	. 1	3 2	5. 3	4 4	10-6	19 10	16 20	12 17	8 4	1. 2!	
		. 1			. 1			1	1 1	1 1	3	8 7	15 16	8 11	4	•	} 151
						1			1	1	3	2				1.	$\left.\begin{array}{c} 152 \end{array}\right $
		1	2	1	1	. 2	1	2	1: 2:	1 3	2 1	6 2	1	2 2	3		153
2		1						. 1	2	1	2 4	3	. 3	2 4	1 3	2!	} 154
4 5	9	2	2 1	2	3 1	2	2 1	4 3	4	1 3	2 1	7 2	1 3	2 4	1		
5 4 4	9 4	3 2 3	1 1	2	3	•	2	2 3	3	. 2	2 1	4	1	1 2			155
-			1	•		2		. 2	- 1	1 1		2 2	1 2	1 2	T		} 156
1								•				1					158
	1		•	.		.	٠	•	•		•		,				2

## SAORSTÁT ÉIREANN.—CAUSES of DEATH at differer

												AG	ES A
International List Nos.	Causes of Death.	All Ages.	1	1—2 Mths.	2—3 Mths.	3—6 Mths.		Total under 1 year.	1	2—	3—	4—	Tota unde 5 year
159	XI. Malformations.  Congenital Malformations (Stillbirths excepted) {M {F.	94 82	44 52	9 9	8 1	11 5	8 6	80	3	2	2 1	2	87 75.
	XII. DISEASES OF EARLY INFANCY & M. F.	994 778	657 499	125 79	63	101 86	48 45	994 778			·		994 778
160b	Congenital Debility, Icterus and Sclerema $\left\{f H.\right\}$	724 561	406 305	116 68	65	97	48 42	724 561			•		724 561
161	Premature Birth: Injury at Birth $\begin{cases} M. \\ F. \end{cases}$	233 185	215 163	9 10	5 4	4 5	3	233 185	:				238 188
162	Other Diseases Peculiar to Early $\prod_{i=1}^{M} \prod_{j=1}^{M} \prod_{i=1}^{M} \prod_{j=1}^{M} \prod_{j=1}^{M} \prod_{j=1}^{M} \prod_{i=1}^{M} \prod_{j=1}^{M} \prod_{j=1}$	25 21	24 20	1	. 1			$\begin{array}{c} 25 \\ 21 \end{array}$		•			2£ 21
163	Lack of Care $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	$\begin{array}{cc} 12 \\ 11 \end{array}$	12 11	•		•		12 11	:	•	•	•	12 11
	VIII Ora Assa												
164	XIII. OLD AGE. Senility $\left\{ egin{array}{lll} M. & \dots & \dots & \left\{ egin{array}{lll} M. & \dots & \dots & \left\{ egin{array}{lll} F. & \dots & \dots & \left\{ egin{array}{lll} F. & \dots & \dots & \left\{ egin{array}{lll} M. & \dots & \dots & \left\{ egin{array}{lll} F. & \dots & \dots & \left\{ egin{array}{lll} M. & \dots & \dots & \dots & \left\{ egin{array}{lll} M. & $	4,215 4,819	·	·					÷	•	•		
105 154	XIV. EXTERNAL CAUSES.	679 250	11 7	1	3 2	. 2	5 4	20 16	16 17	14 14	18 5	12	80 <sup>1</sup> 58
	₹F.	77 19				•	·						
175	Accidental Poisoning by Food $\dots \begin{cases} M. \\ F. \end{cases}$	2	•			1	•	1		•	•		1
177	Other Acute Accidental Poisonings $\left\{ egin{aligned} M. \\ F. \end{aligned} \right.$	4							•				Ž.
178	Accidental Conflagration $\cdots \begin{cases} M. \\ F. \end{cases}$												
179	Burns (Conflagration excepted) $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	71 82				1	3	3 4	13 16	8 10	11 4	$\begin{array}{c} 6 \\ 2 \end{array}$	41 36
180	Accidental Mechanical Suffocation $\left\{ egin{aligned} M. \\ F. \end{aligned} \right.$	10 6	3 2	1	1		:	5 4			1		5
181	Accidental Absorption of Irrespirable $\{M.$ or Poisonous Gas $\{F.$	6 1					:						
182	Accidental Drowning $M$ .	118 33	:			•	. 1	. 1	2	2 2	4	4	12 5
183	Accidental Injury by Firearms \{M.\\ F.\}	43											
184	Accidental Injuries by Cutting or \{M.\\ Piercing Instruments \dots\{F.\\}												
185	Accidental Injury by Fall $\dots \begin{cases} M. \\ F. \end{cases}$	40 13								1 1		1	2 <sup>'</sup>
186	Accidental Injuries in Mines or M. Quarries	8											
187	Accidental Injuries by Machinery SM.	4											1
188	Accidental Injury by Crushing (M. (Vehicles, Railways, Land- F. slides, etc.)	89 14							1	2	2	. 1	6
189	Injury by Animals $\begin{bmatrix} M \\ F \end{bmatrix}$	5 1				1:							

ods of Life in the Year 1924.—(continued).

					24(0												
LTI	Η.																
-	10	15	20	25—	30—	35	40	45	50	55—	60	65—	70 –	75—	85—	95 & up-wards.	Inter- national List No.
2	1	1 2	. 2	·1	ó	•	•	·	•		•			:	•		<b>}</b> 159
																:	$ brace^{160\mathrm{b}}$
		•	•	•				•		•	•			:	•		} 161 } 162
	:	•	•	•	•	•		•	:	•	•	•	•	:	÷	·	} 163
	•	•	•		•		•	•	•	:	:	24 28	760 919	2,202 2,628	1,104 1,114	125 130	} 164 
9	19	36 11	63 4 4 2	53 9 3	34 6	40 10 8 1	41 9 5	36 11 8	55 12	42 18 8 5	$\begin{array}{c} 37 \\ 12 \\ 4 \\ 1 \end{array}$	35 18	33 20 8	$\begin{array}{c} 31\\32\\4\\2\end{array}$	5	1	} 165− } 174
2		•		•	1		1	1	2	:			•		•		} 175 } 177
0 9		. 4	: 1 1	: 1 2	: 1 1	1		. 1	1	: 1 5	3 4	2 2	5		. 2		
1	. 1 . 2	•	•		•	2	. 2	•	: 1	1	•	•		1		•	
7 1 1 1 1	2	10 3 5 1	9 16 1	7	3 3 2	7 5 1	13 5	2	10 2 3	1 .	. 2	6 3	. 1	2 2	•		} 182 } 183 } 184
1	6	1	2	2 1	5	1 .1	4	1	4	5 2 2	2 1 1	2 5	2	1		•	} 185 } 186
		9	6	1	4	1 6 1	5	1 · · 2 3	7		9	8 2	1 2		•		] 187 ] 188
	•			1	1	:	:	1			•	1	. 1	. 1	•		189

## SAORSTÁT ÉIREANN.—CAUSES of DEATH at different

11												AG	ES AT
International List Nos.	Causes of Death.	All Ages.	Under 1 Mth.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6-12 Mths.	Total under 1 year.	1—	2—	3	4	Total under 5 years.
	XIV. EXTERNAL CAUSES—continued.												
190	Wounds of War $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	. 5	:		•								
192b	Hunger or Thirst $M$ .	1	:				•		. •	4			
193	Excessive Cold $\left\{ \begin{array}{ccc} M & \dots & \left\{ \begin{array}{ccc} M & \dots & \left[ \begin{array}{ccc} M & \dots & \dots & \left[ \begin{array}{ccc} M & \dots & \left[ \begin{array}{ccc} M & \dots & \left[ \begin{array}{ccc} M & \dots & \left[ \begin{array}{$	6			1								1
194	Excessive Heat $\dots \begin{Bmatrix} M. \\ F. \end{Bmatrix}$	. 1											
195	Lighting $\left\{ egin{array}{lll} M. & \dots & \left\{ egin{array}{lll} F. & \dots & \dots \end{array} \right\} \right\}$								:				
196	Electricity (Lightning excepted) $\begin{cases} M. \\ F. \end{cases}$				•		•				•		. 3
197–200		70 9	8 5	•	1	•	1	10					10
201	Fracture (Cause not specified) $\dots \begin{cases} M, \\ F. \end{cases}$	72 56				7.					1		1
202	Other External Violence $\ldots \begin{cases} M. \\ F. \end{cases}$	20 2		•			1	1				•	1
203	Violence (cause unknown) {M. F.	28	•		0				•	1 1			1 1
	XV. Ill-defined Causes. $\left\{ egin{aligned} M, \\ F. \end{array} \right.$	688 749	5 4	4	$egin{array}{c} 2 \ 1 \end{array}$	4	2	17	22 28	12	1 6	2	54 53
204	Sudden Death $\left\{ \begin{array}{ll} M. \\ F. \end{array} \right\}$	31 24	.1	•	•	*	.1	2					2
205	Cause of Death Unstated or Ill- $\{M, Defined \dots \}$	657 725	4	4 1	, 2	4	. 1	15 7	22 28	12 8	1 6	2 4	52 · 53 ·

ods of Life in the Year 1924.--(continued).

1	ds of Life in the Year 1924(continued).																
TI	I.																
-	10-	15	20—	25—	30	35	40	45—	50—	55—	60	65—	70	75	85	95 & up- wards.	Inter- national List Nos.
	•	•	1	1	2	1	1	•		•	• !	•	•		•		} 190 } 192b
L	•	e â	•	;				1 ,	. 1	1 1	•		is a second seco	•		• .	} 193 } 194
	• 1	*	•		* * *	•	•	•	•		•	•	ř š	•	•	• :	] 195 ] 196
2	*	5	18	14	6	5	1 2	4 2 3	7	37	. 1	2 .	1	. 13	4		$\left. \begin{array}{c} 197-\\ 200 \end{array} \right $
and a second	1	2	2	5	. 1	1 1	: • : 1	3	2	:	3	6	11 11 1	13 16 1	3	1 1	∫
-	1	•		. 2	3 1	3	1	*	3	3	, 1	. 2	3 1	. 1	e. ,	, ,	203
)	9	14 9 2	13 20	13 10 3	12 18	12 15	14 27	26 29 2 2	44 52 6 2	55 65 2 4	114 126 6 7	245 260 2 4	25 23 1 2	23 22 3 2	6 5	•	204
-	9 6	12 9	13 20	10 10	12 17	11 15	13 27	24 27	38 50	53: 61	108 119	243 256	24 21	20 20	6 5		205

Causes of Death in SAORSTÁT ÉIREANN, by Sexes, Ages and Places of Occurrence in the Year 1924.

				1			AGES AT	r DEATH.			DEA	THS IN I	INSTITUTI SEWHERE.	IONS	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	515	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	U1 certi Dea
1	Enteric Fever	72	51	123		1	14	76	24	8	10	10	75	28	
2	Typhus	3	. 2	. 5				-3	.2	:	-1		· 2	-2	
6	Small-pox														
7	Measles	101	97	198	48	130	13	7			29		37	132	Ш
8	Scarlet Fever	27	38	65	5	33	21	5	1		23		15	27	
9	Whooping-Cough	281	340	621	261	316	44	**	·		.7	:	24	590	1
10	Diphtheria	89	97	186	11	82	71	20	1	1	51		55	80	
16	Dysentery	1	. 3	4		ů	·	3	.1		2	:	-1	.1	
11	Influenza	1,005	1,068	2,073	118	161	63	333	528	870	56	40	244	1,733	4
23	Encephalitis Lethargica	33	22	55	1	5	9	25	12	3	18	1	16	20	
24	Meningococcal Meningitis	16	12	28	3	5	8	12	•		6		7	15	
31	Tuberculosis of Respiratory System	1,807	1,885	3,692	29	50 .	148	2,657	690	118	477	202	661	2,352	2
32–37	Other Tuberculosis	457	433	890	38	144	202	402	92	12	152	32	190	516	
43-49	Cancer, Malignant Disease	1,535	1,368	2,903	4	2	5	289	1,490	1,113	383	39	522	1,959	1.
51	Rheumatic Fever	40	42	82		-3	21	30	23	5	. 6	:	4	72	
57	Diabetes	128	84	212		_ 1	5	65	66	75	14	3	34	161	
74	Cerebral Hæmorrhage	593	736	1,329		1	2	69	487	770	58	30	150	1,091	1
87-90	Heart Disease	2,337	2,455	4,792	5	. 9	64	470	1,636	2,608	281	182	757	3,572	6
91b	Arterial Sclerosis	119	83	202				2	59	141	17	9	22	154	
99	Bronchitis	1,375	1,551	2,926	301	151	36	. 141	651	1,646	61	39	418	2,408	6
100-1	Pneumonia (all forms)	1,500	1,167	2,667	460	529	98	409	568	603	230	46	301	2,090	1
97-8 102-7	Other Diseases of Respiratory System	465	298	763	39	58	18	109	254	285	631	9	107	584	1
111	Ulcer of Stomach or Duodenum	190	102	292	1	1	3	93	129	65	67	12	32	181	
113	Diarrhoa and Enteritis under 2 years	308	207	515	446	69				•	88		44	383	
117	Appendicitis and Typhlitis	95	64	159		5	37	59	47	11	103		17	39	
122	Cirrhosis of the Liver	66	22	88		1		11	55	21	16		13	59	
128-9	Acute and Chronic Nephritis	568	494	1,062	13	14	18	188	417	412	92	13	228	729	
146-7	Puerperal Sepsis		123	123				120	3		25		17	81	
143b-5 148-50	Other Accidents and Diseases of Pregnancy														
159–161	and Parturition  Congenital Debility and Malformation: Pre-	•	180	180			•	176	4	•	42	1	19	118	
	mature Birth	1,051	828	1,879	1,856	13	3	7			244	•	208	1,427	6
165–174	Suicide	77	19	96				33	43	20	11	4	4	77	
175–203	Other Deaths from Violence	602	231	833	36	99	75	283	180	160	214	7	103	509	
	Other Defined Diseases	7,192	7,508	14,700		380	255	903	1,500			412		12,030	7,5
204– 205a	Causes Ill-defined or Unknown	688		1,437	24	83	33	177	511	609	30	10	18		1,0
	ALL CAUSES	22,821	22,359	45,180	4,543	2,346	1,266	7,177	9,474	20,374	3,601	1,101	5,879	34,599	-

I ADMINISTRATIVE COUNTY OF CARLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

-					OHC	Year	1024.				Dr	mrra 733	Taromeman	IONG	
							AGES A	r DEATH.			DE/	AND ELS	INSTITUT	LONS	Un-
iter- sional ist los.	CAUSES OF DEATH	Males.	Females	Total.	Under 1 year.	15	5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals,	County Homes and Hospitals.	Else- where.	certified Deaths.
1	Enteric Fever														
2	Tranhag		. •	•		•	•					•	•	•	
6	Small-pox		•	·		•	•		•			•	•	•	
7	Measles	2		2		2	*	•	* {	•		•	•	2	1
8	Scarlet Fever			2	•	2	•					•	•	2	1
9	Whooping-Cough	5	5	10	5	5	•	•	•			•	•	10	
10	Diphtheria	4	3	7		2	4	1	*			•	3	4	
16	Dysentery					24	-	ı	•	*		•	0		
11	Influenza	24	26	50	4	6	•	9	11	20		•	3	47	8
23	Encephalitis Lethargica						•		1.			•	,,	**	
24	Meningococcal Meningitis								•			*	•		
31	Tuberculosis of Respiratory System	16	22	38	1			31	4	2	2	1	8	27	1
32-7	Other Tuberculosis	8	6	14		3	4	5	2		3		1	10	
<b>1</b> 3-9	Cancer, Malignant Disease	15	14	29			1	3	8	17	3		3	23	
51	Rheumatic Fever	1		1					1				1		
57	Diabetes	3	1	4					2	2				4	
74	Cerebral Hemorrhage	13	8	21				2	11	8	1	2	1	17	
7-90	Heart Disease	29	35	64			2	6	16	40	1	2	17	44	3
91b	Arterial Sclerosis	3		. 3					1	2				3	
99	Bronchitis	17	15	32	3	2	1	2	6	18	1	1	4	26	9
00-1	Pneumonia (all forms)	15	8	23		. 2	1	3	13	4	3	1	7	12	1
97-8 02-7	Other Diseases of Respiratory System	4	1	5		1			2	2			1	4	1
111	Ulcer of Stomach or Duodenum	1	2	3				2	1			•		3	1
113	Diarrhœa and Enteritis under 2 years	•	•										•		L
117	Appendicitis and Typhlitis	4	•	4				2	1	1	3			1	
122	Cirrhosis of the Liver	•	1	1					1					1	
28-9	Acute and Chronic Nephritis	7.	10	17	1			3	9	4	1		5	11	
46-7	Puerperal Sepsis	•	1	1	•			1					1	•	
3b-5 8-50	Other Accidents and Diseases of Pregnancy and Parturition	•	3	3				3					1	2	
9–161	Congenital Debility and Malformation: Premature Birth	15	14	29	90								0	26	10
5-174		19			29				•	•	•		3		16
5-203	Other Deaths from Vio-		1	2	·	•		•	·	2	•	•	•	2	·
	Other Defined Discover	9	1	10	•	1	1	3	3	2	2	2		6	
104-	Other Defined Diseases  Causes Ill-defined or	79	81	160	8	2	3	8	14	125	11	7	19	123	80
205a	Unknown	10	4	14	٠	2	•	2	4	6	•	•		14	11
	ALL CAUSES	285	262	547	51	28	17	86	110	255	31	16	78	422	132
							`						-		

II. Administrative County of DUBLIN.—Causes of Death, by Sexes, Ages, and Places of Occurrence the Year 1924.

						Year I		т Деатн			DEA	ATHS IN AND EL	INSTITUT SEWHERE		
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	4565	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals,	Else- where.	Ur certii Dear
1	Enteric Fever														
2	Typhus		•	*								•	•		
6	Small-pox														
7	Measles	6	8	14	3	9	2				2		6	6	
8	Scarlet Fever	2	5	7		3	4				6			1	
9	Whooping-Cough	4	7	- 11	5	4	2				1			10	
10	Diphtheria	7	11	18	3	10	3	2			12			6	
16	Dysentery		1	1				1			1				
11	Influenza	46	75	121	10	8	3	18	43	39	6	3	8	104	
23	Encephalitis Lethargica	5	2	7		2	1	1	3		6			1	
24	Meningococcal Meningitis	3		3	1	1		1			2			1	
31	Tuberculosis of Respiratory System	103	125	228	1	8	6	167	40	6	68	9	19	132	
32-7	Other Tuberculosis	25	39	64	4	7	18	33	2		23	i	2	38	
43-9	Cancer, Malignant Disease	101	100	201	1		1	19	101	79	70	3	17	111	
51	Rheumatic Fever														
57	Diabetes	3	8	11				1	5	5	4			7	
74	Cerebral Hæmorrhage	48	91	139		•	*	2	44	93	12	1	7	119	н
87–90	Heart Disease	152	200	352	2	•	6	32	100	212	55	14	21	262	
91b	Arterial Sclerosis	15	16	31				•	9	22	3	1	3	24	
99	Bronchitis	78	96	174	17	1	1	11	44	100	11	2	28	133	ш
100-1	Pneumonia (all forms)	112	101	213	34	47	3	31	40	58	25	4	12	172	
97–8 102–7	Other Diseases of Respiratory System	23	13	36		2		7	17	10	11	•	1	24	Ç
111	Ulcer of Stomach or Duodenum	9	5	14	1			5	5	3	10	)	•	3	
113	Diarrhea and Enteritis under 2 years	45	23	68	62	6					12	•	5	51	
117	Appendicitis and Typhlitis	6	2	8			2	4	1	1	7	•	•	1	
122	Cirrhosis of the Liver	5	2	7					5	2	3			4	
128–9	Acute and Chronic Nephritis	37	48	85	1	2	1	11	37	33	14	2	16	53	
146–7	Puerperal Sepsis		5	5				5	:		3			2	
143b–5 148–50	Other Accidents and Diseases of Pregnancy and Parturition		0	0										F	
159–161		•	8	8	•		•	8	•	•	3		•	5	
	mature Birth	86	63	149	147	1		1			45		10	94	1
	Suicide	1	1	2					2					2	· i
175–203	Other Deaths from Violence	31	25	56	1	6	4	16	14	15	30	2	3	21	
_	Other Defined Diseases	266	317	583	67	23	22	52	108	311	117	15	50	401	3.
204– 205a	Causes Ill-defined or Unknown	19	14	33		3	•	1	18	11	7	1	1	24	
	ALL CAUSES	1,238	1,411	2,649	360	143	79	429	638	1,000	569	59	209	1,812	6

COUNTY BOROUGH OF DUBLIN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT	DEATH.			DEA	THS IN AND ELS	Institut: sewhere	IONS	
inter- itional List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
				, 0											
1	Enteric Fever	8	•	. 8	•	•	1	6	1	•	7	1	•		. ]
2	Typhus	•	•	•	•	•	•		•	٠	٠	•	•		
6	Small-pox Measles	67	67	134	36	94	2	2				•		•	
8	a 1 / E	4	13	134	2	10	5		·		27 16	٠	27	80	
9		7	10	17	5	11	1	٠	·	•	5		•	12	
10	D: 111 - :-	13	17	30	3	19	. 6	2	•	•	28	•		2	
16	Drygontowy		1	1			, ,	1			1	٠	•		
11	Influenza	92	124	216	9	21	5	43	73	65	26	. 8	51	131	1
23	Encephalitis Lethargica	6	6	12		. 2	1	7	2		10	٠		2	
24	Meningococcal Meningitis	3	3	6	1	3	1	1			4			2	
31	Tuberculosis of Respiratory System	278	278	556	5	15	26	382	109	19	202	19	76	259	
12-37	Other Tuberculosis	79	60	139	9	40	34	48	7	1	53		23	63	
3-49	Cancer, Malignant Disease	185	168	353	1			51	200	101	109	5	70	169	
51	Rheumatic Fever	2	. 8	10			4	. 5	. 1		1		1	8	
57	Diabetes	9	6	15				7	4	4	3	2	1	9	
74	Cerebral Hæmorrhage	60	95	155		1		13	69	72	22	4	16	113	4
7-90	Heart Disease	206	344	550			4	90	222	234	116	34	80	320	13
91b	Arterial Sclerosis	30	12	42				2	18	22	8	3	11	20	
99	Bronchitis	250	305	555	69	28	1	24	163	270	26	3	140	386	4
.00-1	Pneumonia (all forms)	343	301	644	193	228	10	70	81	62	141	7	35	461	
97-8 02-7	Other Diseases of Respiratory System	65	34	99	7	7	3	19	40	23	27	1	22	49	1
111	Ulcer of Stomach or Duodenum	21	4	25		•	•	9	11	5	18	•	•	7	
113	Diarrhea and Enteritis under 2 years	124	83.	207	179	28		•	•		67	^	11	129	2
117	Appendicitis and Typhlitis		9	20		•	4	11	5	•	17	•	1	2	
122	Cirrhosis of the Liver	10	a *	10		•	. •	2	8	•	5	•		5	·
28-9	Acute and Chronic Nephritis	87	92	179	5	2	2	31	88	51	47	2	61	69	
46-7	Puerperal Sepsis		14	14				14	٠		8	٠		6	
3b-5 8-50	Other Accidents and Diseases of Pregnancy and Parturition		28	28		,		28			17			11	
9-161	Congenital Debility and Malformation: Pre-		105		400			1			195		28	251	
5 174	mature Birth Suicide	249	165	414	409	4		6	2		135	•		251	. 9
5-174 5-203		0	Z	8	•	•	•	0	2	•			•	1	
3-203	lence	79	33	112	12	19	13	36	18	14	77	1	10	24	
-	Other Defined Diseases	478	488	966	170	76	33	128	197	362	242	48	192	484	10
104- 205a	Causes Ill-defined or Unknown	26	35	61	2	4	•	7	29	19	16	1	•	44	14
	ALL CAUSES	2,798	2,805	5,603	1,117	.612	156	1,046	1,348	1,324	1,488	139	856	3,120	58

IV. Administrative County of KILDARE.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

						Year		T DEATH	τ.		DEA	ATHS IN .	INSTITUT	IONS	
International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certifie Death
1	Enteric Fever	1	1	2			1		1				1	1	
2	Typhus					•									
6	Small-pox														
7	Measles	1		. 1		1							1		
8	Scarlet Fever		1	1		1							1		
9	Whooping-Cough	5	5	10	6	4								10	1
10	Diphtheria	2		2		1	1						1	1	
16	Dysentery									:					
11	Influenza	21	14	35	1	2	2	4	7	19	1	1	11	22	1
23	Encephalitis Lethargica	1 :	: ]	1				1	•					1	
24	Meningococcal Meningitis	1		1		1								1	
31	Tuberculosis of Respiratory System	35	34	69		1	1	56	11		7.	3	9	50	1
32–37	Other Tuberculosis	9	8	17	1	1	5	8	2		5		4	8	
43-49	Cancer, Malignant Disease	29	31	60				12	28	20	6		8	46	3
51	Rheumatic Fever														
57	Diabetes	3	3	6				2	2	2			1	5	
74	Cerebral Hæmorrhage	20	13	33					11	22	1	2	7	23	1
87-90	Heart Disease	69	68	137			1	11	44	81	2	5	40	90	8
91b	Arterial Sclerosis	2	. 1	3					2	1				3	
99	Bronchitis	14	27	41	2		1		6	32		1	1	39	1
100-1	Pneumonia (all forms)	34	21	55	9	7	1	8	15	15	2	1	6	46	
97-8 102-7	Other Diseases of Respiratory System	10	10	20	2	1	1	2	5	9			1	19	
111	Ulcer of Stomach or Duodenum	2	2	4			1		2	1	1			3	
113	Diarrhœa and Enteritis under 2 years	2	1	3	3						2			1	
117	Appendicitis and Typhlitis	3	1	4				4			2		•	2	
122	Cirrhosis of the Liver	1	2	3					2	1	1		1	1	
128-9	Acute and Chronic Nephritis	11	6	17				3	8	6	2		3	12	
1467	Puerperal Sepsis		1	1					1					1	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		3	3				3			2			1	
159–161	Congenital Debility and Malformation: Pre-				į										
165-174	D	17	17	34	34	•	•		•	•	1	•	2	. 31	5,
175-203		Z	• 1	2		•	•	2	٠	•		•		2	. 1
	lence	21	6	27		. 4	4	9	3	7	7		5	15	
-	Other Defined Diseases	98	121	219	17	9	3	24	32	134	15	. 9	21	174	46
204- 205a	Causes Ill-defined or Unknown	9.	9.	18	1	. 2		2	5	8			1	17	3'.
	ALL CAUSES	423	406	829	.76	35	22	151	187	358	57	22	125	625	70

ADMINISTRATIVE COUNTY OF KILKENNY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

					in the	Year	1924.								
						A	GES AT	DEATH.			DEA	THS IN II	NSTITUTI WHERE.	ONS	
Inter- ational List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	1		1				1						1	
	Typhus														
	Small-pox														
7	Measles		2	2	1	1				ь				2	.
8	Scarlet Fever	1	1	2				2		v			2		
9	Whooping-Cough	10	7	17	6	10	1						1	16	7
10	Diphtheria	1	2	3		1	1		1				1	2	1
16	Dysentery												•		
11	Influenza	36	37	73	3	3	2	9	26	30		3	13	57	21
23	Encephalitis Lethargica	2		2				1		1			1	1	
24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	40	37	77	,	3	3	54	16	1	10	9	10	48	5
32-37	Other Tuberculosis	6	12	18	4	3	6	3	1,	1	1		6	11	
43-49	Cancer, Malignant Disease	29	32	61				5	29	27	2		20	39	3
51	Rheumatic Fever	1	2	3			3					•		3	
57	Diabetes	5	1	6				3	2	1			2	4	
74	Cerebral Hæmorrhage	11	21	32				٠	15	17	1	1	5	25	8
87-90	Heart Disease	50	73	123		. 1	2	15	43	62	2	3	22	96	22
91b	Arterial Sclerosis	1	1	2						2			•	2	
99	Bronchitis	45	52	97	9	11	2	5	15	55			9	88	30
100-1	Pneumonia (all forms)	23	22	45	5	7	2	5	18	8	1		11	33	3
97–8 102–7	Other Diseases of Respiratory System	13	4	17		1	•	2	4	10			5	12	2
111	Ulcer of Stomach or Duodenum	5	8.	13		1	•	3	7	2			5	8	
113	Diarrhea and Enteritis under 2 years	2	3	. 5	5	P 0		•	*				. •	5	2
117	Appendicitis and Typhlitis		3	3			٠	3			3				
122	Cirrhosis of the Liver	1	1	2				1	•	1				2	
128-9	Acute and Chronic Nephritis	10	6	16				3	5	8			3	13	1
146-7	Puerperal Sepsis		2	2				2			1			1	
43b-5 48-50	Other Accidents and Diseases of Pregnancy and Parturition		4	4			*	4					1	3	1
59-161			4	4			•	4	•			•			
	mature Birth	27	31	58	57			1	•		1		6	51	34
65-174		1	. 1	2		•		1.	1	•	9	•	•	2	
75–203	lence	19		27		4	1	10	9	3		•	8	19	1
-	Other Defined Diseases	197	240	437	24	9	5	21	42	336	9	19	61	348	244
204– 205a	Causes Ill-defined or Unknown	26	26	52	2	1			28	21		•	•	52	37
	ALL CAUSES	563	639	1,202	116	56	28	154	262	586	31	35	192	944	422
			1	1	1	1	1	1	1	1	,	1		I :	0

34

VI. ADMINISTRATIVE COUNTY OF LAOIGHEAS.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

					L CHO	Year		T DEATE	Ι.		DEA	THS IN	Institut sewhere		
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Un- certifie Death
1	Enteric Fever ·	2	•	2		•	•	2	* 6		•	۹.	1	. 1	
2	Typhus					•		•					•		ŀ
6	Small-pox				. 1			٠	٠,			·		•	Ŀ
7	Measles					•		•	•		·		•		1
8	Scarlet Fever	٠	3	3		3	•	•	•	•	•	٠		3	
9	Whooping-Cough	1	4	5	4	1	•		۰	•	•	٠	•	. 5	
10	Diphtheria	2	2	4	1	•	, 3	•	*	۰	1	•	•	3	1
16	Dysentery			*			*		*	•				٠	
11	Influenza	26	17	43	1	1	2	9	11	19	4	٠	4.	35	1
23	Encephalitis Lethargica	1		1		1	•		•			•	•	1	П
24	Meningococcal Meningitis		•	٠			٠			•	•		٠	*	H
31	Tuberculosis of Respiratory System	28	33	61			2	39	17	3	4	8	9	40	
32-37	Other Tuberculosis	6	9	15	1	2	4	7		1	1	1	. 2	11	
43-49	Cancer, Malignant Disease	20	20	40				4	21	15	6	1	8	25	
51	Rheumatic Fever	2		2			1		1				٩	2	Π.
57	Diabetes	3		3					1	2				3	
74	Cerebral Hæmorrhage	14	6	20				2	7	11	,	•	6	14	
87–90	Heart Disease	57	42	99			2	7	45	45	3	6	14	76	
91b	Arterial Sclerosis	2	1	3						3			æ,	.3	
99	Bronchitis	17	18	35	2	2		3	8	20			. 2	33	
100-1	Pneumonia (all forms)	10	9	19	5	1		5	5	3			2	17	
97–8 102–7	Other Diseases of Respiratory System	11	4	15	1			2	8	4			3	12	
111	Ulcer of Stomach or Duodenum	2		2				1	1		1		ę	1	
113	Diarrhea and Enteritis under 2 years	2	1	3	3	•		•					*	3	
117	Appendicitis and Typhlitis		2	4		*		.1	. 3		3	•	•	1	
122	Cirrhosis of the Liver	1	•	1			•			1		. •	•	1	
128-9	Acute and Chronic Nephritis	12	8	20				2	8	10	2	1	4	13	
146-7	Puerperal Sepsis		3	3		•		3	•				2	1	1
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		2	2				2				1		1	
159–161	Congenital Debility and Malformation: Pre- mature Birth	29	8	37	36						1		10	26	
165-174	Suicide	29					•	•	•			•			2
	Other Deaths from Violence	19	4	23	2	4	1	5	6	5	3		6	14	
	Other Defined Diseases				17		4	14		230	9	9	28	245	16
204- 205a	Causes Ill-defined or Unknown				2		1			11		1	2	24	2
	ALL CAUSES	431	352	783	75	20	20	113	172	383	38	28	103	614	25

ADMINISTRATIVE COUNTY OF LONGFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

					in the			г Деатн			DEA	THS IN AND E	INSTITUT LSEWHER	IONS E.	
iter- ional ist	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	515	15–45	45–65	65 years & up,	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever														
2	Tembus	1		1		•		•	1		1				
6	Small-pox														
7	Measles	1		1	1								1		
8	Scarlet Fever														
9	Whooping-Cough	3	6	9	2	6	1:							9	6
10	Diphtheria		1	1		1								1	
16	Dysentery														
11	Influenza	28	32	60	2	6		9	21	22	1		2	57	26
23	Encephalitis Lethargica											•			
24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	20	14	34	•	1	2	25	5	1	. 1	. 1	4	28	7
2–37	Other Tuberculosis	11	4	15		1	4	7	2	1	2		5	8	4
3-49	Cancer, Malignant Disease	19	22	41			•	5	22	14	3	1	8	29	4
51	Rheumatic Fever	1	1	2		1	•	•	1		1			1	
57	Diabetes	3		3				2	1				1	2	1
74	Cerebral Hæmorrhage	8	8	16	4		1	2	7	6	٠		.*	16	5
'-90	Heart Disease	30	31	61		1		5	23	32	1	3	13	44	13
91b	Arterial Sclerosis							*	•						
99	Bronchitis	13	20	33	1	4	2	1	7	18.			2	31	16
00-1	Pneumonia (all forms)	8	5	13	1	1	1	3	3	4	1	•		12	1
17-8 12-7	Other Diseases of Respiratory System	3	•	3	٠	•		*		3		٠	1	2	1
111	Ulcer of Stomach or Duodenum	3	2	5	4	•	•	2	2	1	1	•	•	4	1
113	Diarrhœa and Enteritis under 2 years	. 3	1	4	4	۰	•	٠	•					• 4	1
117	Appendicitis and Typhlitis	3	1	4	•	•	•	. 1	3		3	•	•	1	·
122	Cirrhosis of the Liver	•	1.	1	. 0	٠			1	,	·	•.	1		·
28-9	Acute and Chronic Nephritis	8	5	13		۰		3	8	2	1		2	10	2
6-7	Puerperal Sepsis			•											
b-5 ⊢50	Other Accidents and Diseases of Pregnancy and Parturition		3	3				3						3	
<u>-161</u>	Congenital Debility and Malformation: Pre- mature Birth	14	11	25	25		*	9							10
li-174	Suicide		1	1	20	•			1	•		•	4	21	16
-	Other Deaths from Violence	7	2	9		1	2	4	1	2	1		2	6	
No.	Other Defined Diseases	118	130	248	5	2	1	7	20	213	4		21	223	178
)4- 205a	Causes Ill-defined or Unknown	20	14	34		1		3	14	16	*		1	33	27
															A. 1
	ALL CAUSES	325	315	640	41	26	14	82	142	335	21	5	68	546	309

VIII. Administrative County of LOUTH.—Causes of Death, by Sexes, Ages, and Places of Occurren in the Year 1924.

							AGES A	T DEATH	1.		DEA	THS IN	DEATHS IN INSTITUTIONS AND ELSEWHERE.					
International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certifi Deati			
1	Enteric Fever	4	1	5			1	2	2				4	1				
2	Typhus																	
6	Small-pox																	
7	Measles		1	1		1							1					
8	Scarlet Fever	2	3	5		2	2	1					4	1				
9	Whooping-Cough	2	1	3		3								3				
10	Diphtheria		1	1		1							1					
16	Dysentery																	
11	Influenza	25	17	42	2	6	1	3	12	18			8	34	2			
23	Encephalitis Lethargica																	
24	Meningococcal Meningitis																	
31	Tuberculosis of Respiratory System	63	49	112		2	4	88	13	5	3	4	16	89	Q.1			
32–37	Other Tuberculosis	9	15	24		4	5	13	2		3		5	16				
43-49	Cancer, Malignant Disease	45	34	79				9	38	32	6	2	17	54				
51	Rheumatic Fever		1	1				1						1				
57	Diabetes	2	1	3				1	1	1			1	2				
74	Cerebral Hæmorrhage	20	16	36				1	11	24	1		4	31	E			
87-90	Heart Disease	55	62	117				14	30	73	1	6	22	88	100			
91b	Arterial Sclerosis	3	8	11						11				11	0			
99	Bronchitis	21	28	49	4	5		1	14	25	1		6	42				
100-1	Pneumonia (all forms)	32	13	45	10	4	4	5	14	8	1	1	4	39				
97–8 102–7	Other Diseases of Respiratory System	11	. 8	19		1		1	9	8			2	17				
111	Ulcer of Stomach or Duodenum	6	2	8				5	2	1	1	•	1	6	7.51			
113	Diarrhœa and Enteritis under 2 years	8	4	12	6	6				-				12				
117	Appendicitis and Typhlitis				·							•						
122	Cirrhosis of the Liver	3		3		. 1			2	1			•	3				
128-9	Acute and Chronic Nephritis	13	8	21		1	1	5	6	8	.1		7	13				
146-7	Puerperal Sepsis		3	3				3						3				
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		2	2				2						2				
159–161	Congenital Debility and Malformation: Pre-	26	20	46		1	·											
165-174	g · · ·	26		$\frac{46}{2}$	45	1				•	$\begin{vmatrix} 2 \end{vmatrix}$		7	37	1			
175-203			•	2	·	•	•	•	2	•	•		1	1				
1,0	lence	13	4	17		1	2	8	4	2	2		1	14	•1			
	Other Defined Diseases	144	150	294	14	8	10	15	33	214	8	6	49	231	9.			
204– 205a	Causes Ill-defined or Unknown	111	16	27	•	•	1	3	10	13				27	1			
	ALL CAUSES	520	468	988	81	46	31	181	205	444	30	19	161	778	14			
										'		i	1					

-ADMINISTRATIVE COUNTY OF MEATH.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

					the 1			DEATH.	DEA						
er- onal st	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1–5	5-15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where	Un- certified Deaths.
1	Enteric Fever	1		1						1		•		1	
2	Typhus	, -				-	•								
6	Small-pox														
7	Measles														
8	Scarlet Fever														
9	Whooping-Cough	1	3	4	2	2								4	
10	Diphtheria											•			
16	Dysentery														
11	Influenza	15	15	30	1	1		5	11	12	1		3	26	3
23	Encephalitis Lethargica														
24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	33	36	69		1	5	50	11	.2	9	· · 1	11	48	1
-37	Other Tuberculosis	16	10	26		4	5	12	4	1	5	•	11	10	
-49	Cancer, Malignant Disease	48	37	85				5	41	39	11	٠	24	50	3
51	Rheumatic Fever	1	3	4				2	2					4	
57	Diabetes	. 3	1	4	,			1	1	2			2	2	
74	Cerebral Hæmorrhage	18	23	41				1	8	32	1		٠	40	5
-90	Heart Disease	85	51	136			3	9	41	83	5	٠	27	104	.6
91b	Arterial Sclerosis	3	2	5					2	3			1	4	
99	Bronchitis	27	25	52	1	1	2	1	5	42			5	47	1
0-1	Pneumonia (all forms)	28	24	52	8	7	2	8	11	16	2	1	9	40	2
7-8 2-7	Other Diseases of Respiratory System	12	5	17				4	6	7	1		. 1	15	1
111	Ulcer of Stomach or Duodenum	4	3	7				2	3	2	. 1		· 1	5	1
113	Diarrhæa and Enteritis under 2 years	•	1	1	1				•	•			. •	. 1	
117	Appendicitis and Typhlitis	4	1	5		•	3		1	1	2	•	•	3	
122	Cirrhosis of the Liver	1		1				•	1	٠				1	
8-9	Acute and Chronic Nephritis	15	15	30				3	9	18	-3		4	· 23	1
6-7	Puerperal Sepsis		1	1	·	٠		1		•		. •	. 1		
b-5 l -50	Other Accidents and Diseases of Pregnancy and Parturition		4	4				3	1:				- 1	3	1
L -161	Congenital Debility and Malformation: Pre-													40	10
174	mature Birth	24	25	49	48	1	*	•	٠	٠	1	* .	8	40	18
1 –174 1 –203	Suicide Other Deaths from Vio-	2		2		*	•	٠	2	٠	•	٠	•	2	
203	lence	8	6	14	2	2	2 :	3	2.	. 3	:: 3			11	
-	Other Defined Diseases	140	145	285	25	6	4	22	30	198	14	3	33	235	103
4- 05a	Causes Ill-defined or Unknown	14	11	25	2	2		3	9	9				<b>2</b> 5	11
	All Causes	503	447	950	90	27	26	135	201	471	59	5	142	744	157
1															

X. Administrative County of UI FAILIGHE.—Causes of Death, by Sexes, Ages, and Places of Occurren in the Year 1924.

			1		ili tiiç	Year	1021.						_			
						AGES AT DEATH.  DEATH AN								THS IN INSTITUTIONS AND ELSEWHERE.		
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Certi Dea	
,	*	,		7				,								
	Enteric Fever	1	•	1		•	•	1	•	•	•	•	1	•		
2	Typhus		•	•		•	٠	•	•	•	•	٠	•	•		
6	Small-pox		•	•		•	•	•	٠	•	•	•	•	•	Ш	
	Measles	' 1	•			•	1	•	*	•	•	•	•		Ш	
8 9	Scarlet Fever	1 4	4	8	3	4	1	•		•		•		8	Ш	
10	Whooping-Cough Diphtheria	2	4	2	3	4	2	•	•	•		•	2	0		
16	D	2	•			•	2	•	•	•	·	•	4		Ш	
11	T.O.	17	13	30		4	1	7	8	10	•	•	4	26	Ш	
23	Encephalitis Lethargica	7	4	11			1	8	2		1		6	4	н	
24	Meningococcal Meningitis								_							
31	Tuberculosis of Respiratory System	38	35	73	1	1	4	51	12	4	12	6	5	50		
32-37	Other Tuberculosis	7	9	16		4	6	4	2		1	1	7	7	н	
43-49	Cancer, Malignant Disease		21	49				3	26	20	4	1	11	33	Ш	
51	Rheumatic Fever	1		1				•		1				1	П	
57	Diabetes	3		3					2	1				3	H.	
74	Cerebral Hæmorrhage	10	7	17			1	1	8	7	1		3	13		
87-90	Heart Disease	45	28	73				7	23	43	2	. 1	12	58		
91b	Arterial Sclerosis	1	1	2					1	1				2	١.	
99	Bronchitis	18	17	35	2	1		1	4	27	1		5	29		
100-1	Pneumonia (all forms)	10	17	27	5	2	1	6	5	8			8	19	The second	
97–8 102–7	Other Diseases of Respiratory System	4	4	8				1	3	4			2	6		
111	Ulcer of Stomach or Duodenum	1	3	4				1	1	2	1			3		
113	Diarrhœa and Enteritis under 2 years	2	3	5	4	1					1		•	4		
117	Appendicitis and Typhlitis	2	2	4			1		2	1	2		1	1		
122	Cirrhosis of the Liver	5	1	6					4	2			2	4	1	
128-9	Acute and Chronic Nephritis	5	12	17	1	1	1	4	5	5	2	2	3	10		
146-7	Puerperal Sepsis		3	3.				3					1	2	Ĩ	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		3	3				3						3		
159–161	Congenital Debility and Malformation: Pre-			U				0								
105 11	mature Birth	16	17	33	33				•	1	2	•	8	23		
	Suicide	2	1	3		•		2	1	•		•		3		
	Other Deaths from Violence	18	5	23	1	4	2	7	5	4	2	•	6	15	and the same	
904	Other Defined Diseases	163	172	335	8	8	9	17	40	253	16	7	56	256	1	
204- 205a	Causes Ill-defined or Unknown ,	21	17	38		5	1	3	10	19		2		36	,-!	
	ALL CAUSES	432	399	831	58	35	32	130	164	412	48	20	143	620		

VI. ADMINISTRATIVE COUNTY OF WESTMEATH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

	I	1	1		in the	Year				•	DE	THE IN	Institut	IONS	
							AGES A	T DEATH	Η.	1	J) E/2		SEWHERE.		Un- :
International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15.	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	certifie d Deaths.
	Enteric Fever		1.												
	Tombers	•	1.	1			•	1	• ;	•			1	•	
6	G 11 ( a		•	•			•	•	•	•	•	*		•	
. 7	Mangley		•	•		•	•					•	•		
8	Carried Towner	1	•	1		1	•	*	•	·		•		1	
9	When a constant	. 3	. 1	4	3	1	1	•				•	•	4	2
10	Dinhthania		-	#	3	*.	1	•			•	·	•	4	
16	Dysentery					•	*	•	•		•	·			
11	Influenza	20	23	43		3	1	8	15	16	1	•	7	35	7
23	Encephalitis Lethargica		. 1.	1			. 1		10	10				1	
. 24	Meningococcal Meningitis		1	1			1	·			•		1		
31	Tuberculosis of Respira-					٠	1	•			•	·	*		
0.1	tory System	34	29	63	2	1	· 2	47	. 8	3	2	2	23	36	5
32–37	Other Tuberculosis	8	10	18	1	1	3	10	3		3	1	· 4	10	1
43-49	Cancer, Malignant Disease	24	30	54	•	•	•	3	24	27	3	•	15	36	3
51	Rheumatic Fever	. 2	1	3		•	* •	2	1			•	.	3	.
57	Diabetes	1		1	•		٠.	1	•			٠		1	1
74	Cerebral Hæmorrhage	17	14	31		• •		2	12	17	1	•	7	23	9
87-90	Heart Disease	45	38	83		•	٠.	3	30	50	5	2	12	64	13
91b	Arterial Sclerosis	1	1	2		• • 1			1	1	. 1	٠		1	•
99	Bronchitis	25	31	56	2	5	1	2	13	33		. 1	9	46	11
100-1	Pneumonia (all forms)	14	19	33	3	4	4	9	6	7.	2	1	5	25	3
97-8 102-7	Other Diseases of Respiratory System	4	3	7	٠	1.	•	•	2	4			1	6	1
111.	Ulcer of Stomach or Duodenum	2	4	6				• .	3	3			1	5	1
113	Diarrhœa and Enteritis under 2 years	. 6	3	. 9	. 8	1	•						3	6	1
117	Appendicitis and Typhlitis	2	1	3			2	1			3	•		•	
122	Cirrhosis of the Liver	1		1		•			•	1	•	•	•	1	•
128-9	Acute and Chronic Nephritis	15	10	25	•	. 1	,	1	12	11			7	18	
146-7	Puerperal Sepsis		2	2				1	1	* *		•	1	1	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		. 5	5		r		5	• .				1	4	1
159-161	Congenital Debility and Malformation: Pre-														
	mature Birth	12	16	28	28	•	•	•	•		2	٠	4	22	14
	Suicide	2		2		•	•	1	1		1	•	•	1	
175-203	lence ·	16	4	20	•	4		5	6	5.	4		2	14	3
	Other Defined Diseases	128	136	264	11	5	5	11	26	206	10	2	17	235	150
204- 205a	Causes Ill-defined or Unknown	15	22	37	. 1	1	4	3	10	18				37	33
	All Causes	398.	406	804	59	28	25	116	174	402	38	9	121	636	259
					)								1	K	

XII.—Administrative County of WEXFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT	DEATH.			DEA	THS IN :	INSTITUT EWHERE.	IONS	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	515	15–45	45–65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths
		0	7	3			1	2					2	1	
1	Enteric Fever	2	1			•		2	•					ı .	1
2	Typhus Small-pox	•	•			•									
6	26. 1	2	2	4	1	•	2	1						4	1
7 8	C 1 Finns		. 4	-											
9	Whooping-Cough	24	19	43	18	20	5							43	11
10	Diphtheria	1	1	2		1		1						2	
16	Dysentery														
11	Influenza	17	22	39	2	4	3	5	7	18		3	2	34	7
23	Encephalitis Lethargica	1		1						1				1	
24	Meningococcal Meningitis	1		1				1					1		
31	Tuberculosis of Respiratory System	65	62	127	•	1	. 5	89	27	5	3.	8	18	98	8
32-37	Other Tuberculosis	12	23	35	1	3	6	18	7		1	. 2	4	28	3
43-49	Cancer, Malignant Disease	37	36	73			• ;	8	34	31	4	1	5	63	6
51	Rheumatic Fever	1	1	2					2					2	1
57	Diabetes	. 4	3	7				3	1	3				7	19
74	Cerebral Hæmorrhage	21	23	44					14	30		. ,1	2	41	9
87–90	Heart Disease	92	87	179		٠	4	11	58	106		5	12	162	27.
91b	Arterial Sclerosis	1		1			a			1				1	
99	Bronchitis	60	64	124	12	11	6-	4	18	73		3	13	108	22
100-1	Pneumonia (all forms)	45	29	74	5	. 20	1	. 14	20	14	2	1	8	63	1
97–8 102–7	Other Diseases of Respiratory System	17	14	31	3	3	1	4	11	9		. 3	5	23	3.
111	Ulcer of Stomach or Duodenum	5	6	11	•	•		1	7	3		•	2	9	
113	Diarrhœa and Enteritis under 2 years	4	5	9	8	1								9 2	
117	Appendicitis and Typhlitis	3	1	3		•	1		3	٠		*	1	3	
122	Cirrhosis of the Liver  Acute and Chronic Nephritis	27	. 19	46		1	. 1	4	18	23	1	2	4		
146-7	Puerperal Sepsis		2	2				2						2	
143b-5 148-50	Other Accidents and Diseases of Pregnancy							4					1		
159-161	and Parturition  Congenital Debility and Malformation: Pre-	•	4	4		•		4	•	•		•		. 3	
	mature Birth	33	27	60	59			1					2	58	40
	Suicide	4	2	6				3	2	1				6	1
175–203	lence	12		19	1			4	1	6			2		
. —	Other Defined Diseases	269	261	530	27	11	11	42	40	399	4	29	29	468	26t
204- 205a	Causes Ill-defined or Unknown	28	19	47	3	1		8	12	23				47	32
	ALL CAUSES	791	740	1,531	140	. 80	51	231	. 283	746	15	58	114	1,344	450

III. ADMINISTRATIVE COUNTY OF WICKLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES A	T DEATH	ſ <b>.</b>		DEA	THS IN AND ELS	Institut SEWHERE.	rions	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	1		. 1		,		. 1					. 1		
2	Typhus														
- 6	Small-pox														
7	Measles	4	5	. 9	1	6	2			٠.				9	
. 8	Scarlet Fever														
9	Whooping-Cough	7	3	10	3	7				١.				10	1
10	Diphtheria		1	1	•			1						1	
. 16	Dysentery														
11	Influenza	25	33	58	2	3		10	14	29		2	. 2	54	8
23	Encephalitis Lethargica	1	1	2	a		2	•			1		1		
· 24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	46	37	83		1	4	58	16	4	3	5	11	64	1
32-37	Other Tuberculosis	10	14	24	-	5	6	12	1		5		3	16	
43-49	Cancer, Malignant Disease	36	31	67				7	37	23	9	2	7	49	2
51	Rheumatic Fever	2		2	, .	1		1	•		1	•		1	
57	Diabetes	8	3	11			· •	2	4	5	1		•	10	1
• 74	Cerebral Hæmorrhage	18	18	36	•			4	11	21	2		1	33	3
87–90	Heart Disease	56	60	116	1		·.	6	37	. 72	2	. 1	8	105	12
91b	Arterial Sclerosis	3	1	4	٠.				1	3	.	1		3	·
99	Bronchitis	23	39	62	7	3		3	11	38		4	6	52	8
100-1	Pneumonia (all forms)	35	27	62	11	8	3	14	17	9	4	1	4	53	1
97-8 102-7	Other Diseases of Respiratory System	10	8	18	2	1		4	4	7	2	•	• . 1	16	
. 111	Ulcer of Stomach or Duodenum	7	3	10		`.		2	7	1	3		•	7	
113	Diarrhea and Enteritis under 2 years	5	3	. 8	7	1					•		1	7	
117	Appendicitis and Typhlitis	1	2	3					. 2	1	1			2	
122	Cirrhosis of the Liver	. 1		- 1	٠.	٠.			1	•				1	
128-9	Acute and Chronic Nephritis	11	12	23				3	9	11	2		1	20	
146-7	Puerperal Sepsis		7	7			٠.	7		٠.	3			4	
143b-5 148-50	Other Accidents and Diseases of Pregnancy													3	
159–161	and Parturition  Congenital Debility and Malformation: Pre-		3	3	•	•	· •	3	•	•	•	٠	•	3	·
	mature Birth	13	16	29	29					1. '	2		2	. 25	6
165–174	Suicide	1		. 1		٠.		1	. •					1	
175-203	Other Deaths from Violence	12	3	15				6	5	4	. 8			7	
_	Other Defined Diseases	131	118	249	15	15	6	14	27	172	13	8	37	191	77
204– 205a	Causes Ill-defined or Unknown	8	5	13				1	8	4			2	11	3
	All Causes	475	453	928	78	51	23	160	212	404	62	24	87	755	123
														K 2	

42 .

XIV. ADMINISTRATIVE COUNTY OF CLARE.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

						Year	AGES AT	DEATH.			DEA	THS IN	INSTITUTI SEWHERE	ons.	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1–5	515	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	1	1	2					1	1			2		L
2	Typhus														
6	Small-pox			. •									,		
7	Measles			,•											
8	Scarlet Fever		. •	.*					. •						
9	Whooping-Cough	. 11	,12	23	10	12	1						4.	19	4
10	Diphtheria	1 4	. 2	6		. 2	, 3	1					5.	1	1
16	Dysentery		, •-	.•			•				. •	•		a	1
11	Influenza	33	24	57	3	7		7	15	25		•	. 12	45	18
, 23	Encephalitis Lethargica		,•	•		.*	.*			*		, .			1
24	Meningococcal Meningitis		. 1	. 1	.*	. *	. 1	. •	. •		1.0		• 1	1	l ·
31	Tuberculosis of Respiratory System	58	69	127			3	97	23	4	1	7	54	65	3
32,–37	Other Tuberculosis	. 9	. 6	15	; •	5	. 4	6		•		3	:3	9	
43–49	Cancer, Malignant Disease	. 27	40	67			.*	6	26	35	2	. 1	15	49	5
51	Rheumatic Fever		. 3	3	.*			1	. 2		•	7.4	1,4	. 3	
57	Diabetes	2	2	. 4	.*		*	3	• 25 •	: 1			2	: 2	1
74	Cerebral Hæmorrhage	. 6	16	. 22	.*		.*	2	: 6	. 14	1		· 4	.,17	
87–90	Heart Disease ·	47	50	97		٠	٠	. 9	. 41	: 47	. 3	10	25	. 59	16
91b	Arterial Sclerosis ,	1		. 1		.•				: 1	1.00	• •	to to e	. 1	
99	Bronchitis ,	31	. 37	68	5	2		: 4	19	.38	2	., 1	. 18	. 47	9
100-1	Pneumonia (all forms)	31	34	65	5	6	7	. 7	21	,19	. 1.	3		52	8
97-8 102-7	Other Diseases of Respiratory System	10	16	26	1	. 1		8	8	8	1	* .	8	17	1
111	Ulcer of Stomach or Duodenum ;	3	2	5	•		٠.	1	. 2	2	1	•	:1	3	
113	Diarrhœa and Enteritis under 2 years	<sub>.</sub> 4	5	, 9	. , 8	1	1.1.					7- 3- 4	. 4	5	2
117	Appendicitis and Typhlitis	5	. 1	, 6	• .			. 4	1	1	1.	11 %	· 2	, 3	
122	Cirrhosis of the Liver	. 1	. •	1					1		/·	1.6.6.		. 1	
, 128–9	Acute and Chronic Nephritis	- 16	1 12	28	1		1	8	·(. 8	″ 10		•	6	22	3
146-7	Puerperal Sepsis		3	. 3	,•			3				et ia	2	1	. :
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		5	5				: 5			2			3	
159–161	Congenital Debility and Malformation: Pre-						.•								
707 75	mature Birth	20	25	45	.45			ş ·	1 25.	, , , , , , , , , , , , , , , , , , ,	2		18	25	17
165-174		. 2	,•	2	.*	.•	. •		, 2				• .	2	
175–203	lence , ,	18	5	23	, 2	, 1	, 1	9	: 6	4	2		. 5	16	1
	Other Defined Diseases	272	271	543	27	10	. 9	18	- 30	449	3	9	·· ··77 ·	454	320
204– 205a	Causes Ill-defined or Unknown	, 24	28	52	,•	. 2	. , 1	11	17	21	1	. 3 1		51	41
	ALL CAUSES	636	670	1,306	107	49	31	210	229	- 680	23	· ·34 ·	276	973	448

7.—Administrative County of CORK.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year, 1924.

							AGES A	r DEATH.			D	EATHS IN AND E	INSTITU	TIONS E.	
nter- itional List Nos.	CAUSES OF DEATH.	Males.	Female	s Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	2	5	7				6	1		1		4	2	
2	Typhus										١.				
6	Small-pox														
7	Measles													*1	
8	Scarlet Fever	-1	1	2	1		1							2	
9	Whooping-Cough	22	29	51	24	23	4		. !				3	48	12
10	Diphtheria	12	, 19	31		10	20	1		. :	4		14	13	
16	Dysentery														
11	Influenza	72	79	151	11	9	. 7	30	32	62	1	6	13	131	21
23	Encephalitis Lethargica	3	1	- 4	1		1	1	1				3	.1	
24	Meningococcal Meningitis	1		1			1,	•					1		
31	Tuberculosis of Respiratory System	167	182	349	3	6	13	240	75	12	41	29	72	207	18
2-37	Other Tuberculosis	31	34	65	2	8	16	34	5		6	4	17	38	2
3-49	Cancer, Malignant Disease	154	134	288	1		2:	31	151	103	31	4	39	214	6
51	Rheumatic Fever	5	2	7		•	3	3	1		2		. 1	:4	
57	Diabetes	13	6	19			1	5	5	8	2		1	16	
74	Cerebral Hæmorrhage	64	71	135		٠.,		. 4	52	79	3	4	24	104	14
7-90	Heart Disease	278	248	526		1	9	48	162	306	23	36	62	405	81
91b	Arterial Sclerosis	7 :	9	16			4		7	9	2	2	2	10	
99	Bronchitis	126	108	234	28	. 5	2	9	52	138	2	7	24	201	38
00-1	Pneumonia (all forms)	130	. 86	216	26	28	10	. 41	55	56	6	9	27	174	14
97–8 02–7	Other Diseases of Respiratory System	42	33	75	4	8	3	10	21	29	. 5		9	61	10
111	Ulcer of Stomach or Duodenum	18	13	. 31		•	. :	9	14	8	. / 4	5	. 3	19	2
113	Diarrhea and Enteritis under 2 years	11.	9	20	19	1	٠.	•	•		1	l l	6	13	1
117	Appendicitis and Typhlitis	13	10	23	•	2	4	8	7	2	18	0	2	13	
122	Cirrhosis of the Liver	8	5	13	•	•	•	4.	6	3	1		2	10	
28-9	Acute and Chronic Nephritis	37	33	70	1.		1	15	23	30	4	I.	17.	/ 48	
16-7	Puerperal Sepsis	. •	20	20.	• 1	•	•	19	. 1.	• /	3	. • .	. 1	16	1
3-50	Other Accidents and Diseases of Pregnancy and Parturition		18	18				18			·· 5		. 4	9	-041
9-161	Congenital Debility and Malformation: Pre-												. 1		
1	mature Birth	76	58	134	132	• .	2 . !	2.	•		· · · 9		" 15	110	51
5-174	• • •	. 9:	2	11	• •	•		2	6.	3.	•	1	1	9	•
5-203	lence	63	20	. 83	2	9.	4,	27	25	16	12	red post	10.	61	"10
-	Other Defined Diseases	656	755	1,411	51	35	19	100	139	1,067	59	48	152	1,152	662
)4- :05a	Causes Ill-defined or Unknown	58	. 46	104	3	4	2	7	41	47	. 1		1	102	58
	ALL CAUSES	2,079	2,036	4,115	309	149	123	674	882	1,978	246	156	530	3,183	1,002

XVI. COUNTY BOROUGH OF CORK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

		1				e Year	AGES AT	DEATH.			DE.		INSTITU SEWHERE		2
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	U cert Dea
1	Enteric Fever	2	1	3				2	,	1	1			2	
2	Typhus							٠							
6	Small-pox														0
7	Measles	1		1	1									1	
8	Scarlet Fever		1	1		٠		1						1	П
9	Whooping-Cough	29	63	92	32	57	3		٠		1		8	83	П
10	Diphtheria	12	3	15	2	7	5	1	•	۰	5		8	2	П
16	Dysentery					•									
11	Influenza	11	19	30	2	1	1	6	9	11	1	2	•	27	Ш
23	Encephalitis Lethargica	1	1	2		٠	1	1	٠	•		•	1	1	
24	Meningococcal Meningitis		1	1				. 1		٠				1	П
31	Tuberculosis of Respiratory System	80	73	153		2	3	105	37	6	40	4	50	59	
32-37	Other Tuberculosis	20	12	32	1	8	9	11	3		6	1	8	17	
43-49	Cancer, Malignant Disease	51	52	103		•		13	63	27	35	2	22	44	
51	Rheumatic Fever		2	2			•		2	٠		•	•	2	
57	Diabetes	1	3	4		٠	*	3		1	2	•	1	1	
74	Cerebral Hæmorrhage	15	33	48			, .	7	22	19	4	3	5	36	
87–90	Heart Disease	90	114	204			` 4	26	75	99	17	8	65	114	
91b	Arterial Sclerosis	3	4	7				•	3	4				7	
99	Bronchitis	50	74	124	15	4		7	32	66	7	•	32	85	
100-1	Pneumonia (all forms)	87	69	156	33	40	2	26	26	29	18	5	34	99	
$ \begin{array}{c c} 97-8 \\ 102-7 \end{array} $	Other Diseases of Respiratory System	15	7	22		2	2	2	11	5	6	•	2	14	
111	Ulcer of Stomach or Duodenum	9	•	9			7 8	7	2		5	•	1	3	
113	Diarrhœa and Enteritis under 2 years	15	5	20	15	5					1	•	•	19	N
117	Appendicitis and Typhlitis	5	6	11		1	, 3	3	. 3	1	7		3	1	
122	Cirrhosis of the Liver	1		1			•		1	·	1	•	•	•	П
128-9	Acute and Chronic Nephritis	7	11	18	1,	. 1		6	9	1	2		7	9	l
146–7	Puerperal Sepsis		5	5		•	, .	5		,	1	•	3	1	П
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		6	6	,			6	•		4	•	•	2	
159–161	Congenital Debility and Malformation: Pre- mature Birth	34	95	F0	PH						-		15	37	
165-174	Suicide	34	25	59 3	57		2	2	1	·	7	•	10	2	
175–203		3	•	3	•	•	•	4	1		1	•	•	2	
. 0 200	lence	18	5	23		2	5	11	3	2	14		2	7	
	Other Defined Diseases	125	149	274	26	18	11	37	55	127	41	14	59	160	
204- 205a	Causes Ill-defined or Unknown	. 9	2	11	•			3	7	1	3	*		8	
	ALL CAUSES	694	746	1,440	185	148	51	292	364	400	230	39	326	845	

TI. Administrative County of KERRY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

Carrier   Carr								AGES A	r Death					INSTITUT	HONS	
2 Typhus 1 2 3	tional List	CAUSES OF DEATH.	Males.	Females	Total.	1 .		5-15	15-45	45-65	years	Infirmaries, Gen. & Spec. A Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Un- certified Deaths.
2 Typhus 1 2 3	1	Enteric Fever	15	11	26			3	19	3	1			22	4	
6 Small-pox	2	Typhus	1	2	. 3											
7   Mossles	6	Small-pox														
8 Scarlet Fever	7	Measles														
10   Diphtheria	8	Scarlet Fever	1		1				1			1				
10   Dysantery	9	Whooping-Cough	26	37	63	19	33	11						5	58	19
16   Dysentery	10	Diphtheria	1		1	1										
11	16	Dysentery														
24   Meningococcal Meningitis   1   1   2   1	11	Influenza	59	45	104	. 7	8		25		45			24		35
24   Meningococcal Meningitis   1   1   2   1   .   .   1   .   .   .   .   .   .	23	Encephalitis Lethargica			.											
Tuberculosis of Respiratory System	24	Meningococcal Meningitis	1	1	2	1										
1-49   Cancer, Malignant Disease   58   34   92   .   .   .   .   5   51   36   2   1   33   56	31	. ~	78	90	168	•	1	8	119		4	6	7			16
Signature   Sign	2-37	Other Tuberculosis	17	18	35	2	5	5	17	6	•	3		16	16	1
Diabetes	3-49	Cancer, Malignant Disease	58	34	92				5	51	36	2	1	33	56	5
Diabetes	51	Rheumatic Fever	3	2	5			2	2		1	•			5	
7-90 Heart Disease 95 79 174	57	Diabetes:	. 3	4.	7	1 2		1	2	2	2		•	3	4	1
91b Arterial Sclerosis 3 . 3	74	Cerebral Hæmorrhage	8	21	29				5	13	11	1		3	25	3
99 Bronchitis 33 44 77 6 4 1 7 10 49 1 14 62  00-1 Pneumonia (all forms) 32 28 60 7 12 4 14 12 11 1 7 52  97-8 Other Diseases of Respiratory System 21 11 32 2 3 4 2 11 10 6 26  111 Ulcer of Stomach or Duodenum 8 . 8 . 1 5 2 1 1 6  113 Diarrhosa and Enteritis under 2 years 18 7 25 23 2	7-90	Heart Disease	95	79	174			4	19	60	91	2	1	49	122	47
00-1 Pneumonia (all forms) 32 28 60 7 12 4 14 12 11 . 1 7 52  97-8 Other Diseases of Respiratory System 21 11 32 2 3 4 2 11 10	91b	Arterial Sclerosis	3		3					1	2			2	1	
97-8 Other Diseases of Respiratory System 21 11 32 2 3 4 2 11 10	99	Bronchitis	33	44	77	6	4	1	7	10	49	1		14	62	22
2-7   piratory System   21   11   32   2   3   4   2   11   10     6   26	00-1	Pneumonia (all forms)	32	28	60	7	12	.4	14	12	11		1	7	52	5
Duodenum   8     8     1     5   2   1     1   6	11-0-1		21	11	32	2	3	4	2	11	10	•		6	26	13
under 2 years        18       7       25       23       2           9       16         117       Appendicitis and Typhlitis       6       3       9         1       3       4       1       5        4         122       Cirrhosis of the Liver        2         1       1         1       1         28-9       Acute and Chronic Nephritis        31       20       51         2       18       15       16       1        9       41         46-7       Puerperal Sepsis <td< td=""><td></td><td>Duodenum</td><td>8</td><td></td><td>8</td><td>3</td><td></td><td>1</td><td></td><td>5</td><td>2</td><td>1</td><td></td><td>1</td><td> 6</td><td>1</td></td<>		Duodenum	8		8	3		1		5	2	1		1	6	1
122   Cirrhosis of the Liver   2     2       1   1       1   1		under 2 years	18	i	25	23	2							9	16	2
28-9 Acute and Chronic Nephritis 31 20 51 2 18 15 16 1 9 41 46-7 Puerperal Sepsis 8 8 8	1			3	9			1	3	4	1	5			4	
Nephritis   Neph			2	•	2		•		1	1		•	٠	1	1	
16-7   Puerperal Sepsis     .   8   8   .   .   .   8   .   .	28-9	37 7 1.1	31	20	51			2	18	15	16	1		9	41	6
Sb-5   Other Accidents and Diseases of Pregnancy and Parturition   10   10	16-7	Puerperal Sepsis		8	8				8			2		2	4	
9-161 Congenital Debility and Malformation: Premature Birth 31 23 54 54		Diseases of Pregnancy	,													et o p
mature Birth      31     23     54     54  .	9–161	Congenital Debility and	•	10	10			•	10	•	•	.1	•	3 .	6	. 1
5-203 Other Deaths from Violence 29 7 36 2 4 4 13 7 6 2 7 27  - Other Defined Diseases 359 359 718 23 7 11 35 63 579 15 17 47 639  04- Causes Ill-defined or Unknown 20 44 54 54 55 56 579 15 17 47 639	The same of the sa	1 701 17	31	23	54	54							ě	7	47	40
5-203 Other Deaths from Violence 29 7 36 2 4 4 13 7 6 2 7 27  - Other Defined Diseases 359 359 718 23 7 11 35 63 579 15 17 47 639  04- Causes Ill-defined or Unknown 20 44 74 74 75	5-174	Suicide	5		5				1	2	2			1	4	
- Other Defined Diseases 359 359 718 23 7 11 35 63 579 15 17 47 639  14— Causes Ill-defined or Unknown 20 44 74	5-203	4	20		9.0				10	P7	G	0		. 17	O.H.	6
04- Causes Ill-defined or Unknown 20 44 74	-															511
30 44 74 . 5 2 10 23 34 1 . 72		Causes Ill-defined or														
		CARLOWIE	30	44	74	•	5	2	10	23	34	1		1	. 72	65
ALL CAUSES 974 908 1,882 147 84 64 340 344 903 44 27 314 1,497		ALL CAUSES	974	908	1,882	147	. 84	64	340	344	903	44	27	314	1,497	799

XVIII. Administrative County of LIMERICK.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

			1	1	1		AGES AT	DEATH.			DE	ATHS IN	Institu	TIONS	
Inter- national List Nos-	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	.5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un certi Dea
1	Enteric Fever	1		1		. 1								1	П
2	Typhus														
6	Small-pox														Ш
7	Measles														П
8	Scarlet Fever:	2	2	4		. 2	2		٠.				2	2	П
9	Whooping-Cough	5	4	9	6	2	1					•		9	ш
10	Diphtheria	6	6	12		4	5	3	٠.				4	8	Ш
16	Dysentery											•			Ш
11	Influenza	20	38	58	6	4	1	9	11	27	2	٠	3	53	П
23	Encephalitis Lethargica	1	1	2		. •		. 1	1				2		ш
24	Meningococcal Meningitis														П
31	Tuberculosis of Respiratory System	67	44	111	2	1	7	78	19	4	2	10	18	81	П
32-37	Other Tuberculosis	21	11	32	1	5	8	11	6	1	6	Í	10	15	Ш
43-49	Cancer, Malignant Disease	• 62	43	105	1			. 7	56	42	13	1	17	74	Ш
51	Rheumatic Fever		2	2		1			1					2	П
57	Diabetes	5	1	6		•		2	1	3	1	1	2	2	П
74	Cerebral Hæmorrhage	16	24	40	•			2	11	27		1	2	37	П
87-90	Heart Disease	69	68	137		1	2	6	55	73	4	5	13	115	
91b	Arterial Sclerosis	4	1	5				٠	3	2	1,		1	3	П
99	Bronchitis	22	32	54	6	3		4	10	31			1	53	п
100-1	Pneumonia (all forms)	41	22	63	12	8	3	10	11	. 19	1	1	5	56	
97–8 102–7	Other Diseases of Respiratory System	18	14	32		1	1	5	11	14	4	1	2	25	
111	Ulcer of Stomach or Duodenum	12	3	15				4	10	1	3	1	1	10	
113	Diarrhea and Enteritis under 2 years	12	10	22	19	3	. •				1	•	1	20	П
117	Appendicitis and Typhlitis	5	3	8		•	. 4	1	. 3		6	•		2	
122	Cirrhosis of the Liver	3	1	4				1	2	1	2	•		2	
128-9	Acute and Chronic Nephritis	11	12	23	•				15	8	٠		1	22	
146-7	Puerperal Sepsis		8.	8.				8						8	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		3	3				3			1		1	1	
159–161														1	
	mature Birth	46	40	86	83	1	1	1			2	٠	7	77	:
165-174		2	1	3 .	•	•		1	2			•		3	
175–203	Other Deaths from Violence	26	7	33 1	5	3	. 4	14	2	5	4	٠	3	26	
-	Other Defined Diseases	267	293	560	29	16	4	25	46	440	14	12	81	453	2.
204– 205a	Causes Ill-defined or Unknown	28	34:	62	1	. 6	- 4	6	24	21			•	62	j
	ALL CAUSES	772	728	1,500	170	62	47	202	300	719	67	34	177	1,222	4.

XIX. COUNTY BOROUGH OF LIMERICK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1924.

					1	Year					DE	THS IN	Institut	TONS	
						1	AGES A	T DEATH	1	ī		AND EL	SEWHERE	1	Un-
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Flse- where.	certified Deaths.
1	Enteric Fever	1	. •	. 1				1					1		
2	Typhus											•1	1	•	
6	Small-pox														
7	Measles														
8	Scarlet Fever	2	1	3	. 1	2							3		
9	Whooping-Cough	1		. 1	. 1									1	
10	Diphtheria	. 1	. 3	4	. 1	. 3							3	1	
16	Dysentery											٠			
11	Influenza	10	11	21	1	4	1	6	5	4	2	•	7	12	
23	Encephalitis Lethargica														
24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	27	24	51			1	41	8	1	3	4	16	28	1
32-37	Other Tuberculosis	5	. 8	13		. 2	4	4	3		2	1	3	7	
43-49	Cancer, Malignant Disease	36	18	54				5	38	11	6	2	22	24	
51	Rheumatic Fever	. •	. 1	1			. •		1					1	
57	Diabetes	1	2	3 '		. •	. •	2	1				2	1	
74	Cerebral Hæmorrhage	7	10	. 17			. •		12	5			5	12	1
87–90	Heart Disease	26	34	60	1	•	. 5	. 14	28	12	7	2	16	35	4
91b	Arterial Sclerosis	2		. 2					1	1	1		ū-	1	
99	Bronchitis	41	34	75	11	4	1	8	23	28	3		16	56	. 8
100-1	Pneumonia (all forms)	21	11	32	4	8	1	4	9	6	3	•	6	23	2
97-8 102-7	Other Diseases of Respiratory System	3	9	12			. •	4	5	3	1	•	7	4	
111	Ulcer of Stomach or Duodenum	5	. 1	6			, 1	4	. 1		2	•	1	3	
113	Diarrhœa and Enteritis under 2 years	3	. 4	. 7	. 6	1			•			a ·	•	7	1
117	Appendicitis and Typhlitis	1	. 1	2			. 1		1		2	ď		-	1
122	Cirrhosis of the Liver			.											.
128-9	Acute and Chronic Nephritis	.2	3	5		1	1	. •	3				٠	5	
146-7	Puerperal Sepsis							٠		. •					·
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		. 1	1				. 1			1				
159-161	Congenital Debility and Malformation: Pre-	*													20
105 1	mature Birth	. 19	25	. 44	43	1	•	٠	•		17	9	3	24	28
	Suicide	•		•	•	•		•	•		•		•		.
175–203	lence ·	8	2	10	•	1	. 1	6	2		5	•	1	4	•
Sminner	Other Defined Diseases	63	83	146	35	6	6	15	16	68	12	4	41	89	25
204— 205a	Causes Ill-defined or Unknown	7	4	11		2	1	. 1	6	1	i	1	1	.8.	4
	ALL CAUSES	292	290	582	104	35	24	116	163	140	68	14	154	346	75

XX. Administrative County of TIPPERARY (North Riding).—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1924.

				. 0004				r 1924 DEATH.				THS IN I		ons	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	4565	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else-	Un- certified Deaths
1	Enteric Fever	•		•											
	Typhus ····		•												
6	Small-pox		1	1				1						1	1
7	Measles Scarlet Fever	3		3	1	2							1	2	1
8	Scarlet Fever Whooping-Cough	6	7	13	6	7								13	]
9	Diphtheria	1		1				1						1	
16	Dysentery														
11	Influenza	24	12	36	2	3	4	4	9	14			3	33	10
23	Encephalitis Lethargica		1	1				1						1	
24	Meningococcal Meningitis		1	1				1						1	
31	Tuberculosis of Respira-												14	90	
31	tory System	28	27	55			4	37	12	2	2		14	39	
32–37	Other Tuberculosis	· 4	3	7	1		1	5					1	6	
43-49	Cancer, Malignant Disease	27	43	70		•		6	39	25	3	•	14	53	
51	Rheumatic Fever		1	1				1				•		1	
57	Diabetes	6	6	12			2	4	4	2			2	10	
74	Cerebral Hæmorrhage	12	11	23					11	12	1		10	23	
87-90	Heart Disease	40	51	91			1	9	33	48	1	2	12	75	
91b	Arterial Sclerosis	2	1	3				•		3				3	
99	Bronchitis	32	24	56	7				11	32		1	4		
100-1	Pneumonia (all forms)	23	16	39	3	5	]	6	11	13		•	9	30	
97-8 102-7	Other Diseases of Respiratory System		5	14		1		3	3	7	1		. 1	12	
111	Ulcer of Stomach or Duodenum	4		4				3		1	1		1	2	
113	Diarrhœa and Enteritis under 2 years		1 4	8	5	3					1		1	6	
117	Appendicitis and Typhliti	is J	1	2			]	1 1					1	1	Ш
122	Cirrhosis of the Liver	2	2 .	2					1	1			1	. 1	Ш
128-9	Acute and Chronic Nephritis	17	7 12	29	]	1		8	3 10	9			5		
146-7	Puerperal Sepsis		4	. 4	1			4			1			3	
143b - 5 148 50	Other Accidents and Diseases of Pregnancy and Parturition		1	. 1			à .							1	
159-161	Congenital Debility and Malformation: Pre-		2 16	38	3 37	7 1		•		,	1		3	34	1 2
185 17						, , ,	0 .							4	
	Suicide 3 Other Deaths from Vio-		٠												П
110-200	lence ·	1	4 7	21		2		1 8	9 3	6			3		
-	Other Defined Diseases	16	5 153	318	3 12	2   12		5 20	43	226	7	9	34	268	15
204— 205a	Causes Ill-defined or Unknown		4 10	. 24	1	1 3		1	. 10	9		•		24	1
	ALL CAUSES	. 460	0 418	878	3 76	3 45	2	1 126	200	410	20	12	110	736	24

XXI. ADMINISTRATIVE COUNTY OF TIPPERARY (SOUTH RIDING).—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1924.

			0	f Occi	irrence	e, in the	he Yea	ar 1924	4.						
							AGES A	T DEATH	•		DE.		Institut Elsewher		
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	4	. 1	5			1	3	1				3	2	
2	Typhus			•											
6	Small-pox														
7	Measles		. 1	. 1		1							1		
8	Scarlet Fever					•				. •					
9	Whooping-Cough	12	8	20	12	8								20	1
10	Diphtheria		1	1		1							1		
. 16	Dysentery	1		1				1					1		
11	Influenza	20	16	36	1		1	10	10	14	•	•	10	26	3
23	Encephalitis Lethargica		1	1						1				1	
24	Meningococcal Meningitis	3	2	5			3	2					2	3	
31	Tuberculosis of Respiratory System	53	56	109		٥	8	90	10	1	9	6	26	68	5
32-37	Other Tuberculosis	. 14	17	31		6	5	14	5	1	1	2	10	18	
43-49	Cancer, Malignant Disease	53	49	102				9	42	51	4	1	37	60	3
51	Rheumatic Fever	3	. 2	. 5	, .		2	1	1	1	.			5	
57	Diabetes	2	4	6					2	4	•		1	5	
74	Cerebral Hæmorrhage	22	32	54		•		6	20	28		2	20	32	2
87–90	Heart Disease	94	65	159		1	. 1	14	47	96	3	1	44	111	20
91b	Arterial Sclerosis	1	4	. 5	•				1	4	•	•	•	5	
99	Bronchitis	45	40	85	16	3	•	3	23	40	•	1	19	65	12
100-1	Pneumonia (all forms)	58	26	84	8	13	3	11	23	26	•	1	34	49	1
97-8 102-7	Other Diseases of Respiratory System	14	5	19		•	•	2	8	9			3	16	4
111	Ulcer of Stomach or Duodenum	8	5	13		. •		3	5	5	2	1	2	8	1
113	Diarrhœa and Enteritis under 2 years	6	3	. 9	8	1	a						1	8	1
117	Appendicitis and Typhlitis	2	2	4	•	•	2	1	1	.	2	•	1	1	
122	Cirrhosis of the Liver	4	1	5	•	•		•	4	1	1	•	1	3	
128-9	Acute and Chronic Nephritis	13	12	25			. 1	6	10	8		2	10	13	2
146-7	Puerperal Sepsis	•	. 1	1	•		•	1	•	.	•	•		1	.
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		7	7				7		.			2	5	1
159–161	Malformation: Pre-	15	10	99	20								10	23	10
165 174	mature Birth	17	. 16	33	. 33		•	1	1	2	. •		10	4	13
165-174		3		4			• '	1	1	2			•	4	
175–203	lence	13	5	18		2	1	5	4	6	•		6	12	100
_	Other Defined Diseases	189	188	377	34	9	7	27	30	270	4	11	64	298	169
204- 205a	Causes Ill-defined or Unknown	15	22	37		3	•	4	9	21	•	•		37	27
	All Causes	669	593	1,262	112	48	35	221	257	589	26	28	309	899	265
													,	T 9	3

XXII. ADMINISTRATIVE COUNTY OF WATERFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT	DEATH.			DEA	THS IN	Institut SEWHERE	ions	
International List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	2	2	4			2	1		1				4	
2	Typhus														
6	Small-pox									•					
7	Measles												•		1
8	Scarlet Fever						•						•		
9	Whooping-Cough	11	9	20	10	10			•				•	20	8
10	Diphtheria		2	2		1	1		•			٠	•	2	1
16	Dysentery				•					•,		٠	•		1
11	Influenza	21	- 33	54	5	6	1	13	8	21	1	4	12	37	13
23	Encephalitis Lethargica		•	·			•	•	•		٠	44	- 10	٠	
24	Meningococcal Meningitis		•		•		٠	•		•		•	•	•	
31	Tuberculosis of Respiratory System	24	30	54	1			38	8	7		1	10	43	8
32–37	Other Tuberculosis	9	10	19	1	4	3	7	4		1	1	. 2	15	
43-49	Cancer, Malignant Disease	30	29	59				3	39	17	7	1	6	45	1
51	Rheumatic Fever			. [											
57	Diabetes	2	4	6			•	1	3	2			2	4	
7,4	Cerebral Hæmorrhage	16	8	24					7	17			3	21	3
87–90	Heart Disease	46	51	97	•		•	6	35	56	4	10	17	66	8
91b	Arterial Sclerosis	1	1	2		•	•		•	2		•	•	2	
99	Bronchitis	20	21	41	5	4	1	2	7	22	1	1	2	37	14
100-1	Pneumonia (all forms)	31	18	49	10	10	2	5	11	11	1	. 1	7	40	3),
97-8 102-7	Other Diseases of Respiratory System	6	6	12		1		1	8	2		1	•	11	2
111	Ulcer of Stomach or Duodenum	3	2	5	• .			2	1	2		•	3	2	
113	Diarrhœa and Enteritis under 2 years	7	• 5	12	8	4						•	1	11	2
117	Appendicitis and Typhlitis		1	1			1				1	•			
122	Cirrhosis of the Liver	3		3					2	1	1	•		2	
128-9	Acute and Chronic Nephritis	12	3	15			3	5	5	2			4	11	
146-7	Puerperal Sepsis		. 2	2		•		2					•	2	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		2	2				9					1	1	ш
159–161			2	Z	•	•	* •	2	•			•	1	1	
	mature Birth	26	· 12	38	37	1			. ;				9	29	10
165–174	Suicide	2		2		٠		1		1		•		2	
175–203	Other Deaths from Violence	10	4	14			1	7	5	1	3	1	2	8	1.)
	Other Defined Diseases	152	195	347	14	7	6	19	28	273	10	8	57	272	176
204- 205a	Causes Ill-defined or Unknown	.10	15	25	•	1	1	2	12	9	•	•		25	18
	ALL CAUSES	444	465	909	91	49	22	117	183	447	30	29	138	712	267,

XIII. COUNTY BOROUGH OF WATERFORD.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1924.

					ne rea			DEATH.	4		DEA	THS IN I	Instituti Ewhere.	ONS	
Interational List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1–5	5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where	Un- certified Deaths.
, 1	Enteric Fever	•	•	٠	•	•		•	•	•			•	•	
,2	Typhus		•	. •		•		•	•	•		·	·	·	
6	Small-pox		•	• :		•	•	•	•	•		·			
18	G 1 . T	٠	*			5			•					5	
.9	Whaning Careh	5	5	5	3	2		٠	•	•				-5	
10	D. 141	•	J J	υ	0	4	•	e e							
16	Demonstration		•	•	•	•	•	•							
11	T. C.	12	19	31	5	3	2	4	3	14	5	3	2	21	1
23	Encephalitis Lethargica	12	10	91		o l	~								
24	Meningococcal Meningitis		•			·							٠		.
31	Tuberculosis of Respira-		•		•										
	tory System	27	29	56		•	3	38	14	1	8	• ,	17	31	
32–37	Other Tuberculosis	4	1	5		3	• .	1		1		•	•	5	·
43-49	Cancer, Malignant Disease	17:	9	26		• ,		6	12	8	6	1	7	12	, •
51	Rheumatic Fever	1	1	2	. 1		1	1		•	1	•	1		
57	Diabetes		1	1					1			•	•	1	
74	Cerebral Hæmorrhage	9	.14	23	٠				7	16	1	٠	2	20	2
87–90	Heart Disease	29	35	64	1;			8	21	34	3	2	22	37	
91b	Arterial Sclerosis	1	1	2				•	•	2	•		•	2	
99	Bronchitis	13	18	31	4	2	•	1	9	15	2	•	9	20	1
100-1	Pneumonia (all forms)	14,	6	20	3	4	•	4	6	3	2	2	3	13	1
97–8 102–7	Other Diseases of Respiratory System	1	3	4	. 6	•	•	1	1	2	•		2	2	·
111	Ulcer of Stomach or Duodenum	[1]	1	2	•	٠	•	1	1,	.*		•		2	·
113	Diarrhœa and Enteritis under 2 years	7	5	12	12							10		12	
117	Appendicitis and Typhlitis	. 1	1	1			•		1	٠			1		
122	Cirrhosis of the Liver										•	•	·	•	·
128-9	Acute and Chronic Nephritis	10	2	12	1	1		1	6	3	1		.8	3	·
146-7	Puerperal Sepsis	• ,	3	3			٠	3		•	·	•	2	1	
43b-5 48-50	Other Accidents and Diseases of Pregnancy and Parturition		. 1	1				1.					.0	.1.	
59-161	Congenital Debility and				;										
1	Malformation: Premature Birth	13	6	19	19						2	*1 1	;3	14	6
65–174															
75–203	Other Deaths from Vio-								. 2	1	4		1	5.7 t. <b>3</b>	
and and	lence Other Defined Diseases	6	2	.8	1	ه ا	1	3 5	16	$\frac{1}{42}$	4	12	31	38	7
204-	Causes Ill-defined or	36	49	85	13	5	4				-				
205a	Unknown	1	4	5	1		•	1	1	2	•	17.48	581	5	1
	ALL CAUSES	207	216	423	63	25	11	79	101	144	39	20	111	253	19
	7 to 10 to 1														

XXIV. Administrative County of GALWAY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT	DEATH.			DEA	THS IN I	(NSTITUT) EWHERE.	IONS ;	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1	1-5	- 5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certific Death
	There	9	. 9	18			4.	11	3			3	10	5	
1	Enteric Fever	9													I.
2	Typhus Small-pox														
6	Measles	. 3		. 3		2	: 1							3	
8	Scarlet Fever														1
9	Whooping-Cough	18	26	44	22	18	4							44	1
10	Diphtheria	4	6	. 10		6	3	1					4	6	
16	Dysentery														
11	Influenza	62	47	109	5	10	6	21	19	48	1	2	22	84	3
23	Encephalitis Lethargica	1	1	. 2				2				1	1		П
24	Meningococcal Meningitis	3		3			1	2					2	1	
31	Tuberculosis of Respira-										,	20	4.0	123	3
01	tory System	891	108	197	11	• .	9	142	30	5	8	20	46	25	
32–37	Other Tuberculosis	21	23	44	2	7	12	19	4	•	6	. 1	12	101	
43-49	Cancer, Malignant Disease	77	52	129		•	. 1	11	62	55	6	٠	22	5	
51	Rheumatic Fever	3	2	5		0	. 1	2		2		•	,		
57	Diabetes	4	5	9		1	• •	4		4			3	6	
74	Cerebral Hæmorrhage	27	29	56			•	4	10	42	3		13	40	
87–90	Heart Disease	95	73	168			1	20	57	90	2	6	36	124	4
91b	Arterial Sclerosis	1	1	2					1	1	•	,	۰	2	
99	Bronchitis	46	42	88	5	6	4	9	10	54	•	4	8	76	
100-1	Pneumonia (all forms)	57	44	101	3	12	7	17	27	35	3	4	18	76	
97–8 102–7	Other Diseases of Respiratory System	22	17	39	3	10	. 2	1	12	11		•	10	29	
111	Ulcer of Stomach or Duodenum	8	4	12				5	6	1	2	1	1	8	
113	Diarrhæa and Enteritis under 2 years	5	3	8	8					*			1 .	7	П
117	Appendicitis and Typhlitis	1	3	4		1	1	2			2	•	1	1	ш
122	Cirrhosis of the Liver	3		3					3		1	٠	2		Ш
128-9	Acute and Chronic Nephritis	16	21	37				9	15	13		1	9	27	
1467	Puerperal Sepsis		3	. 3				3			1		. •	2	ш
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		11	11				9	2		3	•		8	
159–161	Congenital Debility and Malformation: Pre-		0.5	,							9		11	40	ı
165 154	mature Birth Suicide			60				3	. 2	1			1	5	
	Other Deaths from Violence			36		. 6	2	7	111	9	7		3	26	
and the same of th	Other Defined Diseases						12	_	75	751	16	20	61	846	6
204- 205a	Causes Ill-defined or Unknown			943			2		29	34		2		88	
	ALL CAUSES	1,132	1,108	2,240	167	100	73	366	378	1,156	70	65	297	1,808	1,0

(V. Administrative County of LEITRIM.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

						Lear	AGES AT	DEATH.			DEA	THS IN	INSTITUT	IONS	
nter- tional List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	515	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental. Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
,	Enteric Fever		1	,				, 1			,		. 1		
2	T		1	1	•	•		1		•			T		
	Small now	•	•	•		•	•	•	•			•	•		
6	Manalan		•		·	•	•	•				*	•	·	
	Samlet Fores	·	2	2		1			•			•	•	2	
8 9		1	4	1	1	Т	1					•	•	1	1
10	Distance	1	1	2	1	•	·	1	·	1		•	•	2	
16	Dynamtony	1	1	4	•	. •	1	1		1		•	•		
11	Toff	14	9	23	1	2	·	3	5	12		•	1	22	15
23	Encephalitis Lethargica	14	9	. 45	1	2		5	υ	12		*			
24	Meningococcal Meningitis		•	•	•	•	•	·	٠	·		*		*	
31	Tuberculosis of Respira-		•	·	,	•	•	•	·	·		•		*	
91	tory System	22	23	45			1	33	11			. 3	- 8	34	8
2-37	Other Tuberculosis	8	6	14			1	9	3	1	2		4	8	1
3-49	Cancer, Malignant Disease	. : 29	20	49				3	22	. 24	1	1	4	43	7
51	Rheumatic Fever	1	1	2				1	1					2	1
57	Diabetes	. 2	· 1	3	1 +			2		1				3	
74	Cerebral Hæmorrhage	9	10	19				1	5	13		1	3	15	6
.7–90	Heart Disease	29	36	65				10	27	28	3	2	13	47	13
91b	Arterial Sclerosis	2		2						2				2	
99	Bronchitis	35	29	64	7	1	2	3	8	43		2	1	61	44
.00-1	Pneumonia (all forms)	20	13	33	1	1	1	5	9	16	1		2	30	7
$97-8 \\ 02-7$	Other Diseases of Respiratory System	3	5	8	•	1		2	2	3		•	•	8	2
111	Ulcer of Stomach or Duodenum	4	1	5		•	•		2	3		. 2	•	3	1
113	Diarrhœa and Enteritis under 2 years											•			
117	Appendicitis and Typhlitis	1		1	•		٠	1			1	*			·
122	Cirrhosis of the Liver	1		1			*	•	•	1	·	•	•	1	
28-9	Acute and Chronic Nephritis	15	11	26		٠		. 3	7	16			1	25	5
46-7	Puerperal Sepsis		3	3		٠	•	3	•		·			3	·
3b-5 8-50	Other Accidents and Diseases of Pregnancy and Parturition		3	. 3				3						3	
9-161	Congenital Debility and	- *													
	Malformation: Pre- mature Birth	10	10	20	20						L te		4	19	17
5-174	Suicide	3		3					2	1	1	1		1	
	Other Deaths from Vio-														
	lence Other Defined Diseases	7	4	11	8	4	3	4	26	285	2 7	7	24	306	2 256
)4_		180	164	344	8	4	3	. 18	20	200				300	200
)4— 205a	Causes Ill-defined or Unknown	16	26	42		3	1	8	13	17		•	.1	41	39
	ALL CAUSES	413	379	792	. 38	17	11	114	144	468	18	19	64	691	425

XXVI.—Administrative County of MAYO.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT	DEATH.				ATHS IN I		ONS	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else-	Un- certified Deaths
1	Enteric Fever	1	2	3			٠.	3				. 1	2		
$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	Typhus			. !											1
6	Small-pox														
7	Measles		1	1	·.	·. ]		1			····•.			1	1,
8	Scarlet Fever														
9	Whooping-Cough	19	23	42	22	19	1		· .					42	22
10	Diphtheria	3	3	6		3	* 3							6	
16	Dysentery									:					
11	Influenza	46	55	101	10	16	5	14	21	35	1.	2	2	97	58
23	Encephalitis Lethargica	٠.				· .							•		
24	Meningococcal Meningitis														
31	Tuberculosis of Respiratory System	96	91	187		2	9	140	33	3	. 9	12	12	154	43
32-37	Other Tuberculosis	19	10	29		2	5	19	3	•	4	7	5	13	1
43-49	Cancer, Malignant Disease	71	52	123				7	68	48	. 7	2	10	104	14
51	Rheumatic Fever	6	2	8			. 2	. 4	2					8	1
57	Diabetes	10	6	16				4	7	5			1	15	C
74	Cerebral Hæmorrhage	11	15	26	1			3	7		1	2	1	22	
87-90	Heart Disease	63	73	136		1	5	17	46	67	2	, 1	. 6	127	49
91b	Arterial Sclerosis	4	1	5	1.		* •		2	3	1			4	
99	Bronchitis	54	54	108	17	10	2	9	19			2	7		
100-1	Pneumonia (all forms)	50	42	92	16	8	5	19	23	3 21			14	78	2
97-8 102-7	Other Diseases of Respiratory System	25	9	34	2	3	* .	6	6	3 17	1	2	4	27	1(
111	Ulcer of Stomach or Duodenum	7	4	. 11		•		6	5 5	5 .	1		2	8	:
113	Diarrhœa and Enteritis under 2 years		5	7	6									7	
117	Appendicitis and Typhlitis	is 4	2	6	1	1	1	1			1		2		
122	Cirrhosis of the Liver	4	1	5	1		1	*	4	1			1	4	
128-9	Acute and Chronic Nephritis			38	3 .			8	3 10	0 20	1		8		
146-7	Puerperal Sepsis	.   .	4	4				4	1				•	4	
143b-5 148-50			10	10				10		* *			1	. 9	
159–16	Congenital Debility and Malformation: Pre-												4	55	3
	mature Birth							•	. 9	$_{2}$ $_{2}$				4	
	4 Suicide	1		4	4									,	
175-20	Other Deaths from Violence	. 17								6 4					
-	Other Defined Diseases		487	7 1,021	1 35	5 16	3   14	42	2   58	8   856					
204- 205a			2 42	2 84	4	7	3	3 14	4 26	6 34			1	83	3 6
	ALL CAUSES	. 1,148	5 1,04	5 2,19	0 168	91	57	7 340	0 351	1,183	3 . 45	5 51	128	1,966	3 1,21

XVII. ADMINISTRATIVE COUNTY OF ROSCOMMON.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1924.

			1	1	in the						DE	ATHS IN	INSTITU	TIONS	
						1	AGES AT	DEATH.	1	1		AND EL	SEWHERE	7.	Un-
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	certified Deaths.
1	Enteric Fever	7	5	12				7	3	2		2	10		
2	m -1	•	θ	14	•	•	•	•	Э	4				•	
6	Small-pox				•	•		·				•	•		
7	Measles														
8	Scarlet Fever														
9	Whooping-Cough	4	2	6	2	4		• •					2	4	3
10	Diphtheria	5	~ 1	6		. 4	1	1			1			5	1
16	Dysentery		1	1					1					1	
3 11	Influenza	21	21	42	1		. 2	12	14	13	1	•	12	29	13
23	Encephalitis Lethargica					•									.
24	Meningococcal Meningitis		•								٠				.
31	Tuberculosis of Respiratory System	32	47	79	1	•	1	62	15		6	2.	9	62	16
32–37	Other Tuberculosis	13	5	18	1	1	3	9	4		5		2	11	
43-49	Cancer, Malignant Disease	29	31	60	1	. 1		6	23	29	6		-7	47	2
51	Rheumatic Fever	•	1	1	, .	٠			1					1	
57	Diabetes	4	•	4	•	•		2	2		1		•	3	1
74	Cerebral Hæmorrhage	1	11	12			٠	0	5	7	• .	٠	,	12	2
87–90	Heart Disease	47	58	105	•		. 1	9	50	45	3	4	8	90	31
91b	Arterial Sclerosis	1	1	2				•	•	2	•			2	
99	Bronchitis	44	45	89	7	1	1	5	28	47	•	2	4	80 46	13
97-8	Pneumonia (all forms) Other Diseases of Res-	27	23	50	4	3	3	14	11	15	٠	•	**	40	10
102-7	piratory System	9	4	13	•	1	•	3	2	7	1	٠		12	5
111	Ulcer of Stomach or Duodenum	6	3	9	•	٠		2	4	3	٠	0	1	8	1
113	Diarrhœa and Enteritis under 2 years	2	•	2	2	٠			a		1			1	1
117	Appendicitis and Typhlitis		٠					٠	٠.			•	•		.
122	Cirrhosis of the Liver	1	. 3	4		۰		2	2			٠	•	4	
128-9	Acute and Chronic Nephritis	10	6	16	٠		1	1	5	9	1	*	6	9	2
146-7	Puerperal Sepsis		7	7	4			7				•		7	
43b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition	•	4	4		٠		4			a di		2	2	1
159–161	Malformation: Pre-													0.0	2.5
65 374	mature Birth	20	14	34	34	٠	•	•		•	٠	٠	1	33	25
75-203	Suicide Other Deaths from Vio-	3	,	3	•	٠	*	1	2		•	*		3	
19-203	lence	15	7	22	1	2	2	8	2	7	6	•	3	13	
-	Other Defined Diseases	316	281	597	11	4	5	27	42	508	14	14	<b>3</b> 6	533	461
204– 205a	Causes Ill-defined or Unknown	38	59	97	2	3	2	17	43	30	۰		1	96	84
	ALL CAUSES	655	640	1,295	67	24	22	199	259	724	46	24	111	1,114	706
										-					

XXVIII.—Administrative County of SLIGO.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

					,		AGES AT	DEATH.				THS IN I	NSTITUTI EWHERE.	ons	
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1–5	5–15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
								7					1		
1	Enteric Fever		1	1	•		•	1	1		·	•	1		
2	Typhus	1		1	•	•	•	·							
6	Small-pox			٠	, •	. •	. •	. •							
7	Measles		*	*											<b>II</b> .
8	Scarlet Fever	8	7	15	4	10	1						•	15	6
9	Whooping-Cough  Diphtheria		3	3			1	2					۰.	3	4
10	Diphtheria  Dysentery									. `					
16 11	Influenza	9	14	23		1	1	4	8	9			•	23	12
23	Encephalitis Lethargica		. 1	1					1	, •				1	4
24	Meningococcal Meningitis														
31	Tuberculosis of Respira-			60		1	6	41	10	2	1	4	18	37	4
	tory System	26 12	34	20		2	7	8	3		1	2	7	10	2
32–37	Other Tuberculosis		26	52				7	27	18	2	1	14	35	3
43-49	Cancer, Malignant Disease Rheumatic Fever		1	1			1							1	
51	7.1	3	2	5				1		4				5	2
57	Cerebral Hæmorrhage	4	7	11					5	6				11	1
74	Heart Disease	50	53	103				6	29	68		1	34	68	26
87–90 91b	Arterial Sclerosis	2	1	3						3				3	
99	Bronchitis	16	25	41	3	3		1	10	24		2	1	38	17
100-1	Pneumonia (all forms)	18	19	37	3	5	2	5	9	13	2			35	4
97-8	Other Diseases of Res-									14	1			24	15
102-7	piratory System	17	8	25	2	3		3	3	14	1		•	27	10
111	Ulcer of Stomach or Duodenum	3	3	6				3	1	2			1	5	1
113	Diarrhea and Enteritis under 2 years	1	1	2	2									2	1
117	Appendicitis and Typhlitis	1	. 1	2				1	1		1		1		
122	Cirrhosis of the Liver								•						
128-9	Acute and Chronic Nephritis	9	13	22				7	7	8	2		3	17	4
146-7	Puerperal Sepsis		3	3				3			1			2	
143b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		4	4				4						4	
159-161	·		4	-											
	mature Birth	14	9	23	23		•	•	•		1		•	22	18
165–174						•		•		•					
175-203	Other Deaths from Violence	13	3	16		1	1.	8	5	2	2			14	1
distributed (	Other Defined Diseases	218	230	448	20	10	4	16	31	367	9	8	25	406	333
204- 205a	Causes Ill-defined or Unknown	24	41	65		5		5	24	31			2	63	60
	ALL CAUSES	475	518	993	57	41	23	126	175	571	23	18	108	844	509

XIX.—Administrative County of CAVAN.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1924.

					in the	rear	1924.								
							AGES AT	DEATH.		i		AND ELS	INSTITUT	IONS	17
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1–5	5–15	15–45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	Un- certified Deaths.
1	Enteric Fever	1	2	3				1	1	1		1	1	1	
2	mh		4	9	•	. •	•	1	1		*	1	. 1		
6	0 11	•			•	•		*	•						
7	35 1	1	3	4		1	2	1	. •			•	•	4	
8	0 1 1 70	1	. 1	1			1	1	•	·	*	•	1		
9	Whooping-Cough	10	11	21	7	13	1							21	11
10	Diphtheria		5	. 5		3	. 1	1					2	3	
16	Dysentery														
11	Influenza	41	32	73	4	4	1	7	16	41	1			72	21
23	Encephalitis Lethargica	1		1		. •			1				1		
24	Meningococcal Meningitis														.
31	Tuberculosis of Respira-														
.£	tory System	29	31	60		•	2	37	16	5	3.	4.	6	47	5
32-7	Other Tuberculosis	10	9	19		3	2	10	2	2			3	16	
43-9	Cancer, Malignant Disease	43	35	78	•	٠	•	5	39	34	. 8	2	7	61	9
51	Rheumatic Fever	2	~	. 2	, •	• *	1	1	. •	٠		٠		2	
57	Diabetes	3	4	7	•	•	•	3	3	1			1	6	2
2 74	Cerebral Hæmorrhage	20	23	43				3	14	26		2	2	39	13 22
87-90	Heart Disease	73	73	146	•	. 1	4	5	42	94	4	3	14	125	
91b	Arterial Sclerosis	5	4	9					4	5			1	8	1
99	Bronchitis	47	47	94	7	. 4	1	4	21	57		1	3	87	41 6
100-1	Pneumonia (all forms)	49	34	83	7	8	2	13	20	33	2	•	3	10	
97-8 102-7	Other Diseases of Respiratory System	15	6	21		1	•	4	7	9		•		21	
111	Ulcer of Stomach or Duodenum	5	5	10		٠		3	4	3	4	1	•	5	
113	Diarrhœa and Enteritis under 2 years	2	3	5	5						1	•		4	1
117	Appendicitis and Typhlitis	1	1	2				1.	1					2	.
122	Cirrhosis of the Liver							•							
128-9	Acute and Chronic Nephritis	23	20	43	•			5	18	20	3		3	37	3
146-7	Puerperal Sepsis		1	1				1				•		1	
43b-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition		1	1				1						1	
59–161	Congenital Debility and Malformation: Pre-							•		,					
	mature Birth	12	. 17	29	28	1	٠	9 .	۰	٠	2	٠	•	27	15
-	Suicide	6	, .	6		٠	•	2	1	3	1	1	•	4	
75–203	Other Deaths from Violence	15	8	23		1	3	6	9	4	4	•	4	15	2
	Other Defined Diseases	232	234	466	14	5	1	25	53	368	11	12	19	424	302
205a	Causes Ill-defined or Unknown	38	30	68	1	7	4	7	20	29		2	•	66	55
	ALL CAUSES	684	640	1,324	73	52	26	146	292	735	45	29	73	1,177	509
-				1	1		l	1	,	-	и			Mo	

XXX. ADMINISTRATIVE COUNTY OF DONEGAL.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1924.

							AGES AT I	DEATH.					INSTITUT		
Inter- national List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	5-15	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.		Un- certified Deaths.
1 2	Enteric Fever Typhus	5	2	7					7		a i		6	1	
6 7	Small-pox Measles	12	6	18	4	12	2							18	6
8	Scarlet Fever	2	3	5		1	4						1	26	15
10	Whooping-Cough Diphtheria	14	13	9	11	13	8						5	4	1
16 11	Dysentery Influenza	93	100	193	7	11	10	. 16	43	106		1	3	189	86
23 24	Encephalitis Lethargica  Meningococcal Meningitis	2	1	3			1	1	1					3	
31	Tuberculosis of Respiratory System	80	108	188	1	2	3	148	30	4	9	4	19	156	30
32 <b>–3</b> 7 43–49	Other Tuberculosis  Cancer, Malignant Disease	20	28 75	48 162	5	5	5	26	6 78	72	2	3 2	9 22	36 136	3 19
51	Rheumatic Fever	. 2	, 1	3				2 2	1 5	. 8			. 5	3	
57 74	Cerebral Hæmorrhage	14 41	34	75	•	•		1	23	51		1	3	71	24
87–90 91b	Heart Disease Arterial Sclerosis	131	115	246		1	3	18	73	20		2	12	231	73 1
99	Bronchitis Pneumonia (all forms)	66 78	80 53	146	16 22	11 13	9	21	24	89	1 4	o ( <sub>9</sub>	11 6	134 121	73 26
97–8 102–7	Other Diseases of Respiratory System	36	21	57	10	3	1	3	11	29		1	3	53	17
111	Ulcer of Stomach or Duodenum	17	8	25			•	7	13	5	4		3	18	2
113	Diarrhea and Enteritis under 2 years  Appendicitis and Typhlitis	4		10		2		3			. 3			10	4
122	Cirrhosis of the Liver  Acute and Chronic	1		1						1	1			1	
128-9	Nephritis	43	24			2	2	8 2		35	1		8	58	
143b-5 148-50	Other Accidents and		10					9			1			9	1
159–161	l Congenital Debility and Malformation: Pre-					•									П
165-174	mature Birth 4 Suicide				1	•		1	2	1		•	6	81	
175–203	3 Other Deaths from Vio- lence	31					1						5		
204- 205a	Other Defined Diseases  Causes Ill-defined or Unknown					15						21	51		
		_	1,286									37	_	2,395	1,186

XXI. ADMINISTRATIVE COUNTY OF MONAGHAN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the year 1924.

					in the	year					· Dr	THS IN	INSTITUT	IONS	
							AGES AT	DEATH.				ND ELSE	WHERE.		Un-
Inter- ational List Nos.	CAUSES OF DEATH.	Males.	Females	Total.	Under 1 year.	1-5	515	15-45	45-65	65 years & up.	Infirmaries, Gen. & Spec. Hospitals.	Mental Hospitals.	County Homes and Hospitals.	Else- where.	certified Deaths.
1	Enteric Fever		4	4				. 4			. 1	2	1		
<b>)</b> 2	Typhus														
6	Small-pox														
7	Measles	1		1			4	1						1	
8	Scarlet Fever		1	1					1					. 1	
9	Whooping-Cough	8	9	17	7	8	2							17	3
. 10	Diphtheria	1		1		1							1		
16	Dysentery														
11	Influenza	45	46	91	10	4		3	22	52	1		•	90	30
23	Encephalitis Lethargica														
24	Meningococcal Meningitis		2	2				2						2	
31	Tuberculosis of Respiratory System	25	28	53			3	34	14	2	3	9	6	35	3
32–37	Other Tuberculosis	14	5	19	1	•	6	12			3		1	15	1
<b>43–4</b> 9	Cancer, Malignant Disease	42	50	92		1		13	45	33	6	1	11	74	11
51	Rheumatic Fever		1	1	, .	•			1					1	
57	Diabetes	3	4	7				2	4	1				7	2
. 74	Cerebral Hæmorrhage	27	24	51		•		1	29	21	1	3	1	46	10
37–90	Heart Disease	64	60	124		1		10	43	70	3	4	9	108	14
91b	Arterial Sclerosis	. 4		4		•			1	3			1	3	
# 99	Bronchitis	46	60	106	5	5	1	3	21	71	•		9	97	39
100-1	Pneumonia (all forms)	24	27	51	4	7	3	6	12	19	2	1	. 2	46	6
97-8 102-7	Other Diseases of Respiratory System	12	11	23		1	•	3	13	6	1		5	17	6
111	Ulcer of Stomach or Duodenum	1	3	4			•		1	3	•			4	
113	Diarrhœa and Enteritis under 2 years	2	1	3	2	1							,	3	
. 117	Appendicitis and Typhlitis	4	4	8			5	1	1	1	7		•	1	
122	Cirrhosis of the Liver		2	2						2				2	
128-9	Acute and Chronic Nephritis	16	12	28		1		4	9	14	1		3	24	2
146-7	Puerperal Sepsis		2	2				2			1			1	
13b-5 18-50	Other Accidents and Diseases of Pregnancy														
	and Parturition		11	11				11			2	• *		9	1
59-161	Congenital Debility and Malformation: Pre- mature Birth	13	13	26	26								1	25	11
35-174		3	4	7	20		·	2	4	1		1		. 6	2
75-203			. 4	,		*	*	2	-	1					
	lence	11	6	17		2	2	9	1	3	. 4	. •		. 13	. iv. 1
***************************************	Other Defined Diseases	162	155	317	14	6	1	13	35	248	8	5	20	284	180
205a	Causes Ill-defined or Unknown	21	25	46	1.	٠	í	4	17	23	٠	6		46	37
	ALL CAUSES	549	570	1,119	70	38	24	140	274	573	44	26	71	978	359
					1									į	i i

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924,
Distinguishing Urban and Rural Districts, arranged by Provinces.

		SAORS EIREA		PROVING LEINST		CARI					Duві	IN COUN	TY.			
Inter- ational List Nos.	CAUSES OF DEATH, ETC.	Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Carlow U.D.	Total R.D.'s	Black- rock U.D.	Dalkey U.D.	Dun Laogh- aire U.D.	Howth U.D.	Killiney and Bally- brack U.D.	Pem- broke U.D.	Rath- mines & Rath- gar U.D.	Total U.D.'s	Tot R.D
	ALL CAUSES	14,244	30,936	9,102	9,183	121	426	139	43	294	30	34	483	605	1,628	1,0
,	Tutaria Tarran	. 29	94	13	12											
1	Enteric Fever Typhus		5		1											
2	Small-pox											,				
7	Measles	155	43	152	16		51	1		.3			2	5	11	
8	Scarlet Fever	33	32	22	15		• .						2		2	
9	Whooping-Cough	239	382	57	94	• 7	3		1	•	, •		1	4	6	
10	Diphtheria	76	110	44	27	1	6	•		1		•	6	3	10	
16	Dysentery	2	2	1	1								•			
11	Influenza		1,496	371	469	13	37	17		16	1	1	13	26	. 74	
23	Encephalitis Lethargica	24	31	20	1.8									4	4 2	
24	Meningococcal Meningitis	14	14	10	2		•						2			
31	Tuberculosis of Respiratory System	1,408	2,284	874	716	12	26	8	6	21	1	7	34	44	121	]
32-7	Other Tuberculosis	360	530	240	185	7	7	3	2	3	2		11	13	34	
43-9	Cancer, Malignant Disease	991	1,912	612	580	4	25	4	5	24	2	2	41	58	136	
51	Rheumatic Fever	24	58	14	17		1.									
57	Diabetes	. 58	154	33	44		4	1		2	1		2	1	7	
74	Cerebral Hæmorrhage		827	317	304	7	14	9	3	17		2	26	33	225	
87-90	Heart Disease	1	3,152	1,021	1,069	16	48	25	7	48	3	5	57	12	23	
91B			106	73	36		3	2		2		1	36	40	117	
99	Bronchitis	1	1,704	819 897	526 408	7 3	25 20	6 12	4 2	30 24	1 2	2	47	50	139	
100-1 97-8	Pneumonia (all forms) Other Diseases—Respira-	1,409	1,000	160	400	9	20	12		24	. 2	-				
102-7	tory System	231	532	150	145		5	2	1	3			3	12	21	
111	Ulcer of Stomach or Duodenum	. 80	212	49	63		3	1			2	1	3	2	9	
113	Diarrhœa and Enteritis under 2 years	365	150	272	62			3		12		1	8	18	42	
117		1	107	27	38		4			1	1	1	1	2	6	
122	Cirrhosis of the Liver	. 30	58	21	20		1						2	1	3	
128-9		907	675	285	224	7	10	15		8		2	20	22	57	
146-7			84	23	21	. '	1		1	1				1	3	
143B-5 148-50	Other Accidents and	10	121	37	35	1	2	1			1		•.	1	3	
159-161		010	1,060	574	417	3	26	4		8		1	31	35	79	
165-174		90	76	14	19		. 2			1			1	. •	2	
<b>175-2</b> 03		971	562	179	193	. 3	7	1		4		2	12	10	29	
	Other Defined Diseases	. 2,976	11,724	1,765	3,096	30	130	32	10	60	13	6	111	122	354	2
204- 205A	Causes Ill-defined or Unknown	300	1,241	116	310	•	14	2	1	5			5	6	19	
Deaths	under one year of age	. 2,265	2,278	1,545	797	10	41	17	3	34	4	5	. 58	90	211	
	65 years and upwards	4,292	16,082	9 619	4 500	10	015	40	1 19	100	12	15	187	248	644	
"Uncert	cified Deaths	000	11,539	2,612	4,508 2,447	40 13	215	62	17	103			5	3	17	
Numbe	er of Births	21,796	41,606	14,178	11,935	155	550	192	83	378	75	42	763	833	2,366	1,5
		846,019				1								37,840	102,679	69.1
ropula	ation (Census 1911)	040,019	2,293,669	525,722	636,322	6,619	29,633	9,080	3,536	16,941	3,267	2,721	29,294	37,840	102,019	00,

<sup>\*</sup> Including County Boroughs.

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924, Distinguishing Urban and Rural Districts, arranged by Provinces.

		1	KILDARE	COUNTY	·	Kilki	ENNY NTY.	LAOIGHEAS COUNTY.	I	ONGFORI	COUNT	Y.		LOUTH	COUNTY.	
iter tional list los.	CAUSES OF DEATH, ETC.	Athy U.D.	Naas U.D.	Total U.D.'s	Total R.D.'s	Kil- kenny U.D.	Total R.D.'s	Total R.D.'s	Gran- ard U.D.	Long- ford U.D.	Total U.D.'s	Total R.D.'s	Drogh- eda U.D.	Dun- dalk U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES	44	69	113	716	174	1,028	783	18	45	63	577	191	207	398	590
1 2 6	Enteric Fever Typhus Small-pox	• .			2							. 1		4	4	
7 8 9	Measles  Scarlet Fever  Whooping Cough  Diphtheria	4	1	5	1 1 5	1 4	2 1 13 3	3 5	•		•	9	3	1 .	1 3	1 4
16 11 23 24	Dysentery Influenza Encephalitis Lethargica Meningococcal Meningitis	4	3	7	28 1	8	65	43	3	. 5	. 8	52	3	9	12	30
31  32-7  43-9	Tuberculosis of Respiratory System  Other Tuberculosis  Cancer, Malignant Disease	1	1 6 1 3	7 1 3	62 16 57	17 2 12	60 16 49	61 15 40	. 1	4 4	4 5 4	30 10 37	19 5 23	30 8 5	49 13 28	63
51 57 74 7–90	Rheumatic Fever  Diabetes  Cerebral Hæmorrhage  Heart Disease	6	· 2	8	6 25	2 , 1 1	1 5 31	2 3 20				2 3 16 53	1 6 19	7 28	1 13 47	1 2 23 70
91B 99 00-1	Arterial Sclerosis  Bronchitis  Pneumonia (all forms)	3	4	7	34 45	20 1 17 5	103	99 3 35 19	1 1	8	9	24	12 13	3 6 14	3 18 27	8 31 18
97-8 02-7 111 113	Other Diseases—Respiratory System  Ulcer of Stomach or Duodenum  Diarrhœa and Enteritis under 2 years		3	. 3	17	1 3 2	16	15 2 3			•	5	. 4	9 3	3 9	5
117 122 28-9	Appendicitis and Typhlitis Cirrhosis of the Liver Acute and Chronic Nephritis	•	1 2	1	4 2 15	1 5	3 1 11	4 1 20			2	1 1	1 3	1 4	2	1 14
B-5 3-50	Puerperal Sepsis Other Accidents and Diseases of Pregnancy and Parturition Congenital Debility and	1		1	2		4	<b>3</b> 2		o o	•	3		1	1	2
-174 -703	Malformation: Premature Birth  Suicide  Other Deaths from Violence	1	3	4	30 2 23	11 •	20	37 ·	.1	1	5	20	11 . 7	11	22	24 2
)4— 305A	Other Defined Diseases  Causes Ill-defined or Unknown		16	1	195	47	390	291	2	2	12	236	8	51	100	194
22	under one year of age 65 years and upwards led Deaths	19	21	14	318 69	21 61 14	95 525 408	75 383 253	3 4 5	6 12 16	9 16 21	319 288	23 65 9	22 64 16	45 129 25	36 315 120
	of Births ion (Census 1911)	84 3,535	86 3,842	170 7,377	1,050 59,250	241	1,229	971 54,629	25 1,531	86 3,760	5,291	699 38,529	335 12,501	321 13,128	656	740

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924,
DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

List Nos.  1 Enteric F 2 Typhus 6 Small-pox 7 Measles 8 Scarlet F 9 Whooping 10 Diphtheri 16 Dysentery 11 Influenza 23 Encephali 24 Meningoc 31 Tubercula tory S 32-7 Other Tu 43-9 Cancer, M 51 Rheumat 57 Diabetes 74 Cerebral 87-90 Heart Di 91B Arterial S 99 Bronchiti 100-1 Pneumon 97-8 102-7 tory S 111 Ulcer of Duoder 113 Diarrhea under s 117 Appendic 122 Cirrhosis 128-9 Acute Nephri 146-7 Puerpera 143B-5 148-50 Other Disease and Ps	Fever  Fever  g-Cough  ry  ditis Lethargica coccal Meningitis			an Trim D. U.D.	Total U.D.'s	Total R.D.'s	Birr U.D.	Tulla- more U.D.	Total U.D.'s	Total R.D.'s	Athlone U.D.	Total R.D.'s	Enniscorthy U.D.	New Ross U.D.	Wex- ford U.D.	Total U.D.'s	Total R.D.'s
1 Enteric F 2 Typhus 6 Small-pox 7 Measles 8 Scarlet F 9 Whooping 10 Diphtheri 16 Dysentery 11 Influenza 23 Encephali 24 Meningoc 31 Tubercula tory S 32-7 Other Tu 43-9 Cancer, M 51 Rheumat 57 Diabetes 74 Cerebral 87-90 Heart Di 91B Arterial S 99 Bronchiti 100-1 Pneumon 97-8 102-7 tory S 111 Ulcer of Duodet 113 Diarrhœa under s 117 Appendic 122 Cirrhosis 128-9 Acute Nephri 146-7 Puerpera 143B-5 Other Disease and Ps	Fever  Fever  g-Cough  ry  ditis Lethargica coccal Meningitis						58	101	159	672	79	725	78	75	187	340	1,191
2 Typhus 6 Small-pox 7 Measles 8 Scarlet For Scarlet F	Fever  ria  a  ditis Lethargica coccal Meningitis					1		1									
128-9 Acute Nephri 146-7 Puerpera 143B-5 Other 148-50 Disease and Pa	tuberculosis Malignant Diseas Atic Fever S Hæmorrhage Disease Sclerosis Atic Fever Sclerosis Atic Fever Sclerosis Atic Fever Atic Fever Sclerosis Atic Fever Atic	ingitis spira Disease age spira teritis	2	2 · 1 · 2 · 14 · 3 · 1 · · · · · · · · · · · · · · · ·	3 14 4 5 12 1 2 2 4 4 3 27 3		1 1 1	4 4 4 5 6 	1 1 1 1	1	111 4 10 10 10 10 10 10 10 10 10 10 10 10 10	1 43 1 1 52 14 44 3 1 26 70 2 53 30 7 6 8 8 3	7 1 1 2 2 1 1 7 1 1 2 1 1 7 1 1 2 1 1 7 1 1 2 1 1 7 1 1 2 1 1 7 1 1 1 7 1 1 1 1	2	1	1	2 2
Malfor mature 165-174 Suicide	and Chronic ritis and Chronic ritis al Sepsis Accidents and ses of Pregnancy Parturition ital Debility and armation : Pre re Birth Deaths from nee	and nancy y and Pre from d or	1	1 · · · · · · · · · · · · · · · · · · ·	4 8 2 4 32 1 1 6 21 0 54	1 24 1 4 41	1 3 1 22 1 5 21 4	2 1 3 39 39 40 10	1 1 1 5 1 4 61 4 61 14 167	2 28 2 2 19 274 34 44 351 213 834		22 22 5 26 2 19 243 35 48 374 255		2		. 1 11	10 63 41

AORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924,
Distinguishing Urban and Rural Districts, arranged by Provinces.

			Wic	CKLOW C	OUNTY.		Provin Muns			CLARE C	OUNTY.			CORK CO	UNTY.	
ter- ional ist os.	CAUSES OF DEATH, ETC.	Arklow U.D.	Bri Chual- ann U.D.	Wick- low U.D.	Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Ennis U.D.	Kilrush U.D.	Total U.D.'s	Total R.D.'s	Clona- kilty U.D.	Cobh U.D.	Fer- moy U.D.	Kin- sale U.D.
	ALL CAUSES	82	142	59	283	645	4,219	10,078	74	72	146	1,160	62	123	81	70
1 2	Enteric Fever	•	-			. 1	12	37 3				2				
6	Small-pox Measles	4	**	3	7	2	. 2	1	•	•				•	-	•
8 9 10	Scarlet Fever  Whooping-Cough  Diphtheria	3	•	•	3	· 7	9 147 27	10 150 46	4	7	11- 1	12 5	3		2	1 2
· 16	Dysentery Influenza		. 5	4	15	. 43	1 160	418	. 1	. 2		. 54	. 14	. 6	. 2	
23 24 31	Encephalitis Lethargica Meningococcal Meningitis Tuberculosis of Respira-	•				2	3	7 8	•	•	•	. 1			•	•
12-7	tory System Other Tuberculosis Cancer, Malignant Disease	8 4 3	14 5	5 1 5	27 10 21	56 14 46	430 92 - 313	803 162 653	5 1 1	6	11 2 3	116 13 64	. 2	9 1 11	8 2 8	10 4 12
51 57	Rheumatic Fever Diabetes	. 1	2	1 2	5	1 6	8 22	20			•	3	. :	. 1	. 1	
74 '-90 91B	Heart Disease Arterial Sclerosis	3	22	2	14 33	22 83 3	160 535 21	255 1,074 25	5 8	2	9	15 88 1	2 7	25 3	1 10 1	2 10 1
99	Bronchitis Pneumonia (all forms)	14 6	11	6	31 29	31	344	501 479	7	4 11	11 15	57 50	3	4	4	3
)7⊢8  2−7  111	Other Diseases—Respiratory System  Ulcer of Stomach or Duodenum	1	. 2	1 2	3	15 7	59 26	189 72	. 1	3	3	23	1	3	2	
113 117	Diarrhœa and Enteritis under 2 years Appendicitis and Typhlitis	* .	3	2	5	3	80.	64	3	2	5	4	•	1	2	. 1
122 18–9	Cirrhosis of the Liver  Acute and Chronic Nephritis	1	5		1 5	18	9. 78	22	2		2	1 26	3	1	. 3	
.6−7 .B−5 .⊢50	Puerperal Sepsis Other Accidents and Diseases of Pregnancy		2.		2	5	15	39		1	1	2		1 2	1	1
-161	and Parturition  Congenital Debility and Malformation : Premature Birth	1	8	2	11	. 18	204	346	2	4	6	39	1	7	3	2
-174 -203	Suicide Other Deaths from Violence	2	1. 5		1.	. 8	5 72	25 197	2		. 2	21				. 2
)4- 05A	Other Defined Diseases  Causes Ill-defined or Unknown	15 3	22	7	44	205 9	977	3,802 345	25 2	21	46	497	19 1	34	27	11
iths	under one year of age	5	21	9	35	43	584	780	12	14	26	81	4	15	9	6
D. W.	65 years and upwards	27 9	47	20	94	310 110	1,346 307	5,064 3,311	26 3	31	57 14	623 434	35 12	46	30	21
mber	of Births	122	212	87	421	787	6,126	14,131	123	85	208	1,484	45	154	145	57
oulat	ion (Census 1911)	5,042	7,691	3,243	15,976	44,735	256,181	779,314	5,472	3,666	9,138	95,094	2,961	8,209	6,863	4,020

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924, Distinguishing Urban and Rural Districts, arranged by Provinces.

				Core	COUNT	Y—contin	ued.				KEI	RRY COUN	TY.		LIMERICE COUNTY.
Inter- national List Nos.	CAUSES OF DEATH, ETC.	Macroom U.D.	Mallow U.D.	Middle- ton U.D.	Pas- sage West U.D.	Skibb- ereen U.D.	Youghal U.D.	Total U.D.'s	Total R.D.'s	Killar- ney U.D.	Listowel U.D.	Tralee U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s
	ALL CAUSES	41	68	49	43	50	84	671	3,444	86	68	160	314	1,568	1,50(,
1	Enteric Fever			;••		,	,		. 7	1	1.	. 6	. 8	18	
2	Typhus			1			!					1		3	
6	Small-pox														
7	Measles														
8	Scarlet Fever						. 1		. 2					1	
9	Whooping-Cough			: *	3		1	10	41	2 .	2	. 11	15	48	
10	Diphtheria		2				1.	6	25	-			1	1	15
16	Dysentery											11	7.5	90	
11	Influenza	1	3				1	33	118	3	1	- 11	15	89	51
23	Encephalitis Lethargica								4	·					
24	Meningococcal Meningitis			1 1	1		]		1					2	
31	Tuberculosis of Respira- tory System	4	9	3	5	3	12	65	284	11	6	. 19	, 36	132	11
32-7	Other Tuberculosis	. •	1	1	1		3	14	51	1	2	5	8	27	3:
43-9	Cancer, Malignant Disease	. 3	3		7	4	4	.54	234	9	1	13	23	69	10
51	Rheumatic Fever	1: • •	1		1.			1	6		1	*	-1	4	1
57	Diabetes		2			1	1	6	13	1		· · · 1	. 2.	5	
74	Cerebral Hæmorrhage	1	3	4	4	2	4	27	108	. 4		2	6	23	4
87-90	Heart Disease	. 5	12	7	6	4	14	100	426	15	5	13	. 33	141	13
91в	Arterial Sclerosis	. 1						7	9	. 1			1	2	
99	Bronchitis	6	6	4		2	10	38	196	4	. 3	. 9	16	61	5
100-1	Pneumonia (all forms)	. 1	3	9	2	3	3	31	185	2	8	3	13	47	6
97-8 102-7	Other Diseases—Respiratory System	. 1	1				2	. 9	66	2*	: 1	. *	. 1	31	3
111	Ulcer of Stomach or Duodenum			1		1	1	4	27	,	•	*	•	8	1
113	Diarrhea and Enteritis under 2 years	,	1	2				. 7	13	4	2	11	17	. 8	2
117	Appendicitis and Typhlitis	2				1		4	19	2		1	3	6	
122	Cirrhosis of the Liver		1	1	1 .			3	10	1		1	2	,	
128-9	Acute and Chronic Nephritis		5				1	15	55	2	1	9	12	39	2
146-7	Puerpèral Sepsis					•.		3	17		• •	2	2	6	
143B-5' 148-50	Other Accidents and Diseases of Pregnancy and Parturition	. 1	1		,	1	1	.6	12			•	*	10	
159-161	Congenital Debility and Malformation: Pre- mature Birth		1	1	2	6	7	31	103	3	6	4	13	41	8
165-174	Suicide							91	11					5	
175-203	Other Deaths from														
	Violence	. 1			1	3	2	9	. 74		4	2	6	30	3.
	Other Defined Diseases	3	12	16	12	19	. 16	178	1,233	19	23	. 31	73	645	56
204- 205A	Causes Ill-defined or Unknown		1	1	6		*	10	94	1	. 1	. 6	. 8	66	62
Deaths 1	under one year of age	3	6	2	5	6	10	66	243	15	12	. 19	46	101	170
	65 years and upwards ded Deaths	2					31	270	1,708	32 11	21	. 14	100	803	71:
			-		-									-	
Number	of Births	. 38	112	55	63	44	109	822	4,564	66	90	· 229	- 385	2,833	2,19
Populati	ion (Census 1911)	2,717	4,452	3,182	2,815	3,021	5,648	43,888	271,543	5,796	3,409	10,300	19,505	140,186	104,55

SAORSTAT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924,
Distinguishing Urban and Rural Districts, arranged by Provinces.

		1		URDAN		100103	L DIG.		, 4114)	iigea i	oy 110	VIIICE	,			
			TIPPERAR	NORTH	RIDING.			TIPP	ERARY S	OUTH R	IDING.			RFORD		NCE OF LUGHT.
nter- itional List Nos.	CAUSES OF DEATH, ETC.	Nenagh U.D.	Temple- more U.D.	Thurles U.D.	Total U.D.'s	Total R.D.'s	Carrick- on-Suir U.D.		Clonmel U.D.	Tipper- ary U.D.	Total U.D.'s	Total R.D.'s	Dun- garvan U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
Ū2s	ALL CAUSES	69	39	64	172	706	88	38	152	92	370	892	101	808	591	6,919
1	Enteric Fever									*,		. 5		4	3	32
2	Typhus															1
. 6	Small-pox										. •					
. 7	Measles			• .		1	1.				1				1	3
8	Scarlet Fever		•		• •	3		•					.*		• *	2
9	Whooping-Cough		1	•	1	12	4		6		10	10	2	18	27	81
10	Diphtheria	4		• •	•	1	1	•	•		1	•	.*	2	1	26
16	Dysentery	,		٠		•	• •	1			1			•	*	1
11	Influenza Encephalitis Lethargica	5	2	1	8	28	2	1	1	6	10	26 1	9	45	25	273
23 24	Meningococcal Meningitis			1	1			•		1	1	4				3
31	Tuberculosis of Respira-				7			Ì		1	1	Ŧ				
	tory System	6	1	3	10	45	11	4	16	8	39	70	9	45	73	495
32-7	Other Tuberculosis	1		1	2	5	6		1	7	14	17	2	17	19	106
43-9	Cancer, Malignant Disease	5	1	6	12	58	7	1	14	9	31	71	7	52	47	366
51	Rheumatic Fever Diabetes			3	3	1 9		1	2		1 2	4	1	5	1	15 36
74	Cerebral Hæmorrhage	1	3	4	8	15	5	4	12	3	24	30		24	21	103
37-90	Heart Disease	6	2	5	13	78	7	5	19	10	41	118	11	86	56	521
91в	Arterial Sclerosis					3	1		1		2	3		2	1	13
99	Bronchitis	11	. 5	4	20	36	7	4	9	7	27	58	2	39	22	368
100-1	Pneumonia (all forms)	1	2	4	7	32	2	6	12	5	25	59	6	43	42	271
97-8 102-7	Other Diseases—Respiratory System	2	1	1	4	10	1		•	1	2	17	2	10	13	106
111	Ulcer of Stomach or Duodenum			. 1	1	3	1	•	•	2	3	10	,	5	3	40
113	Diarrhea and Enteritis under 2 years	5		. 1	6	2			. *	2	2	7	4	8	9	10
117	Appendicitis and Typhlitis			1	1	1	1	•	*	1	2	2	•	1 3		13 13
122 128-9	Cirrhosis of the Liver  Acute and Chronic			1	1	1		•	1	1	2	3			10	
146 7	Nephritis Puerperal Sepsis	3	2	2	7	22	1	•	3	1	5	20	2	13	12	127 19
146-7 43B-5 48-50	Other Accidents and Diseases of Pregnancy				1						_					
59-161	and Parturition  Congenital Debility and Malformation: Pre-	٠		·	•	1		•	1	1	2	5	-6	. 2	2	30
	mature Birth	5	2	8	15	23		•	5	6	11	22	6	32	31	165
85-174	Suicide		• "		•	•	2	•	•	*	2	2		2	. 1	15
75-203	Other Deaths from Violence	1	1	1	3	18	2	2	1	4	9	9	2	12	· 10	99
	Other Defined Diseases	17	14	15	46	272	23	. 9	44	17	93	284	36	311	158	3,195
204- 205A	Causes Ill defined or Unknown		1	•	1	23	3		4		7	30		25	10	368
eaths 1	under one year of age	14	4	11	29	47	7	6	21	16	50	62	15	76	96	401
·,, (	65 years and upwards	27	12	· 18	57	353	39	18	56	23	136	453	42	405	217	3,885
Jncertifi	ed Deaths	5	9	11	25	224	7	3	9	1	20	245	9	258	91	3,780
Tumber	of Births	141	45	107	293	955	115	65	241	149	570	1,176	129	926	981	10,084
'opulati	on (Census 1911)	4,776	1,791	4,549	11,116	51,765	5,235	2,813	10,209	6,645	24,902	64,650	4,977	51,525	41,621	569,363
		•	,												_	

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924, Distinguishing Urban and Rural Districts, arranged by Provinces.

			GALWAY	COUNTY		LEITRIM COUNTY.		. MA	YO COUN	TY.		Ros- common County.		IGO NTY.	PROVI	
Inter- national List Nos.	CAUSES OF DEATH, ETC.	Ballina- sloe U.D.	Galway U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Ballina U.D.	Castle- bar U.D.	West- port U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Sligo U.D.	Total R.D.'s	Total U.D.'s	Tot R.D
	ALL CAUSES	42	231	273	1,967	792	75	42	51	168	2,022	1,295	150	843	332	4,7
1	Enteric Fever		. 3	3	15	1	, .				3	. 12		1	1	
2	Typhus										5			1		
6	Small-pox															
7	Measles		1	. 1	2						1					
8	Scarlet Fever					2									2	
9	Whooping-Cough	•	8	8	36	1	8		2	10	32	6	9	6	8	
10	Diphtheria				10	2	1			1	5	6		3	4	
16	Dysentery											1				
11	Influenza	1	11	12	97	23	4	2	4	10	91	42	3	20	21	
23	Encephalitis Lethargica				2									1	1	ш
24	Meningococcal Meningitis				3										1	
31	Tuberculosis of Respira-															
	tory System	6	33	39	158	45	7	5	2	14	173	79	20	40	31	
32-7	Other Tuberculosis		13	13	31	14	1		1	2	27	1.8	4	16	9	
43-9	Cancer, Malignant Disease	5	16	21	108	49	8	2	2	12	111	60	14	38	19	
51	Rheumatic Fever	*	1	*	5	2	1		1	2	6	1	•	1		ш
57	Diabetes				9	3	1			1	15	.4		. , 5	2	
74	Cerebral Hæmorrhage	2	12	14	42	19	2	2	1	5	. 21	12	2	9	4	
87-90	Heart Disease	4	17	21	147	65	5	5	2	12	124	105	23	80	28	
91B	Arterial Sclerosis	*		*	2	2					5	.2	1	2	1	
99	Bronchitis	3	7	10	78	64	2	3	. 2	7	101	89	5	36	37	
100-1	Pneumonia (all forms)	3	11	14	87	33	8	2	6	16	76	50	12	25	25	
97-8 102-7	Other Diseases—Respiratory System	•	8	8	31	8	2	1	1	4	30	13	1	24	9	
111	Ulcer of Stomach or Duodenum	1	1	2	10	. 5	•				11	. 9	1	5	2	
113	Diarrhœa and Enteritis under 2 years	•	4	4	4		4			4.	3	2	1	1	4	
117	Appendicitis and Typhlitis	٠			4	. 1					6			2	1	
122	Cirrhosis of the Liver				3	1					5	4				Ш
128-9	Acute and Chronic	1	4	5	32	26	2	1	1	4	34	16	3	19	12	
146-7	Puerperal Sepsis				3	3					4	. 7	1	2		
143B-5 148-50	Other Accidents and Diseases of Pregnancy and Parturition			b	11	3					· 10	4	2	2	4	
159-161	Congenital Debility and Malformation: Pre-				11	9					10	4	24		-	
	mature Birth	2	13	15	45	20	5	4	1	10	49	34	6	17	10	
165-174	Suicide	1		1	5	3			٠		4	3				
175-203	Other Deaths from Violence		5	5	31	11	1		1	. 2	22	22	3	13	10	
	Other Defined Diseases	12	57	69	874	344	. 13	15	23	51	970	597	38	410	76	1,6
204- 205A	Causes Ill-defined or Unknown	1	. 7	8	82	42			1	1	83	97	1	64	10	2
Deaths 1	ander one year of age	5	32	37	130	38	18	6	10	34	134	67	· 25	32	40	3
,, 6	35 years and upwards	17	78	95	1,061	<b>4</b> 68	20	20	25	65	1,118	724	57	514	117	2,6
Uncertifi	ed Deaths	6	32	38	979	425	10	. 8	14	32	1,182	706	.21	488	53	2,0
Number	of Births	100	364	464	3,094	923	122	71	. 79	272	3,892	1,595	245	1,080	511	5,4
Populati	on (Census 1911)															
	on (Census 1911)	5,169	13.255	18 494	163,800	63,582	4,662	3,698	3,674	19 034	180,143	93,956	11 162	67,882	22,495	308.6

AORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by Administrative Counties during the year 1924,
Distinguishing Urban and Rural Districts, arranged by Provinces.

	CAVAN COUNTY.							DONE	EGAL COU	UNTY.			М	ONAGHA	n Count	γ.	
er- onal st	CAUSES OF DEATH, ETC.	Bel- turbet U.D.	Cavan U.D.	Coote- hill U.D.	Total U.D.'s	Total R.D.'s	Bun- erana U.D.	Bun- doran U.D.	Letter- kenny U.D.	Total U.D.'s	Total R.D.'s	Carrick- macross U.D.	Castle- blayney U.D.	Clones U.D.	Mona- ghan U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES	21	41	28	90	1,234	27	30	34	91	2,554	25	33	31	62	151	968
		- 177													1-1		
1	Enteric Fever		• •		•	. 3	10.0	V-1	•		7		4	1	•	1	3
2	Typhus								•				•				
6 7	Small-pox Measles					4					18					40.	1
8	Scarlet Fever		1		1			1		1	4				no. 10		1
9	Whooping-Cough		1		1	20					27		3	1	3	7	10
10	Diphtheria	. 3	3		3	2				4	9				1	1	
16	Dysentery																
11	Influenza	-	•	2	2	71	1	-1.	7	8	185	1	6	•	4	11	80
23	Encephalitis Lethargica		4 10	Main !	11123	1	1	1/2	11:10	1	2	1.15			9,000	- 11	
24	Meningococcal Meningitis				•				nin	1 216	- 1	ni I		1		1	1
31	Tuberculosis of Respiratory System	1	5	3	9	51	2	2	5	9	179		4	2	7	13	40
1-7	Other Tuberculosis	1		1	2	17			2	2	46	2		•	3	5	14
3-9	Cancer, Malignant Disease	2	1		3	75	1	2	1	4	158	1	2	4	5	12	80
51	Rheumatic Fever					2		•	•		3		•	•			1
57	Diabetes		1. 10	100		7	1	1	•	2	14			*	4,11		7
74	Cerebral Hæmorrhage Heart Disease	1	4	2	7	139	7	2	1	10	75	3	3	2 2	3	11	113
90 11B	Heart Disease Arterial Sclerosis					9			1	10	236	, ,			1	1	3
99	Bronchitis	3	7		10	84		3	3	6	140	6	3	5	7	21	85
1)-1	Pneumonia (all forms)	1	4	3	8	75	2	3	2	7	124	1		3	6	10	41
7-8	Other Diseases—Respira-		-	7		10											10
1-7	tory System Ulcer of Stomach or	311	1	1	2	19	1	1	1	3	54	•	2	•	2	4	19
.11	Duodenum	·		1	. 1	9		1		1	24						4
13	Diarrhœa and Enteritis under 2 years	1			1	4	1			1	9	1		1		2	1
17	Appendicitis and Typhlitis					2					4			1		1	7
22	Cirrhosis of the Liver			,							1						2
-9	Acute and Chronic	1	3	:	4	39		3	4		00	1	-		. 2	- 4	24
1-7	Nephritis Puerperal Sepsis				*	1			1	4	63		1			7 mm x 2.	2
4-5	Other Accidents and	7 10						411		-11 3			1		(T)		The state of the s
50	Diseases of Pregnancy and Parturition			1.	1			•		۰	10		-,		. 3.	. 3	8
5.61	Congenital Debility and Malformation: Pre- mature Birth		2		2	27	1	1	1	3	84	1	2	1	- 1	5	21
16174	Suicide			4		6					4				10,51	1.8	7
203	Other Deaths from					00			4	Market I	10	10-15		-	1,0,58		To the same of the
	Violence	1 8	1 5	1 13	3 26	20 440	2 7	9	1 7	3 23	901	4	6	1 6	3	27	13 290
	Other Defined Diseases Causes Ill defined or	0	9	19	20	440	-	9		23	901	4	0	0	11	- LI	290
15A	Unknown	1	3	•	4	64	•	1	2	3	111	2	1	•	·	3	43
							1111		1-11-0	1 114			17 7 11/16	3110	1 6549	12 19 14	TIE.
hs r	inder one year of age	2	5	2	9	64	4	2	5	11	186	2	7	2	9	20	50
6	5 years and upwards	8	11	11	30	705	9	15	12	36	1,398	13	11	15	12	51	522
rtifi	ed Deaths	7	9	3	19	490	6	8	9	23	1,163	4	4	1	2	11	348
ber	of Births	30	64	46	140	1,494	62	24	70	156	2,882	39	43	49	84	215	1,080
Polatio	on (Census 1911)	1,371	2,961	1,550	5,882	85,291	1,874	2,116	2,194	6,184	162,353	2,064	1,692	2,401	4,272	10,429	61,026
		-															

I.—Statement showing, by Sexes, the Population of Saorstát Éireann area at each of the eight Censuses, 1841 to 1911, with the percentage of the Population of Ireland in each Census year.

_			1841.	1851.	1861.	1871.	1881.	1891.	1901.	1911.
Persons Males Females	***	•••	6,547,652 3,241,338 3,306,314	5,131,761 2,514,681 2,617,080	4,402,514 2,169,435 2,233,079	4,053,187 1,992,468 2,060,719	3,870,020 1,912,438 1,957,582	3,468,694 1,728,601 1,740,093	3,221,823 1,610,085 1,611,738	3,139,688 1,589,509 1,550,179
			. 10-	Percentage of	of the Popula	tion of Ireland	i			
Persons Males Females			79·9 80·2 79·6	78·1 78·3 77·8	75·9 76·5 75·4	74·9 75·5 74·3	74·8 75·5 74·1	73·7 . 74·5 . 72·9	72·3 73·2 71·4	71·5 72·5 70·5

II.—Statement showing, by certain Age-periods, the Population of Saorstát Éireann, according to the Census of 1911.

Ages	Persons	Males	Females			Ages		Persons	Males	Females		Ages	1		Persons	Males	Females
	- 4								-			1	1				
Under 5 years	307,165	155,887	151,278	30	and	under	35	 217,919	111,381	106,538	60 and	under	65		98,264	47,334	50,930
5 and under 10 '	310,163	157,597	152,566	35	,,	. ,,	40	 204,739	106,205	98,534	65 ,,	22	70	٠.,	108,639	52,799	55,840
10 ,, ,, 15	303,149	154,182	148,967	40	,,	22	45	 175,660	92,166	83,494	70 ,,	22	75		126,899	56,347	70,552
15 ,, ,, 20	303,443	155,523	147,920	45	,,	,,	50	 141,976	73,690	68,286	75 ,,	,,	85	·	82,580	40,172	42,408
20 ,, ,, 25	269,058	141,288	127,770	50	27	,,	55	 137,213	69,189	68,024	85 ,,	,,,	95		10,767	5,171	5,596
25 ,, ,, 30	236,357	117,352	119,005	55	22	23	60	 104,634	52,776	51,858	95 and	upwa	rds	***	1,063	450	613
				. pt 1500 t								Tor	AL	•••	3,139,688	1,589,509	1,550,179

III.—Statement showing, by sexes, the Estimated Population of Saorstát Éireann, in the middle of each of the years 1911–23.

	1912.	1913.	1914.	1915.	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.
Persons Males Females	3,135,000 1,588,000 1,547,000	3,131,000 1,585,000 1,546,000	1		1,579,000	3,142,000 1,587,000 1,555,000	1,595,000		3,216,000 1,651,000 1,565,000	1,658,000	3,160,000 1,594,000 1,566,000	3,165,000 1,597,000 1,568,000	1,596,000

Note.—This Statement (III.) has been constructed by adding the Births registered up to the middle of each year to the Population as ascertained at the Census of 1911, and deducting the number of Deaths registered and of emigrants enumerated. Some adjustments covering the years 1915-21 were made as regards the movements of British Military. The populations given in the above statements from 1841 to 1921 include the latter.

## INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the Number or Numbers of each Superintendent Registrar's District in the Tables of Abstracts contained in the Report, in which the numbers run consecutively from 1 to 130.]

<b>A</b> .		K.	0.
Abbeyleix 14	Clonmel 83	Kanturk 54	Oldcastle 25
Ardee 19	Cork 51, 63	Kells 23	Oughterard 97
Athlone 30	Corofin 41	Kenmare 66	
Athy 6	Croom 70	Kilkenny 11	P.
		Killadysert 44	Portumna 98
В.	D.	Killarney 67 Kilmacthomas 86	
D.	D.	Kilmactnomas 86 Kilmallock 71	R.
Bailieborough 116	Delvin 31	Kilrush 45	Rathdown 4
Ballina 103	Dingle 65	Kinsale 55	Rathdrum 38
Ballinasloe 90	Donegal 120		Rathkeale 74
Ballinrobe 104 Ballymahon 16	Drogheda 20 Dromore West 113		Roscommon 112
Ballymahon 16 Ballyshannon 119	D-11:-	L.	Roscrea 78
Ballyvaghan 40	Dundalk 3, 5	II.	El
Balrothery 2	Dunfanaghy 121	Letterkenny 124	S.
Baltinglass 37	Dungarvan 85	Limerick 72, 75	Scarriff 46
Bandon 47	Dunmanway 52	Lismore 87	Shillelagh 39
Bantry 48 Bawnboy 117	Dunshaughlin 22	Listowel 68 Longford 18	Skibbereen 60
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		Longford 18 Loughrea 95	Skull 61
Birr 27	E.	Loughtea 95	Sligo 114   Stranorlar 126
Borrisokane 76			0 1 0 7
Boyle 110	Edenderry 28		Swineford 108
	Ennis 42	M.	т.
C.	Enniscorthy 33 Ennistymon 43	Macroom 56	
0.	Ennistymon 43	Mallow 57	Thomastown 12
Caherciveen 64		Manorhamilton 101	Thurles 79 Tipperary 84
Callan 9	F.	Middleton 58	Tobercurry 115
Carlow 1	Ti	Milford 125	Tralee 69
Carrickmacross 127 Carrick-on-Shannon 100	Fermoy 53	Millstreet 59 Mohill 102	Trim 26
Carrick-on-Suir 80		Monaghan 102	Tuam 99
Cashel 81	G.	Mount Bellew 96	Tullamore 29
Castlebar 106		Mountmellick 15	U.
Castleblayney 128	Galway 92	Mullingar 32	TI-No of and 10
Castlereagh 10	Glennamaddy 93 Glenties 122		Urningiora 13
G41-4	Gorey 34		W.
Cavan 118	Gort 94	N.	
Celbridge 7	Granard 17		Waterford 88, 89
Claremorris 107		Naas 8	Westport 109 Wexford 36
Clifden 91	I.	Navan 24	Wextord 36
Clogheen 82 Clonakilty 50	1.	Nenagh 77 Newcastle 73	Y.
Clones 129	Inishowen 123	New Ross 73	Youghal 62
***************************************			

## APPENDIX.

Table showing the number of Searches made, number of Certificates issued, and the total amount received as Fees for same at the General Register Office, Dublin, during the 61 years 1864-1924.

YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates.	Years.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates.
1864	15 41 55 46 69 80 93 112 120 100 166 244 270 312 391 522 753 743 852 1,036 1,254 1,412 1,527 1,693 1,778 1,986 2,448 2,815 3,209 3,559	3 20 34 26 42 34 54 67 76 106 107 166 185 202 286 399 596 583 688 773 966 1,116 1,173 1,307 1,404 1,561 2,042 2,297 2,534 2,733	£ s. d. 1 10. 6 4 12 0 7 0 0 0 5 12 0 9 13 0 8 15 0 11 10 0 14 6 6 15 14 0 21 14 0 22 6 6 33 15 0 36 16 0 42 14 0 55 15 0 78 0 0 111 8 6 129 11 0 149 1 6 185 3 0 212 8 0 225 7 4 251 7 0 266 9 0 297 4 6 383 2 9 433 1 6 489 17 0 532 2 2	1894	3 492 3,482 4,046 3,917 4,132 4,133 4,558 4,843 4,871 4,944 5,183 5,110 5,714 5,877 5,984 6,220 6,387 6,128 6,811 6,462 7,552 7,729 8,151 10,702 11,513 11,484 11,419 18,413 19,377 23,947	2,678 2,618 3,103 2,980 3,207 3,201 3,481 3,733 3,719 3,796 3,958 4,409 4,544 4,670 4,761 4,903 4,778 5,160 4,972 6,140 5,898 6,198 6,475 8,499 8,998 8,810 8,499 7,675 8,808 14,367	£ s. d. 512 7 0 508 8 0 598 10 6 598 10 6 572 3 0 618 1 2 616 13 6 672 7 6 718 18 0 716 16 6 731 12 6 731 12 6 759 8 5 849 6 0 875 0 2 894 19 7 920 8 0 944 18 4 914 9 11 998 7 2 917 7 918 7 918 7 918 7 918 7 918 8 918 10 7 920 8 0 944 18 4 914 9 11 998 7 2 1,125 13 6 1,611 11 6 1,688 2 0 1,646 0 6 1,892 9 6 2,076 0 0 3,003 0 6

N.B.—The above figures do not include searches made and certificates issued, free of charge, for the use of Government Departments. During the year 1924, 723 such searches were made and 427 certificates issued.

on the Charles of the property to the substitution of the contract of the cont

And the Later Comments of the world of the second of the window all your homes.